

NEW BiSecur Operators and Accessories



Series 2000 Price List

01.07.2012



Hörmann Garage and Front Entrance Doors




HÖRMANN IS ALWAYS COMMITTED TO EXCELLENCE: "In Engineering, in User Safety and in Design."

All our products are third party tested to the highest standards and are certified to the high safety requirements and performance characteristics of the European Standard 13241-1. This gives you the reassurance that your purchase of a Hörmann product is a safe investment.


We are also committed to our national network of garage door specialist distributors. These are independent businesses, who believe in customer service and have the skills to advise you on the best product for your property, also providing quality fitting and finishing.

"A great product performs at its best when fitted by experts."


Door Operating Systems



Canopy Operating Gear



Retractable Operating Gear



Sectional Operating Gear



RollMatic Operating Gear

Power Operated Garage Doors

It is against the law to install a power operated garage door in the UK without complying with the Machinery Directive.

To comply with the Machinery Directive both the door and the operator used in the installation must have a Declaration of Incorporation from the manufacturer.

On completion of the installation the installer must provide a Declaration of Conformity and apply a CE mark giving details of the installation to the door / operator combination, which is now classed as a machine.

The installer must issue to the customer a Declaration of Conformity on completion of the installation.

The installer must hold copies of both the Declaration of Incorporation and the Declaration of Conformity on a technical file for inspection by the relevant authorities.

If any of the above requirements are not fulfilled the installation is illegal.

Please ensure for your own safety and peace of mind that whoever installs your electric operator is both willing and able to fulfil these requirements; if they are not - do not use them!

Members of the DHF Garage Door Installer Group can and will install your Hörmann operator safely and legally.



WARRANTY

1. Warranty Period

The purchaser is granted a warranty covering the safe and reliable operation of the Hörmann garage door for a period of 10 years from the date of purchase.

However it is recommended that the springs, wire cables, tracks, guide rollers and hinges are inspected regularly - at least once a year. The purchaser is given a 5 year warranty against these items for normal use, whereby normal use constitutes no more than 5 operations (open/close) per day.

The warranty period for replacement parts is 6 months or for the remainder of the warranty period.

2. Requirements

Warranty claims are only accepted in the country where the garage door was purchased.

The product must have been purchased through our authorised distribution channels.

The warranty only covers damage to the contract object. The fully completed warranty card together with the receipt of purchase correspondingly substantiate your right to claim under warranty.

3. Performance

During the warranty period we undertake to rectify any and all defects to the Hörmann product which can be proved to be attributed to a material or manufacturing fault.

We pledge at our discretion to either exchange the defective merchandise for faultless merchandise, repair it or allow a reduction in price. Costs for dismantling, installation and carriage are also at our discretion.

Replacement parts remain our property.

The warranty does not cover damage caused through:

- Improper installation and negligent care and maintenance
- Improper initial and subsequent operation
- Negligent or wanton destruction
- External influences such as fire, water, salts, alkaline solutions, acids and any abnormal environmental influences
- Mechanical damage through improper transport and fitting
- Priming and other surface protection treatments
- Incorrect or too late applied surface protection treatments
- Repair by non-qualified persons
- Using non-Hörmann parts without the approval of the manufacturer
- Removal of the product number or making it unidentifiable.












For Electric operators the warranty period is 5 years on operator mechanics, motor and motor control systems, and 2 years on radio equipment, accessories and special systems. Batteries, fuses and bulbs are excluded from warranty.

For further details of our operator warranty please contact our office.

We reserve the right to change specification without prior notification.

Contents








	Up-and-Over Garage Doors Canopy and retractable with steel infill	4 – 7
	Up-and-Over Garage Doors Canopy and retractable with timber infill	8 – 11
	Up-and-Over Garage Doors Canopy and retractable with GRP infill (Glass reinforced polyester)	12
	Sectional Garage Doors Optional extras and window designs	13
	Sectional Garage Doors LTE 40 Single-skinned steel Sectional doors	14
	Sectional Garage Doors EPU 40 Double-skinned steel Sectional doors	15
	Sectional Garage Doors LPU 40 Double-skinned steel Sectional doors	16 – 17
	Roller Garage Doors RollMatic	
	External RollMatic	18 – 19
	Garage Door Operators BiSecur operators and accessories	20 – 21
	Entrance Doors ThermoPro steel classic and design doors Secure by design option ThermoPro side elements and transom lights	22 – 25

Hörmann Up-and-Over Doors

Canopy & retractable with steel infill



SINGLE DOORS											
Door sizes BR		2001 Vertical		2002 Horizontal		2601 Elegance		2101 Ilkley		2103 Caxton	
Imperial	Metric	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.
6'6" x 6'6"	1981 x 1981	524	566	457	499						
7'0"	1981 x 2134	524	566	457	499						
6'10" x 6'4"	2083 x 1930	523	565	468	510						
6'6"	2083 x 1981	523	565	478	520						
7'0"	2083 x 2134	535	577	496	538						
7'0" x 6'4"	2134 x 1930	525 ¹	567 ¹	473	515			879	921		
6'6"	2134 x 1981	509¹	552¹	417¹	459¹	648	690	879	921	847	889
7'0"	2134 x 2134	530¹	572¹	479¹	521¹	685	727	888	930	854	896
7'6"	2134 x 2286		658		612						
7'3" x 6'4"	2210 x 1930	550 ¹	593 ¹	515	557						
6'6"	2210 x 1981	554	596	518	560						
7'0"	2210 x 2134	561	603	524	566						
7'5" x 6'6"	2261 x 1981	558	600	515	557			912	954	898	940
7'0"	2261 x 2134	627	670	587	630			922	964	907	949
7'6" x 6'4"	2286 x 1930	571	613	515	557			912	954		
6'6"	2286 x 1981	571 ¹	613 ¹	515 ¹	557 ¹	720	762	922	954	898	940
7'0"	2286 x 2134	627 ¹	670 ¹	588 ¹	632 ¹	831	873	922	964	907	949
7'6"	2286 x 2286		716		732						
7'8" x 6'4"	2337 x 1930	647	689	593	635						
8'0" x 6'4"	2438 x 1930	678	720	594	636			968	1010		
6'6"	2438 x 1981	678 ¹	720 ¹	594	636	854	896	968	1010	930	972
7'0"	2438 x 2134	701 ¹	743 ¹	607	649	854	896	978	1020	977	1019
7'6"	2438 x 2286		806		713						
8'0"	2438 x 2438		834		742						
8'6" x 6'6"	2590 x 1981		776		686						
7'0"	2590 x 2134		842		710						
9'0" x 6'6"	2743 x 1981		897		855						
7'0"	2743 x 2134		979		897						
10'0" x 6'6"	3048 x 1981		1086		1071						
7'0"	3048 x 2134		1086		1071						






Prices Marked ¹ - optional dark brown RAL 8028 available. Surcharge on door, see page 7.

DOUBLE DOORS Internal frame sizes BR		2001 Vertical	2002 Horizontal	Style Not Available	2101 Ilkley	Style Not Available
Imperial	Metric	Retractable	Retractable	Retractable	Retractable	
11'0" x 6'6"	3353 x 1981	1344*	1320*			
7'0"	3353 x 2134	1415*	1395*			
12'0" x 6'6"	3658 x 1981	1432*	1410*			
7'0"	3658 x 2134	1496*	1470*			
13'0" x 6'6"	3962 x 1981	1511*	1486*			
7'0"	3962 x 2134	1564*	1541*			
14'0" x 6'6"	4267 x 1981	1402	1385		2273*	
7'0"	4267 x 2134	1402	1385		2273*	

Prices Marked * - Not available ex-stock, delivery 2 - 3 weeks

MATCHING SIDE DOORS Ordering sizes		2001 Vertical	2002 Horizontal	2601 Elegance	Style Not Available	Style Not Available
Prices Marked ² - Not available ex-stock, delivery 4 - 8 weeks						
875 x 1875		353	712 ²	667 ²		
875 x 2000						
875 x 2125						
1000 x 2000		376	737 ²	761 ²		
1000 x 2125						








										75mm steel framed doors Recommended structural opening sizes allowing tolerance of 10mm on width & 5mm on height For steel frame options see page 7	
CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.	Imperial	Metric
		639	681							7'0" x 6'8 1/2"	2135 x 2044
		650	692							7'0" x 7'2 3/4"	2135 x 2199
		647	689							7'4" x 6'6 1/2"	2235 x 1994
		648	690							7'4" x 6'8 1/2"	2235 x 2044
		695	737							7'4" x 7'2 3/4"	2235 x 2199
		648	690							7'6" x 6'6 1/2"	2284 x 1994
544	586	648 ¹	690 ¹	892	934	648	690	648	690	7'6" x 6'8 1/2"	2284 x 2044
581	623	685 ¹	727 ¹	930	972	685	727	685	727	7'6" x 7'2 3/4"	2284 x 2199
										7'6" x 7'8 1/2"	2284 x 2350
		720	762							7'9 1/4" x 6'6 1/2"	2365 x 1994
										7'9 1/4" x 6'8 1/2"	2365 x 2044
										7'9 1/4" x 7'2 3/4"	2365 x 2199
		720	762							7'11" x 6'8 1/2"	2411 x 2044
		831	873							7'11" x 7'2 3/4"	2411 x 2199
		720	762							8'0" x 6'6 1/2"	2436 x 1994
607	649	720 ¹	762 ¹	964	1006	720	762	720	762	8'0" x 6'8 1/2"	2436 x 2044
667	710	831 ¹	873 ¹	1075	1117	831	873	831	873	8'0" x 7'2 3/4"	2436 x 2199
										8'0" x 7'8 1/2"	2436 x 2350
		863	906							8'2" x 6'6 1/2"	2489 x 1994
		854	896							8'6" x 6'6 1/2"	2589 x 1994
764	806	854	896			854	896			8'6" x 6'8 1/2"	2589 x 2044
796	838	888	930			888	930			8'6" x 7'2 3/4"	2589 x 2199
										8'6" x 7'8 1/2"	2589 x 2350
										8'6" x 8'2 3/4"	2589 x 2503
										9'0" x 6'8 1/2"	2741 x 2044
										9'0" x 7'2 3/4"	2741 x 2199
			1130							9'6" x 6'8 1/2"	2894 x 2044
			1151							9'6" x 7'2 3/4"	2894 x 2199
										10'6" x 6'8 1/2"	3199 x 2044
										10'6" x 7'2 3/4"	3199 x 2199
2003 Chevron	2004 Georgian	2304 Georgian with windows	2104 Marquess	Style not available		Imperial	Metric				
Retractable	Retractable	Retractable	Retractable								
						11'6" x 6'8 1/2"	3504 x 2044				
						11'6" x 7'2 3/4"	3504 x 2199				
						12'6" x 6'8 1/2"	3809 x 2044				
						12'6" x 7'2 3/4"	3809 x 2199				
						13'6" x 6'8 1/2"	4114 x 2044				
						13'6" x 7'2 3/4"	4114 x 2199				
1789*	1737	2194 *	1789*			14'6" x 6'8 1/2"	4419 x 2044				
1789*	1737	2194 *	1789*			14'6" x 7'2 3/4"	4419 x 2199				
2003 Chevron	2004 Georgian	2304 Georgian with windows	2104 Marquess	Style not available							
893 ²	667 ²	770 ²	667 ²								
909 ²	761 ²	864 ²	761 ²								

All prices are in £ and are exclusive of VAT

Hörmann Up-and-Over Doors

Canopy & retractable with steel infill



SINGLE DOORS											
Door sizes BR		Vertical Decograin Golden Oak or Rosewood		Horizontal Decograin Golden Oak or Rosewood		Georgian Decograin Golden Oak or Rosewood		Marquess Decograin Golden Oak or Rosewood		2011 Open for infill	
Imperial	Metric	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.
6'6" x 6'6"	1981 x 1981									441	483
7'0"	1981 x 2134									441	483
6'10" x 6'4"	2083 x 1930									441	483
6'6"	2083 x 1981										
7'0"	2083 x 2134										
7'0" x 6'4"	2134 x 1930									441	483
6'6"	2134 x 1981	658	700	567	609	777	819	777	819	441	483
7'0"	2134 x 2134	678	720	630	672	814	856	814	856	470	513
7'6"	2134 x 2286										
7'3" x 6'4"	2210 x 1930									492	534
6'6"	2210 x 1981										
7'0"	2210 x 2134										
7'5" x 6'6"	2261 x 1981	702	744	645	687	867	909	867	909	492	534
7'0"	2261 x 2134	756	798	719	761	999	1041	999	1041	507	549
7'6" x 6'4"	2286 x 1930									492	534
6'6"	2286 x 1981	702	744	645	687	863	906	863	906	492	534
7'0"	2286 x 2134	756	798	719	761	999	1041	999	1041	506	548
7'6"	2286 x 2286										
7'8" x 6'4"	2337 x 1930									515	557
8'0" x 6'4"	2438 x 1930									515	557
6'6"	2438 x 1981	809	851	712	754	1017	1059	1017	1059	515	557
7'0"	2438 x 2134	833	875	739	781	1052	1094	1052	1094	515	557
7'6"	2438 x 2286										
8'0"	2438 x 2438										
8'6" x 6'6"	2590 x 1981										
7'0"	2590 x 2134										
9'0" x 6'6"	2743 x 1981										614
7'0"	2743 x 2134										624
10'0" x 6'6"	3048 x 1981										1108
7'0"	3048 x 2134										1108
DOUBLE DOORS Internal frame sizes BR		Style not available		Style not available		Style not available		Style not available		2011 Open for infill Retractable	
Imperial	Metric										
11'0" x 6'6"	3353 x 1981									1497	
7'0"	3353 x 2134									1563	
12'0" x 6'6"	3658 x 1981									1584	
7'0"	3658 x 2134									1644	
13'0" x 6'6"	3962 x 1981									1663	
7'0"	3962 x 2134									1716	
14'0" x 6'6"	4267 x 1981									1554	
7'0"	4267 x 2134									1554	
Prices Marked * - Not available ex-stock, delivery 2 - 3 weeks											
MATCHING SIDE DOORS Ordering sizes		2001 Golden Oak or Rosewood		2002 Golden Oak or Rosewood		2004 Golden Oak or Rosewood		2104 Golden Oak or Rosewood		2011 Open for infill	
Prices Marked ² - Not available ex-stock, delivery 4 - 8 weeks											
875 x 1875										353	
875 x 2000		743 ²		743 ²		743 ²		743 ²			
875 x 2125											
1000 x 2000		848 ²		848 ²		848 ²		848 ²		376	
1000 x 2125											



The door leaf and optional box section steel frame are made of galvanised material that is polyester powder coated on both sides.

This finish is extremely durable and the standard colour is Traffic white RAL 9016.

Other colours are available listed in optional extras below.

To help maintain the aesthetic appearance of your door and prevent the build up of dirt, salt and other corrosive substances the door should be washed with a mild soap-based solution on a regular basis.

If the door is located near the coast it is important that the door panel and frame should be washed at least every 2 months.

We also suggest that all other components are brushed down on a regular basis to prevent the build up of dirt and dust etc.

The window frames on the Georgian and Ilkley doors are UPVC and white as standard.

These frames are a 2-part construction with the window material sandwiched between and frames screwed together from the back for security.

The finish of the Decograin doors is a synthetic foil-coated timber design outside (inside primer white).

The leaf frame and fixing frame is a matching powder coating.

For further choice of exciting door designs in steel, traditional or contemporary, with a vast range of sizes and increased range of colours, ask your garage door specialist about the N80 Up-and-Over garage doors available to special order.

Optional extras for Steel Doors	Price
75mm Steel fixing frame for either canopy or retractable geared single doors. Factory fitted	100
75mm Steel fixing frame for either canopy or retractable geared single doors. Factory fitted with frame to compliment Decograin	100
75mm Steel fixing frame for DOUBLE retractable geared doors. Factory fitted	158
60mm Steel fixing frame for canopy geared doors only. Factory fitted	103
60mm Steel fixing frame for canopy geared doors only. Factory fitted with frame to compliment Decograin	103
Please note: Factory fitted 8' high frame not available	
Prices marked ¹ - optional Dark Brown RAL 8028 available. Surcharge on door	26
Retractable plus gear for retractable doors up to 7'6" wide giving extra drive through width Surcharge on retractable price	48
4 point locking kit for extra security, factory fit with door order or retrofit - single door sizes only	45
3 point locking kit for extra security, factory fit with door (this cannot be retrofitted)	90
Window options for 2304 Georgian style door - Plain, crossed or diamond style with crystal glazing	Incl.
Colours are available to special order in the following styles: 2001 Vertical, 2002 Horizontal, 2101 Ilkley available in all the listed sizes 2004 Georgian, 2304 Georgian with windows and 2104 Marquess are available in 7066, 7070, 7566, 7570, 7666, 7670 and 8066, 8070 sizes only Please note: Caxton, Chevron, Countess and Elegance steel Up-and-Over doors are only available in white Colours: Terra Brown RAL 8028, Signal Blue RAL 5005, Steel Blue RAL 5011, Moss Green RAL 6005, Ruby Red RAL 3003, Jet Black RAL 9005 Includes matching frame if ordered with door. White frame RAL 9016 also available, please specify when ordering Please allow 3 - 4 weeks lead time for coloured doors	
Single doors	95
Double doors	142
Coloured window frames for Georgian and Ilkley doors: Coloured window frames to match door colour Georgian doors (price per window, see note below for the number of windows) Ilkley doors (price per single door) Ilkley doors (price per double door) Please state coloured windows required on order Orders received without reference will be supplied with white / brown as standard Georgian doors up to 10' wide = 4 windows, between 10' to 13' = 6 windows, between 13' to 14' = 8 windows	
Georgian doors (price per window, see note below for the number of windows)	26
Ilkley doors (price per single door)	126
Ilkley doors (price per double door)	252
Optional handle sets Cast Aluminium silver colour and brass colour Cast Aluminium white RAL 9016 and brown Brushed or polished stainless steel Matching lever handles are also available for side doors	
Cast Aluminium silver colour and brass colour	106
Cast Aluminium white RAL 9016 and brown	129
Brushed or polished stainless steel	154
Matching lever handles are also available for side doors	P.O.A.






All prices are in £ and are exclusive of VAT

7






Hörmann Up-and-Over Doors

Canopy & retractable with timber infill



SINGLE DOORS											
Door sizes BR		2005 Measham		2007 Jacobean		2008 Tudor		2014 Rutland		2009 Vertical or Horizontal	
Imperial	Metric	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.
6'6" x 6'6"	1981 x 1981	902	945	1091	1133	1091	1133	1091	1133	1247	1289
7'0"	1981 x 2134	902	945	1091	1133	1091	1133	1091	1133	1247	1289
6'10" x 6'4"	2083 x 1930	902	945	1091	1133	1091	1133	1091	1133	1247	1289
6'6"	2083 x 1981										
7'0"	2083 x 2134										
7'0" x 6'4"	2134 x 1930	902	945	1091	1133	1091	1133	1091	1133	1247	1289
6'6"	2134 x 1981	902	945	1091	1133	1091	1133	1091	1133	1247	1289
7'0"	2134 x 2134	902	945	1091	1133	1091	1133	1091	1133	1247	1289
7'6"	2134 x 2286										
7'3" x 6'4"	2210 x 1930	938	980	1143	1185	1143	1185	1143	1185	1292	1334
6'6"	2210 x 1981										
7'0"	2210 x 2134										
7'5" x 6'6"	2261 x 1981	938	980	1143	1185	1143	1185	1143	1185	1292	1334
7'0"	2261 x 2134	1010	1052	1179	1221	1179	1221	1179	1221	1322	1364
7'6" x 6'4"	2286 x 1930	938	980	1143	1185	1143	1185	1143	1185	1292	1334
6'6"	2286 x 1981	938	980	1143	1185	1143	1185	1143	1185	1292	1334
7'0"	2286 x 2134	961	1003	1179	1221	1179	1221	1179	1221	1322	1364
7'6"	2286 x 2286										
8'0"	2286 x 2438										
7'8" x 6'4"	2337 x 1930	975	1017	1194	1236	1194	1236	1194	1236	1292	1334
8'0" x 6'4"	2438 x 1930	991	1033	1207	1249	1207	1249	1207	1249	1367	1409
6'6"	2438 x 1981	991	1033	1207	1249	1207	1249	1207	1249	1367	1409
7'0"	2438 x 2134	1013	1055	1238	1280	1238	1280	1238	1280	1407	1449
8'0"	2438 x 2438										
8'6" x 6'6"	2590 x 1981										
7'0"	2590 x 2134										
9'0" x 6'6"	2743 x 1981		1211		1404		1404		1404		1500
7'0"	2743 x 2134		1211		1404		1404		1404		1500
10'0" x 6'6"	3048 x 1981		1216		1501		1501		1501		1568
7'0"	3048 x 2134		1216		1501		1501		1501		1568
DOUBLE DOORS Internal frame sizes BR		2005 Measham		2007 Jacobean		2008 Tudor		2014 Rutland		2009 Vertical or Horizontal	
Imperial	Metric	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.
11'0" x 6'6"	3353 x 1981		2145		2366		2366		2366		2527
7'0"	3353 x 2134		2145		2366		2366		2366		2527
12'0" x 6'6"	3658 x 1981		2226		2378		2378		2378		2793
7'0"	3658 x 2134		2226		2378		2378		2378		2793
13'0" x 6'6"	3962 x 1981		2234		2566		2566		2566		3124
7'0"	3962 x 2134		2234		2566		2566		2566		3124
14'0" x 6'6"	4267 x 1981		2239		2525		2525		2525		2617
7'0"	4267 x 2134		2239		2525		2525		2525		2617
Please note: Lead times on all timber garage doors will be 3 to 4 weeks											
MATCHING SIDE DOORS Ordering sizes		2005 Measham		2007 Jacobean		2008 Tudor		2014 Rutland		2009 Vertical or Horizontal	
Please note: Lead times on all timber side garage doors will be 4 to 8 weeks											
875 x 1875		613		709		709		709		718	
875 x 2000		644		739		739		739		749	
875 x 2125											
1000 x 2000											
1000 x 2125											







 2109 Mallory Horizontal or Vertical CAN. RET.		 2013 Caxton CAN. RET.		 2020 Gatcombe CAN. RET.		 2114 Shepshed CAN. RET.		 2019 Garage Light CAN. RET.		75mm steel framed doors Recommended structural opening sizes allowing tolerance of 10mm on width & 5mm on height For steel frame options see page 11 Imperial Metric	
1244	1286	1445	1487	1445	1487	1445	1487	1493	1535	7'0" x 6'8 1/2"	2135 x 2044
1244	1286	1445	1487	1445	1487	1445	1487	1493	1535	7'0" x 7'2 3/4"	2135 x 2199
1244	1286	1445	1487	1445	1487	1445	1487	1493	1535	7'4" x 6'6 1/2"	2235 x 1994
										7'4" x 6'8 1/2"	2235 x 2044
										7'4" x 7'2 3/4"	2235 x 2199
1244	1286	1445	1487	1445	1487	1445	1487	1493	1535	7'6" x 6'6 1/2"	2284 x 1994
1244	1286	1445	1487	1445	1487	1445	1487	1493	1535	7'6" x 6'8 1/2"	2284 x 2044
1244	1286	1445	1487	1445	1487	1445	1487	1493	1535	7'6" x 7'2 3/4"	2284 x 2199
										7'6" x 7'8 1/2"	2284 x 2350
1292	1334	1490	1533	1490	1533	1490	1533	1559	1601	7'9 1/4" x 6'8 1/2"	2365 x 1994
										7'9 1/4" x 6'8 1/2"	2365 x 2044
										7'9 1/4" x 7'2 3/4"	2365 x 2199
1292	1334	1490	1533	1490	1533	1490	1533	1559	1601	7'11" x 6'8 1/2"	2411 x 2044
1341	1383	1515	1557	1515	1557	1515	1557	1599	1641	7'11" x 7'2 3/4"	2411 x 2199
1292	1334	1490	1533	1490	1533	1490	1533	1559	1601	8'0" x 6'6 1/2"	2436 x 1994
1292	1334	1490	1533	1490	1533	1490	1533	1559	1601	8'0" x 6'8 1/2"	2436 x 2044
1341	1383	1515	1557	1515	1557	1515	1557	1631	1673	8'0" x 7'2 3/4"	2436 x 2199
										8'0" x 7'8 1/2"	2436 x 2350
										8'0" x 8'2 3/4"	2436 x 2503
1422	1464	1635	1677	1635	1677	1635	1677	1749	1791	8'2" x 6'6 1/2"	2489 x 1994
1422	1464	1635	1677	1635	1677	1635	1677	1749	1791	8'6" x 6'6 1/2"	2589 x 1994
1422	1464	1635	1677	1635	1677	1635	1677	1749	1791	8'6" x 6'8 1/2"	2589 x 2044
1422	1464	1635	1677	1635	1677	1635	1677	1749	1791	8'6" x 7'2 3/4"	2589 x 2199
										8'6" x 8'2 3/4"	2589 x 2503
										9'0" x 6'8 1/2"	2741 x 2044
										9'0" x 7'2 3/4"	2741 x 2199
	1648		1880		1880		1880		1931	9'6" x 6'8 1/2"	2894 x 2044
	1648		1880		1880		1880		1931	9'6" x 7'2 3/4"	2894 x 2199
	1796		2001		2001		2001		2147	10'6" x 6'8 1/2"	3199 x 2044
	1796		2001		2001		2001		2147	10'6" x 7'2 3/4"	3199 x 2199
2109 Mallory		2013 Caxton		2020 Gatcombe		2114 Shepshed		2019 Garage Light		Imperial	Metric
CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.		
	2659		2808		2808		2808		3126	11'6" x 6'8 1/2"	3504 x 2044
	2659		2808		2808		2808		3126	11'6" x 7'2 3/4"	3504 x 2199
	2884		3052		3052		3052		3437	12'6" x 6'8 1/2"	3809 x 2044
	2884		3052		3052		3052		3437	12'6" x 7'2 3/4"	3809 x 2199
	3129		3336		3336		3336		3871	13'6" x 6'8 1/2"	4114 x 2044
	3129		3336		3336		3336		3871	13'6" x 7'2 3/4"	4114 x 2199
	3039		3245		3245		3245		3669	14'6" x 6'8 1/2"	4419 x 2044
	3039		3245		3245		3245		3669	14'6" x 7'2 3/4"	4419 x 2199
2109 Mallory		2013 Caxton		2020 Gatcombe		2114 Shepshed		2019 Garage Light			
	809		837		854		833		953		
	842		870		889		864		984		

All prices are in £ and are exclusive of VAT

Hörmann Up-and-Over Doors

Canopy & retractable with timber infill



SINGLE DOORS										75mm steel framed doors Recommended structural opening sizes allowing tolerance of 10mm on width & 5mm on height For steel frame options see page 11	
Door sizes BR		2119 Leicester		2010 Chevron		2121 Chesterfield		2122 Middleton			
Imperial	Metric	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.	Imperial	Metric
6'6" x 6'6"	1981 x 1981		1733	1543	1585		1981		1965	7'0" x 6'8 1/2"	2135 x 2044
7'0"	1981 x 2134		1733	1543	1585		1981		1965	7'0" x 7'2 3/4"	2135 x 2199
6'10" x 6'4"	2083 x 1930		1733	1543	1585		1981		1965	7'4" x 6'6 1/2"	2235 x 1994
6'6"	2083 x 1981									7'4" x 6'8 1/2"	2235 x 2044
7'0"	2083 x 2134									7'4" x 7'2 3/4"	2235 x 2199
7'0" x 6'4"	2134 x 1930		1747	1543	1585		1981		1965	7'6" x 6'6 1/2"	2284 x 1994
6'6"	2134 x 1981		1747	1543	1585		1981		1965	7'6" x 6'8 1/2"	2284 x 2044
7'0"	2134 x 2134		1747	1543	1585		1994		1987	7'6" x 7'2 3/4"	2284 x 2199
7'6"	2134 x 2286									7'6" x 7'8 1/2"	2284 x 2350
7'3" x 6'4"	2210 x 1930		1905	1612	1654		2127		2120	7'9 1/4" x 6'6 1/2"	2365 x 1994
6'6"	2210 x 1981									7'9 1/4" x 6'8 1/2"	2365 x 2044
7'0"	2210 x 2134									7'9 1/4" x 7'2 3/4"	2365 x 2199
7'5" x 6'6"	2261 x 1981		1913	1612	1654		2130		2120	7'11" x 6'8 1/2"	2411 x 2044
7'0"	2261 x 2134		1987	1656	1698		2140		2130	7'11" x 7'2 3/4"	2411 x 2199
7'6" x 6'4"	2286 x 1930		1911	1612	1654		2130		2120	8'0" x 6'6 1/2"	2436 x 1994
6'6"	2286 x 1981		1911	1612	1654		2130		2120	8'0" x 6'8 1/2"	2436 x 2044
7'0"	2286 x 2134		1987	1656	1698		2151		2140	8'0" x 7'2 3/4"	2436 x 2199
7'6"	2286 x 2286									8'0" x 7'8 1/2"	2436 x 2350
8'0"	2286 x 2438									8'0" x 8'2 3/4"	2436 x 2503
7'8" x 6'4"	2337 x 1930		2039	1762	1804					8'2" x 6'6 1/2"	2489 x 1994
8'0" x 6'4"	2438 x 1930		2046	1762	1804					8'6" x 6'6 1/2"	2589 x 1994
6'6"	2438 x 1981		2046	1762	1804					8'6" x 6'8 1/2"	2589 x 2044
7'0"	2438 x 2134		2091	1789	1831					8'6" x 7'2 3/4"	2589 x 2199
8'0"	2438 x 2438									8'6" x 8'2 3/4"	2589 x 2503
8'6" x 6'6"	2590 x 1981									9'0" x 6'8 1/2"	2741 x 2044
7'0"	2590 x 2134									9'0" x 7'2 3/4"	2741 x 2199
9'0" x 6'6"	2743 x 1981		2144		1950					9'6" x 6'8 1/2"	2894 x 2044
7'0"	2743 x 2134		2144		1950					9'6" x 7'2 3/4"	2894 x 2199
10'0" x 6'6"	3048 x 1981		2415		2270					10'6" x 6'8 1/2"	3199 x 2044
7'0"	3048 x 2134		2415		2270					10'6" x 7'2 3/4"	3199 x 2199

DOUBLE DOORS Internal Frame Sizes BR		2119 Leicester		2010 Chevron		Style Not Available		Style Not Available			
Imperial	Metric	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.	Imperial	Metric
11'0" x 6'6"	3353 x 1981		3367		3222					11'6" x 6'8 1/2"	3504 x 2044
7'0"	3353 x 2134		3367		3222					11'6" x 7'2 3/4"	3504 x 2199
12'0" x 6'6"	3658 x 1981		3600		3282					12'6" x 6'8 1/2"	3809 x 2044
7'0"	3658 x 2134		3600		3282					12'6" x 7'2 3/4"	3809 x 2199
13'0" x 6'6"	3962 x 1981		3940		3336					13'6" x 6'8 1/2"	4114 x 2044
7'0"	3962 x 2134		3940		3336					13'6" x 7'2 3/4"	4114 x 2199
14'0" x 6'6"	4267 x 1981		3843		3245					14'6" x 6'8 1/2"	4419 x 2044
7'0"	4267 x 2134		3843		3245					14'6" x 7'2 3/4"	4419 x 2199

Please note: Lead times on all timber garage doors will be 3 to 4 weeks

MATCHING SIDE DOORS Ordering sizes	2119 Leicester	2010 Chevron	2121 Chesterfield	2122 Middleton
875 x 1875				
875 x 2000	731	709	709	731
875 x 2125				
1000 x 2000	749	739	739	749
1000 x 2125				

Please note: Lead times on all timber side garage doors will be 4 to 8 weeks



Our timber garage doors are constructed as an infill to fit into the Open-for-Infill Up-and-Over door frame, this gives the doors their rigid and durable construction.

The styles Measham, Jacobean, Tudor and Rutland are cedar facings glued and fixed to exterior quality plywood.

The solid cedar doors are 12mm tongue and groove boards constructed as an infill.

Cedar is organically grown with natural colour and grain variations; this is a feature of cedar.

We make every effort to harmonise the effect where possible, by hand matching the component parts used in construction.

Please note a uniform overall grain pattern cannot be guaranteed.

Protection (Basecoat)

All our timber doors are supplied with a dip immersion coat of Sikkens WP560 Colour ref 006 Light Oak; this coating is for temporary protection only.

If purchased in this temporary finish, please ensure that a full specification of finishing coats are applied immediately before or after installation to all exposed surfaces - inside as well as outside - with a Sikkens or similar finishing coat system.

A fully finished option is available, please see options below.






For further choice of exciting door designs, traditional or contemporary in Nordic Pine and Hemlock, with a vast range of sizes, ask your garage door specialist about the N80 Up-and-Over garage doors available to special order.





Optional extras for timber doors	Price
75mm Steel fixing frame for either canopy or retractable geared single doors, factory fitted Dark brown RAL 8028 as standard	100
75mm Steel fixing frame for DOUBLE retractable geared doors, factory fitted Dark brown RAL 8028 as standard	158
60mm Steel fixing frame for canopy geared doors only, factory fitted Dark brown RAL 8028 as standard	103
Please note: Factory fitted 8' high frame not available	
Retractable plus gear for retractable doors up to 7'6" wide giving extra drive through width Surcharge on retractable price	48
4 point locking kit for extra security, factory fit with door order or retrofit	45
Window options for 2019 Garage Light door - Crystal or clear glazing and can be plain or with square or diamond simulated leading	Incl.
Fully finished option This is available as a factory process giving a 5 year erosion protection The product used is Sikkens and is available in the following stain colours: Mahogany, Walnut, Dark Oak, Medium Oak, Light Oak, Teak, Ebony, Rosewood and Golden Oak For south facing situations exposed to strong sunlight, the dark colours are NOT recommended as they can store excessive heat and dry out	
Door sizes up to 8'0" x 7'0"	105
Door sizes up to 14'0" x 7'0"	208
Side doors	79
Optional handle sets Cast Aluminium silver colour and brass colour	106
Cast Aluminium bronze colour	129
Brushed or polished stainless steel	154
Matching lever handles are also available for side doors	P.O.A.

Hörmann Up-and-Over Doors

Canopy & retractable with GRP infill



SINGLE DOORS											
Door sizes BR		2042 Windermere		2041 Coniston		2044 Stamford		2034 Peshurst		2035 Hartfield	
Imperial	Metric	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.
7'0" x 6'6"	2134 x 1981	1535	1579	1502	1546	1577	1621	1628	1672	1628	1672
7'0"	2134 x 2134	1535	1579	1502	1546	1577	1621	1628	1672	1628	1672
7'6" x 6'6"	2286 x 1981	1629	1672	1586	1630	1661	1705	1771	1815	1771	1815
7'0"	2286 x 2134	1629	1672	1586	1630	1661	1705	1771	1815	1771	1815
8'0" x 6'6"	2438 x 1981	1751	1795	1731	1775	1798	1842	1884	1929		
7'0"	2438 x 2134	1751	1795	1731	1775	1798	1842	1884	1929		
9'0" x 6'6"	2743 x 1981		1977*		1932*		1995*		2035		
7'0"	2743 x 2134		1977*		1932*		1995*		2035		

SINGLE DOORS & DOUBLE DOORS									
Door sizes BR		2040 Livingston		2047 Bourton		2048 Burford		2049 Moreton	
Imperial	Metric	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.
7'0" x 6'6"	2134 x 1981	1800	1844	1628	1672	1628	1672	1800	1844
7'0"	2134 x 2134	1800	1844	1628	1672	1628	1672	1800	1844
7'6" x 6'6"	2286 x 1981	1944	1988	1771	1815	1771	1815	1944	1988
7'0"	2286 x 2134	1944	1988	1771	1815	1771	1815	1944	1988
8'0" x 6'6"	2438 x 1981			1885	1929	1885	1929	2057	2101
7'0"	2438 x 2134			1885	1929	1885	1929	2057	2101
14'0" x 6'6"	4267 x 1981				2994		3249		3263
7'0"	4267 x 2134				2994		3249		3263

Coniston and Stamford are supplied in white RAL 9016 OFI, all other styles are supplied in brown RAL 8028 OFI.

75mm steel framed doors

Door sizes BR		Recommended structural opening sizes allowing tolerance of 10mm on width & 5mm on height	
Imperial	Metric	Imperial	Metric
7'0" x 6'6"	2134 x 1981	7'6" x 6'8 ¹ / ₂ "	2284 x 2044
7'0" x 7'0"	2134 x 2134	7'6" x 7'2 ³ / ₄ "	2284 x 2199
7'6" x 6'6"	2286 x 1981	8'0" x 6'8 ¹ / ₂ "	2436 x 2044
7'6" x 7'0"	2286 x 2134	8'0" x 7'2 ³ / ₄ "	2436 x 2199
8'0" x 6'6"	2438 x 1981	8'6" x 6'8 ¹ / ₂ "	2589 x 2044
8'0" x 7'0"	2438 x 2134	8'6" x 7'2 ³ / ₄ "	2589 x 2199
9'0" x 6'6"	2894 x 1981	9'6" x 6'8 ¹ / ₂ "	2894 x 2044
9'0" x 7'0"	2743 x 2134	9'6" x 7'2 ³ / ₄ "	2894 x 2199

For GRP colour options please consult main brochure

Window Options

Price

Clear or translucent

Per door 154

Clear or translucent with decorative leading

Per door 257














Windows are available in the Windermere and Coniston (clear or translucent) Stamford comes with black windows as standard

* Doors only available without handle (automation required)

Hörmann Sectional Doors



Optional extras and window designs




Colour surcharge		Price													
Special RAL colours (please ask to see colour chart)	per m ²	51													
Fittings															
Profile half cylinder 30.5 + 10mm, for garage door handle sets	each	25													
Handle sets															
Handle set, black plastic, prepared for profile cylinder	each	46													
Handle set, cast aluminium silver colour (F2), brass colour (F3), prepared for profile cylinder	each	119													
Handle set, cast aluminium RAL 9016, 'bronze', brushed stainless steel, prepared for profile cylinder	each	138													
Handle set, polished stainless steel, prepared for profile cylinder	each	159													
Emergency release															
Emergency release for sectional doors with or without handle set (Please state at point of order)	each	38													
Special anchor set															
Set of 8 special anchors for between wall fitting	per set	41													
ThermoFrame set															
ThermoFrame set 1	Door height up to 3000 mm Door width up to 3250 mm	(length 3210 mm) (length 3250 mm) per set 136													
ThermoFrame set 2	Door height up to 3000 mm Door width from 3250 mm up to 5500 mm	(length 3210 mm) (length 5500 mm) per set 162													
 <p>Set consists of:</p> <ul style="list-style-type: none"> • Lintel seal (1x) with 2 lip seals • Plastic angle profiles (2x) black, 84 x 22.5 mm with lip seal (frame covering may be required to match the colours) 															
Frame cover profiles matching the colour of the door - 55mm x 19.5mm and 90mm x 19.5mm: prices are per pair															
Door heights	White				Colour				Special RAL/CH 703				Decograin		
	Woodgrain		Silkgrain		Woodgrain		Silkgrain		Woodgrain		Silkgrain		55mm	90mm	
2000mm	33	50	40	56	49	77	56	81	74	103	78	110	55	79	
2125mm	38	55	43	62	53	81	58	90	78	113	82	118	60	87	
2250mm	39	56	44	63	56	86	63	93	80	117	86	121	62	90	
2375mm	40	61	45	66	58	91	65	96	85	121	92	128	65	94	
2500mm	42	63	47	68	62	95	67	101	88	128	96	131	67	99	
White 9016, Brown 8028 and Decograin colours are available ex-stock. Please note Silkgrain white and colours must be ordered with the door.															
Renovation fascias															
Set: Renovation fascias to cover damaged brickwork edges consisting of: 3 angle sections, 69/40mm, each 3000mm long															
Price	130	140	156	167	182	197	145								
Set: Fascia frame -95- consisting of: 2 fascias, 95mm, 2800mm long, 1 fascia 95mm, 3200mm long, fixing material															
Price	147	158	178	189	205	222	164								
Window designs for Sectional doors															
LTE 40 with 3mm single pane in clear (FK) or crystal structure (KR), 3mm EPU 40 or LPU 40 with 16mm double pane in clear (DS) or crystal structure (DK)															
									EPU 40	LPU 40	LTE 40				
S0									73	73	67				
S1									88	88	80				
S2									88	88	80				
S10									368	368	340				
S20									460	460	425				
S30									552	552					
S40									644	644					
S50									736	736					
S60									736	736					
M0									87	87					
M2									99	99					
L0									120	120					
Standard Colour Surcharges for the above windows. Please note: front window frame only is painted															
Standard colour or colour for Decograin		For glazing S0, S1 and S2 / M0 and M2 / L0		each	25										
		For Sunrise glazing x No. of frames for width of door		each	31										
RAL to choose		For glazing S0, S1 and S2 / M0 and M2 / L0		each	44										
		For Sunrise glazing x No. of frames for width of door		each	55										

Hörmann Sectional Doors

LTE 40 - single-skinned doors with steel sections


Single doors with Z track tension springs giving low headroom as standard



SINGLE DOORS									
Door sizes		S-ribbed Woodgrain		M-ribbed Woodgrain		S-panelled Woodgrain			
Imperial	BR	Metric	Outside White	Outside Colour	Outside White	Outside Colour	Outside White	Outside Colour	No. of panels
6'10" x 6'2"		2083 x 1875	611	756	611	756	699	844	4
6'10"		2083 x 2080	611	771	611	771	699	859	4
7'0" x 6'6"		2134 x 2000	626	784	626	784	702	860	4
7'0"		2134 x 2125	626	794	626	794	702	870	4
7'6" x 6'6"		2286 x 2000	673	842	673	842	748	917	4
7'0"		2286 x 2125	673	853	673	853	748	928	4
7'4"		2286 x 2250	709	899	709	899	780	970	4
7'9"		2286 x 2375	762	963	762	963	903	1104	4
8'2"		2286 x 2500	762	973	762	973	903	1114	4
8'0" x 6'6"		2438 x 2000	702	882	702	882	784	964	4
7'0"		2438 x 2125	702	894	702	894	784	976	4
7'4"		2438 x 2250	741	944	741	944	809	1012	4
7'9"		2438 x 2375	792	1006	792	1006	941	1155	4
8'2"		2438 x 2500	792	1018	792	1018	941	1167	4
8'6" x 6'6"		2591 x 2000	726	918	726	918	816	1008	4
7'0"		2591 x 2125	726	930	726	930	816	1020	4
9'0" x 6'6"		2743 x 2000	784	987	784	987	921	1124	4
7'0"		2743 x 2125	784	1000	784	1000	921	1137	4
9'6" x 6'6"		2896 x 2000	801	1015	801	1015	930	1144	5
7'0"		2896 x 2125	801	1029	801	1029	930	1158	5
10'0" x 6'6"		3048 x 2000	846	1072	846	1072	1004	1230	5
7'0"		3048 x 2125	846	1086	846	1086	1004	1244	5

For information on outside colour, see page 17

Double doors with N track torsion springs (for low headroom see bottom of page 17)



DOUBLE DOORS							
Door sizes		S-ribbed Woodgrain					
Imperial	BR	Metric	Outside White	Outside Colour			
11'0" x 6'6"		3353 x 2000	1117	1365			
7'0"		3353 x 2125	1117	1381			
12'0" x 6'6"		3658 x 2000	1238	1509			
7'0"		3658 x 2125	1238	1526			
13'0" x 6'6"		3962 x 2000	1263	1556			
7'0"		3962 x 2125	1263	1575			
14'0" x 6'6"		4267 x 2000	1383	1699			
7'0"		4267 x 2125	1383	1718			
14'6" x 6'6"		4420 x 2000	1416	1743			
7'0"		4420 x 2125	1416	1764			
15'0" x 6'6"		4572 x 2000	1420	1758			
7'0"		4572 x 2125	1420	1779			
15'6" x 6'6"		4724 x 2000	1462	1812			
7'0"		4724 x 2125	1462	1833			
16'0" x 6'6"		4877 x 2000	1523	1884			
7'0"		4877 x 2125	1523	1906			

Hörmann Sectional Doors

EPU 40 - double-skinned doors with steel sections - 42-20mm



Single doors with Z track tension springs giving low headroom as standard



SINGLE DOORS			 M-ribbed Woodgrain		 S-panelled Woodgrain		
Door sizes			Outside White	Outside Colour	Outside White	Outside Colour	No. of panels
Imperial	BR	Metric					
6'10" x 6'2"		2083 x 1875	764	909	921	1066	4
	6'6"	2083 x 2000	764	918	921	1075	4
	6'10"	2083 x 2080	764	924	921	1081	4
7'0" x 6'6"		2134 x 2000	764	922	921	1079	4
	7'0"	2134 x 2125	764	932	921	1089	4
7'6" x 6'6"		2286 x 2000	784	953	1072	1241	4
	7'0"	2286 x 2125	784	964	1072	1252	4
	7'4"	2286 x 2250	912	1102	1088	1278	4
	7'9"	2286 x 2375	912	1113	1088	1289	4
	8'2"	2286 x 2500	912	1123	1088	1299	4
8'0" x 6'6"		2438 x 2000	812	922	1072	1252	4
	7'0"	2438 x 2125	812	1004	1072	1264	4
	7'4"	2438 x 2250	954	1157	1139	1342	4
	7'9"	2438 x 2375	954	1168	1139	1353	4
	8'2"	2438 x 2500	954	1180	1139	1365	4
8'6" x 6'6"		2591 x 2000	826	1018	1135	1327	4
	7'0"	2591 x 2125	826	1030	1135	1339	4
9'0" x 6'6"		2743 x 2000	879	1082	1179	1382	4
	7'0"	2743 x 2125	879	1095	1179	1395	4
9'6" x 6'6"		2896 x 2000	921	1135	1224	1438	5
	7'0"	2896 x 2125	921	1149	1224	1452	5
10'0" x 6'6"		3048 x 2000	933	1159	1524	1750	5
	7'0"	3048 x 2125	933	1173	1524	1764	5

For information on outside colour, see page 17

Double doors with N track torsion springs (for low headroom see bottom of page 17)

DOUBLE DOORS			 M-ribbed Woodgrain		 S-panelled Woodgrain		
Door sizes			Outside White	Outside Colour	Outside White	Outside Colour	No. of panels
Imperial	BR	Metric					
11'0" x 6'6"		3353 x 2000	1265	1513	1630	1878	5
	7'0"	3353 x 2125	1265	1529	1630	1894	5
12'0" x 6'6"		3658 x 2000	1304	1575	1682	1953	6
	7'0"	3658 x 2125	1304	1592	1682	1970	6
13'0" x 6'6"		3962 x 2000	1332	1625	1737	2030	6
	7'0"	3962 x 2125	1332	1644	1737	2049	6
14'0" x 6'6"		4267 x 2000	1428	1744	1516	1832	7
	7'0"	4267 x 2125	1428	1763	1516	1851	7
14'6" x 6'6"		4420 x 2000	1428	1755	1771	2098	7
	7'0"	4420 x 2125	1428	1776	1771	2119	7
15'0" x 6'6"		4572 x 2000	1475	1813	1799	2137	7
	7'0"	4572 x 2125	1475	1834	1799	2158	7
15'6" x 6'6"		4724 x 2000	1561	1911	1824	2174	7
	7'0"	4724 x 2125	1561	1932	1824	2195	7
16'0" x 6'6"		4877 x 2000	1565	1926	1854	2215	7
	7'0"	4877 x 2125	1565	1948	1854	2237	7





All prices are in £ and are exclusive of VAT

Hörmann Sectional Doors

LPU 40 - double-skinned doors with steel sections - 42mm





Single doors with Z track tension springs giving low headroom as standard



SINGLE DOORS										
Door sizes			S-ribbed Woodgrain		M-ribbed Woodgrain		M-ribbed Silkgrain/Micrograin		L-ribbed Silkgrain/Micrograin	
Imperial	BR	Metric	Outside White	Outside Colour	Outside White	Outside Colour	Outside White	Outside Colour	Outside White	Outside Colour
6'10" x 6'2"		2083 x 1875	962	1107	962	1107	973	1118	1030	1175
6'6"		2083 x 2000	962	1116	962	1116	973	1127	1030	1184
6'10"		2083 x 2080	962	1122	962	1122	973	1133	1030	1190
7'0" x 6'6"		2134 x 2000	962	1120	962	1120	973	1131	1030	1188
7'0"		2134 x 2125	962	1130	962	1130	973	1141	1030	1198
7'6" x 6'6"		2286 x 2000	964	1133	964	1133	976	1145	1032	1201
7'0"		2286 x 2125	964	1144	964	1144	976	1156	1032	1212
7'4"		2286 x 2250	1004	1194	1004	1194	1015	1205	1072	1262
7'9"		2286 x 2375	1047	1248	1047	1248	1015	1216	1116	1317
8'2"		2286 x 2500	1090	1301	1090	1301	1101	1312	1159	1370
8'0" x 6'6"		2438 x 2000	1023	1203	1023	1203	1034	1214	1092	1272
7'0"		2438 x 2125	1023	1215	1023	1215	1034	1226	1092	1284
7'4"		2438 x 2250	1050	1253	1050	1253	1060	1263	1119	1322
7'9"		2438 x 2375	1098	1312	1098	1312	1108	1322	1166	1380
8'2"		2438 x 2500	1146	1372	1146	1372	1159	1385	1215	1441
8'6" x 6'6"		2591 x 2000	1026	1218	1026	1218	1036	1228	1094	1286
7'0"		2591 x 2125	1026	1230	1026	1230	1036	1240	1094	1298
9'0" x 6'6"		2743 x 2000	1121	1324	1121	1324	1132	1335	1193	1396
7'0"		2743 x 2125	1121	1337	1121	1337	1132	1348	1193	1409
9'6" x 6'6"		2896 x 2000	1185	1399	1185	1399	1196	1410	1258	1472
7'0"		2896 x 2125	1185	1413	1185	1413	1196	1424	1258	1486
10'0" x 6'6"		3048 x 2000	1185	1411	1185	1411	1196	1422	1258	1484
7'0"		3048 x 2125	1185	1425	1185	1425	1196	1436	1258	1498

For information on outside colour, see page 17

Double doors with N track torsion springs (for low headroom see bottom of page 17)





DOUBLE DOORS										
Door sizes			S-ribbed Woodgrain		M-ribbed Woodgrain		M-ribbed Silkgrain/Micrograin		L-ribbed Silkgrain/Micrograin	
Imperial	BR	Metric	Outside White	Outside Colour	Outside White	Outside Colour	Outside White	Outside Colour	Outside White	Outside Colour
11'0" x 6'6"		3353 x 2000	1417	1665	1417	1665	1428	1676	1498	1746
7'0"		3353 x 2125	1417	1681	1417	1681	1428	1692	1498	1762
12'0" x 6'6"		3658 x 2000	1603	1874	1603	1874	1615	1886	1688	1959
7'0"		3658 x 2125	1603	1891	1603	1891	1615	1903	1688	1976
13'0" x 6'6"		3962 x 2000	1649	1942	1649	1942	1662	1955	1741	2034
7'0"		3962 x 2125	1649	1961	1649	1961	1662	1974	1741	2053
14'0" x 6'6"		4267 x 2000	1443	1759	1443	1759	1716	2032	1800	2116
7'0"		4267 x 2125	1443	1778	1443	1778	1716	2051	1800	2135
14'6" x 6'6"		4420 x 2000	1574	1901	1574	1901	1760	2087	1844	2171
7'0"		4420 x 2125	1574	1922	1574	1922	1760	2108	1844	2192
15'0" x 6'6"		4572 x 2000	1693	2031	1693	2031	1776	2114	1869	2207
7'0"		4572 x 2125	1693	2052	1693	2052	1776	2135	1869	2228
15'6" x 6'6"		4724 x 2000	1723	2073	1723	2073	1808	2158	1899	2249
7'0"		4724 x 2125	1723	2094	1723	2094	1808	2179	1899	2270
16'0" x 6'6"		4877 x 2000	1753	2114	1753	2114	1837	2198	1935	2296
7'0"		4877 x 2125	1753	2136	1753	2136	1837	2220	1935	2318

Hörmann Sectional Doors

LPU 40 - double-skinned doors with steel sections - 42mm

Single doors with Z track tension springs giving low headroom as standard







SINGLE DOORS								
Door sizes Imperial BR Metric						L-ribbed Decograin Titan Metallic	M-ribbed Decograin Rosewood, Golden Oak, Dark Oak, Light Oak, Night Oak, Titan Metallic	S-panelled Decograin Rosewood, Golden Oak, Dark Oak, Light Oak, Night Oak
6'10" x 6'2"	2083 x 1875	1165	1121	1265	4	1107	1252	4
6'6"	2083 x 2000	1197	1121	1265	4	1107	1261	4
6'10"	2083 x 2080	1217	1121		4	1107	1267	4
7'0" x 6'6"	2134 x 2000	1197	1121	1246	4	1107	1265	4
7'0"	2134 x 2125	1217	1121	1246	4	1107	1275	4
7'6" x 6'6"	2286 x 2000	1197	1163	1435	4	1189	1358	4
7'0"	2286 x 2125	1217	1163	1435	4	1189	1369	4
7'4"	2286 x 2250	1272	1204	1474	4	1281	1471	4
7'9"	2286 x 2375	1279	1245	1516	4	1307	1508	4
8'2"	2286 x 2500	1318	1288	1560	4	1356	1567	4
8'0" x 6'6"	2438 x 2000	1285	1165	1454	4	1221	1401	4
7'0"	2438 x 2125	1307	1165	1454	4	1221	1413	4
7'4"	2438 x 2250	1383	1206	1494	4	1364	1567	4
7'9"	2438 x 2375	1419	1248	1535	4	1386	1600	4
8'2"	2438 x 2500	1459	1291	1579	4	1411	1637	4
8'6" x 6'6"	2591 x 2000	1285	1168	1536	4	1294	1486	4
7'0"	2591 x 2125	1307	1168	1536	4	1294	1498	4
9'0" x 6'6"	2743 x 2000	1388	1305	1586	4	1354	1557	4
7'0"	2743 x 2125	1410	1305	1586	4	1354	1570	4
9'6" x 6'6"	2896 x 2000	1479	1371	1716	5	1526	1740	5
7'0"	2896 x 2125	1506	1371	1716	5	1526	1754	5
10'0" x 6'6"	3048 x 2000	1479	1371	1716	5	1724	1950	5
7'0"	3048 x 2125	1506	1371	1716	5	1724	1964	5

For information on outside colour, see below

All coloured doors are special order only - 4 to 8 weeks delivery. Please note: the prices listed as Outside Colour are for the following RAL colours only: RAL 1015, 3003, 5003, 5011, 5014, 6005, 6009, 7016, 7030, 7035, 7040, 8001, 8003 and 8028. Special RAL colours are available, please ask your garage door specialist.

Double doors with N track torsion springs (for low headroom see bottom of page)

DOUBLE DOORS								
Door sizes Imperial BR Metric						L-ribbed Decograin Titan Metallic	M-ribbed Decograin Rosewood, Golden Oak, Dark Oak, Light Oak, Night Oak, Titan Metallic	S-panelled Decograin Rosewood, Golden Oak, Dark Oak, Light Oak, Night Oak
11'0" x 6'6"	3353 x 2000	1715	1625	2048	5	1843	2091	5
7'0"	3353 x 2125	1747	1625	2048	5	1843	2107	5
12'0" x 6'6"	3658 x 2000	1988	1843	2301	6	1887	2158	6
7'0"	3658 x 2125	2028	1843	2301	6	1887	2175	6
13'0" x 6'6"	3962 x 2000	2083	1964	2400	6	1887	2180	6
7'0"	3962 x 2125	2128	1964	2400	6	1887	2199	6
14'0" x 6'6"	4267 x 2000	2019	1953	2136	7	1720	2036	7
7'0"	4267 x 2125	2061	1953	2136	7	1720	2055	7
14'6" x 6'6"	4420 x 2000	2269	2069	2497	7	1877	2204	7
7'0"	4420 x 2125	2314	2069	2497	7	1877	2225	7
15'0" x 6'6"	4572 x 2000	2325	2120	2597	7	1898	2236	7
7'0"	4572 x 2125	2371	2120	2597	7	1898	2257	7
15'6" x 6'6"	4724 x 2000	2326	2177	2597	7	2007	2357	7
7'0"	4724 x 2125	2433	2177	2597	7	2007	2378	7
16'0" x 6'6"	4877 x 2000	2444	2211	2597	7	1970	2331	7
7'0"	4877 x 2125	2496	2211	2597	7	1970	2353	7

Low headroom

Price

Door with track application L, torsion spring at the back

96

All prices are in £ and are exclusive of VAT

Roller Garage Door RollMatic

Including operator

Product description

Roller garage door RollMatic product description

General

Spring-compensated roller garage door with integrated arrestor kit for private applications. As standard only for use with a Hörmann RollMatic operator.

Frame

- Aluminium extrusion profile side guides with integrated plastic runners. Coating in door curtain colour. Lintel cladding made of sheet steel in door curtain colour.
- Curtain and side cladding made of sheet steel, coated in the curtain colour. Coating in brown for Decograin curtain versions.

Door Curtain

Rolled aluminium profile foamed with polyurethane rigid foam with integrated storm anchors, profile height 75 mm. Coloured versions with two-layer coil coating with a paint system based on a high-quality polyurethane coated with polyamide.

Surface coating

Interior and exterior of door curtain:

- Standard colours based on the RAL colour chart:

Traffic white	RAL 9016
Ruby red	RAL 3003
Steel blue	RAL 5011
Moss green	RAL 6005
Anthracite grey	RAL 7016
Light grey	RAL 7035
Terra brown	RAL 8028
Jet black	RAL 9005
White aluminium	RAL 9006

Dark colours should not be used for doors that are exposed to the sun, as possible section deflection may restrict the door's function and increase door curtain wear.

Decograin version with plastic film coating with timber design on the outside (not available for external rolling shutters)

Exterior:

- Coated with UV-resistant synthetic foil with timber design.
 - Golden Oak** – medium brown, yellow and gold surface with vibrant oak character
 - Rosewood** – reddish-brown stripey timber design

Interior:

- Coating in brown

Counterbalance

Tension spring technology with patented multi-spring system.

Manually operated version (not possible with external roller garage door)

Door operation via chain hoist and interior/exterior handle.

Fittings and locks

Lockable bottom profile with two-point locking for manually operated doors. Integrated arrestor kit for doors with RollMatic operator.

Chamfered bottom profile with weather seal

Optional bottom profile to compensate for uneven floors (up to 300 mm height difference). Standard colour Jet black RAL 9005. Optional coating in door curtain colour (with the exception of Decograin).

Delivery

1 unit including operator/chain hoist (optional chamfered bottom weather seal as an extra packing unit).

RollMatic operator product description

Operator data



- 24 V DC gear drive
- Mains voltage 230 – 240 V AC, 0.5 kW
- Opening speed approx. 11 cm/s
- Internal roller garage door: operator always on left when viewed from inside
- External roller garage door: standard operator left, right can be selected (not shown)

Control electronics



- In a separate housing
- Micro-processor control
- Automatic teach-in of automatic safety cut-out and end-of-travel positions
- Soft start and soft stop
- Lighting
- Adjustable automatic timer, hold-open phase 30 seconds after activation
- Impulse control

Standard equipment

- With a 4-button hand transmitter HS4 BS (black), and a HSE 2 BS (black). Unidirectional receiver HE 3 BiSecur in 868 MHz for the impulse function (no status query possible)
- Connecting lead with plug
- Control buttons in cover of the control unit
- Integrated garage lighting with 2-minute light in control housing
- Internal roller garage door: quick release operated from inside
- External roller garage door: secured release operated from inside

Housing

- Plastic housing with an external operator.
- Integrated in barrel casing with external roller garage doors.


Temperature range

- 20°C to +60°C

Note:

Installation of photocell is required if automatic timed closing is activated!

Glazing and ventilation grille arrangement





Hörmann Roller Garage Door – RollMatic

Size range and prices



Doors are only available in the priced size range listed! (Min. Production dimension 1000 x 1600mm) Note: Door size not over guide width




	Clear height (LH) = ordering size	3100													1606	1638	1716	1784	1858	2100	2165	2154	2205				
		3000													1606	1638	1716	1784	1858	2100	2165	2154	2205				
		2875													1606	1606	1682	1749	1821	2042	2113	2154	2205				
		2750													1485	1573	1647	1713	1783	1984	2060	2095	2175				
		2675	1394	1394	1420	1420	1447	1533	1604	1668	1742	1876	2005	2095	2175												
		2625	1394	1394	1420	1420	1447	1533	1604	1668	1742	1876	2005	2095	2175												
		2500	1366	1366	1392	1392	1408	1492	1560	1622	1700	1768	1950	2050	2130	2215	2324	2440	2552								
		2375	1313	1313	1338	1338	1366	1448	1506	1546	1595	1688	1860	1930	1957	2045	2191	2300	2439								
		2250	1313	1313	1338	1338	1366	1448	1506	1546	1595	1688	1860	1930	1957	2045	2191	2300	2439								
		2125	1272	1272	1296	1296	1325	1404	1460	1497	1579	1642	1692	1867	1927	2013	2159	2267	2405								
2000	1268	1268	1270	1270	1308	1382	1418	1464	1551	1613	1664	1797	1900	1987	2125	2231	2365										
1800	1268	1268	1270	1270	1308	1382	1418	1464	1551	1613	1664	1797	1900	1987	2125	2231	2365										
1600	1268	1268	1270	1270	1308	1382	1418	1464	1551	1613	1664	1797	1900	1987	2125	2231	2365										
		1000	1250	1500	1750	1900	2000	2300	2500	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000								
		Clear width (LB) = ordering size																									

	Clear height (LH) = ordering size	3100													2007	2047	2145	2231	2372	2490	2577	2685	2782				
		3000													1988	2027	2124	2209	2349	2466	2552	2659	2754				
		2875													1935	1977	2071	2154	2290	2404	2488	2592	2685				
		2750													1885	1926	2018	2098	2231	2342	2423	2525	2609				
		2675	1667	1667	1771	1771	1798	1838	1926	2002	2171	2279	2358	2493	2577												
		2625	1667	1667	1771	1771	1798	1838	1926	2002	2171	2279	2358	2493	2577												
		2500	1616	1616	1665	1665	1690	1750	1833	1906	2110	2215	2292	2475	2544	2666	2951	3099	3260								
		2375	1542	1542	1589	1589	1612	1682	1762	1832	1970	2068	2157	2330	2459	2577	2767	2905	3090								
		2250	1542	1542	1589	1589	1612	1682	1762	1832	1970	2068	2157	2330	2459	2577	2767	2905	3090								
		2125	1487	1487	1532	1532	1555	1650	1722	1791	1929	2025	2101	2269	2396	2511	2699	2834	3015								
2000	1434	1434	1477	1477	1499	1590	1666	1733	1861	1954	2026	2188	2314	2425	2602	2732	2903										
1800	1434	1434	1477	1477	1499	1590	1666	1733	1861	1954	2026	2188	2314	2425	2602	2732	2903										
1600	1434	1434	1477	1477	1499	1590	1666	1733	1861	1954	2026	2188	2314	2425	2602	2732	2903										
		1000	1250	1500	1750	1900	2000	2300	2500	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000								
		Clear width (LB) = ordering size																									

Matching side door	Ordering size	Width x Height	White/Colour Price	Decograin Price
	From	675 x 1750 to 1000 x 2000	655	837
	Up to	1250 x 2375	702	918

Manually operated version of the roller garage door RollMatic (not possible with external roller garage doors) Price reduction **148**

NEW External roller garage door - Decograin finish not available Surcharge **52**

Optional extras		Price
	Glazing element With clear synthetic pane, window cut-out 120 x 40 mm, black glazing frame on exterior, transparent on interior (maximum of 10 sections per door, number of glazing elements dependent on the door width)	Per m 14
	Ventilation grille Black plastic ventilation cross section approx. 13 cm ² /grille (maximum of 10 sections per door, number of ventilation grilles dependent on the door width)	Per m 16
	Additional fascia panel Reinforcement of the fascia panel for fitting in the opening, in the heights 290 mm and 335 mm Note: State on door order, subsequent fitting is not possible. Indicate total width = ordering size (clear width) + 200 mm	In door colour Per m 40
Chamfered bottom profile	RollMatic roller garage door with chamfered bottom profile (not available in the surfaces Golden Oak and Rosewood)	In black Per m 120 In door colour Per m 120
Fitting compensation set	(to accommodate for unevenness on the building structure when fitting behind the opening)	up to 2300 Per set 25 over 2300 Per set 30
Omission of barrel casing (only available on clear height (LH) 2500mm and over)		Price reduction Per m 9

Accessories for RollMatic operators	Article no.	Price
Motor connection line, 10 m	436 523	34
Acoustic door security kit	436 524	Each 52
Emergency battery HNA 18	437 726	Each 141
Exterior emergency release	436 526	Each 90

All prices are in £ and are exclusive of VAT

Garage Door Operators

Operator Accessories



Garage door operators

Boom Length	SupraMatic E	SupraMatic P	SupraMatic H	ProMatic	ProMatic Akku
K	461	492	For prices and specification see the 01-12A Price List	366	620
M	478	509		383	637
L	566	597		471	725

Garage door operators

The new hand transmitters, radio internal push buttons and code buttons with BiSecur technology are downwards compatible, i.e. they can also be used with series 1 and 2 operators (868 MHz).

- Possible
- Only in combination with a BiSecur radio receiver
- Not available

Accessory	Description	Price	SupraMatic E / P	SupraMatic H	ProMatic	ProMatic Akku	RollMatic	
	HS 1 BS 1-button hand transmitter	<ul style="list-style-type: none"> • Impulse • High gloss plastic surface with chrome zinc diecast caps • Protection category: For dry rooms only • Battery: 1.5 V LR03 / AAA • Dimensions: 38 × 95 × 16 mm 	52	●	○	●	●	●
	HS 4 BS 4-button hand transmitter	<ul style="list-style-type: none"> • Impulse • High gloss plastic surface with chrome zinc diecast caps • Protection category: For dry rooms only • Battery: 1.5 V LR03 / AAA • Dimensions: 38 × 95 × 16 mm 	54	●	○	●	●	●
	HS 5 BS Black 5-button hand transmitter	<ul style="list-style-type: none"> • Impulse • Status query(only for SupraMatic E / P and ProMatic) • High gloss plastic surface with chrome zinc diecast caps • Protection category: For dry rooms only • Battery: 1.5 V LR03 / AAA • Dimensions: 38 × 95 × 16 mm 	66	●	–	●	–	–
	White 5-button hand transmitter	<ul style="list-style-type: none"> • Dimensions: 38 × 95 × 16 mm 	73					
	HSS 4 BS 4-button security hand transmitter	<ul style="list-style-type: none"> • Impulse • Additional function: Copy protection for hand transmitter coding (e.g. home management) • High gloss plastic surface in red with chrome zinc diecast caps • Protection category: For dry rooms only • Battery: 1.5 V LR03 / AAA • Dimensions: 38 × 95 × 16 mm 	92	●	○	●	●	●
	HSE 2 BS Black 2-button micro hand transmitter	<ul style="list-style-type: none"> • Impulse • High gloss plastic surface with chromed zinc die-cast caps • For fastening to key ring • Incl. key ring 	52	●	○	●	●	●
	White 2-button micro hand transmitter	<ul style="list-style-type: none"> • Protection category: For dry rooms only • Battery: Lithium round cell 3 V / type CR 2032 • Dimensions: 28 × 70 × 14 mm 	57					
	Hand transmitter station For hand transmitters (HS and HSS)	<ul style="list-style-type: none"> • For HS 1 BS, HS 4 BS, HS 5 BS, HSS 4 BS • Available in black or white 	7					
	Hand transmitter holder For hand transmitters (HS and HSS) incl. visor clip	<ul style="list-style-type: none"> • For HS 1 BS, HS 4 BS, HS 5 BS, HSS 4 BS • For wall fitting or for fitting to the visor clip • Without fitting material 	5					

For more detailed specification and a wider range of the above products please see 01-12A Price List

Operator Accessories



Garage door operators

The new hand transmitters, radio internal push buttons and code buttons with BiSecur technology are downwards compatible, i.e. they can also be used with series 1 and 2 operators (868 MHz).

- Possible
- Only in combination with a BiSecur radio receiver
- Not available

Accessory	Description	Price						
			SupraMatic E / P	SupraMatic H	ProMatic	ProMatic Akku	RollMatic	
	HSP 4-C BS 4-button hand transmitter	<ul style="list-style-type: none"> ● Impulse ● With sliding switch as a button lock-out ● Inc. key ring ● Battery: Lithium round cell 3 V / type CR 2025 ● Dimensions (D x H): Ø 48 x 13 mm 	60	●	○	●	●	●
	HSD 2-A BS Aluminium 2-button hand transmitter	<ul style="list-style-type: none"> ● Impulse ● High-quality metal housing ● As a key ring ● Battery: Lithium round cell 3 V / type CR 2025 ● Dimensions (W x H x D): 32 x 66 x 13 mm 	67	●	○	●	●	●
	HSD 2-C BS Chrome 2-button hand transmitter	<ul style="list-style-type: none"> ● Impulse ● High-quality metal housing ● As a key ring ● Battery: Lithium round cell 3 V / type CR 2025 ● Dimensions (W x H x D): 32 x 66 x 13 mm 	67	●	○	●	●	●
	HSZ 1 BS 1-button hand transmitter	<ul style="list-style-type: none"> ● Impulse ● For insertion in a vehicle cigarette lighter ● Battery: Lithium 3 V / type CR 2 ● Dimensions (D x H): Ø 29 x 39 mm 	50	●	○	●	●	●
	HSZ 2 BS 2-button hand transmitter	<ul style="list-style-type: none"> ● Impulse ● For insertion in a vehicle cigarette lighter ● Battery: Lithium 3 V / type CR 2 ● Dimensions (D x H): Ø 29 x 39 mm 	50	●	○	●	●	●
	IT 3b	<ul style="list-style-type: none"> ● With illuminated impulse button, additional buttons for Internal push button ● light on / off and operator on / off ● With 7 m connecting lead, 2-wire ● Dimensions (W x H x D): 80 x 110 x 30 mm 	35	●	●	-	-	-
	FIT 2 BS	<ul style="list-style-type: none"> ● With 2 impulse push buttons for control of 2 operators per Internal radio push button radio signal, frequency 868 MHz ● One additional button for On / Off function of connected command units ● Connection option for max. 2 command elements ● Battery: 1 x Lithium cell CR 2025 ● Dimensions (W x H x D): 30 x 110 x 35 mm 	54	●	○	●	●	●
	FCT 3 BS Radio code switch	<ul style="list-style-type: none"> ● Impulse, for control of up to 3 door operators ● Transmission of up to 3 radio codes, 868 MHz ● Power supply: Battery 4 x 1.5 V LR03 / AAA ● Protection category: IP 54 ● Dimensions (W x H x D): 80 x 135 x 45 mm 	89	●	○	●	●	●
	FFL 12 BS	<ul style="list-style-type: none"> ● Impulse, to control 2 operators using a fingerprint ● Up to 12 fingerprints can be taught in, cannot be individually deleted ● Battery: 4 x 1.5 V LR03 / AAA ● Dimensions (W x H x D): 80 x 130 x 45 mm 	208	●	○	●	●	●
	HNA 18 - 3 Emergency Battery	<ul style="list-style-type: none"> ● For Hörmann garage door operators series 2 and 3 ● Emergency power supply to bypass power failures up to 18 hours max. 5 door cycles (depending on temperatures) ● To be fixed on operator or garage ceiling ● Protection category: IP 20 ● Weight: approx: 2.3 kg ● Operating voltage: 24 V DC/2.3 Ah ● Dimensions (W x H x D): 150 x 70 x 90 mm 	141	●	●	●	-	●
	SM 1-1 Solar module	<ul style="list-style-type: none"> ● For charging / buffering of operator battery ● Incl. charge control, fitting material and 10 m connecting lead ● Dimensions (W x H): 580 x 330 mm 	379	-	-	-	●	-
	HF 22 BS Radio set	<ul style="list-style-type: none"> ● For switching light on and off to control operators of other makes ● Set consists of: a 2-button hand transmitter HSZ 2 BS and a 2-channel receiver HET / S2 BS ● Operating voltage 230 - 240 V AC 	150	●	●	●	●	●










For more detailed specification and a wider range of the above products please see 01-12A Price List

Steel ThermoPro Entrance Doors

Steel design doors and glazing elements

Secure By Design options















Door Description / Infill Option		Overall frame size		White	Colour	Decograin		
 <p>Style TPS 010 Steel entrance door, aluminium frame Multi-point locking system with key operation Handle 14-2. RAL 9016 white</p>	 <p>Secured by Design Official Police Security Initiative</p>	Width	Height					
		920	x 2095	845	996	1062		
		932	x 2095	845	996	1062		
		1000	x 2095	845	996	1062		
		Special sizes		875 to 1250	x 1875 to 2250	1136	1287	1353
 <p>Side Element Options 1. Clear laminated safety glass/Mastercarré 2. Clear laminated safety glass/ornamental glass 504 3. Clear laminated safety glass/sand-blasted (without clear stripes) 4. Clear laminated safety glass 5. Smooth Panel</p>		Special sizes		400 to 500	x 1875 to 2250	619 715 747		
		 <p>Style TPS 020 Steel entrance door, aluminium frame Multi-point locking system with key operation Mastercarré glazing Handle 14-2. RAL 9016 white</p>		Width	Height			
				920	x 2095	874	1242	1308
				932	x 2095	874	1242	1308
				1000	x 2095	874	1242	1308
Special sizes				875 to 1250	x 1990 to 2250	1155	1521	1589
 <p>Side Element Options 1. Clear laminated safety glass/Mastercarré 2. Clear laminated safety glass/ornamental glass 504 3. Clear laminated safety glass/sand-blasted (without clear stripes) 4. Clear laminated safety glass 5. Smooth Panel</p>		Special sizes		400 to 500	x 1990 to 2250	619 715 747		
		 <p>Style TPS 015 Steel entrance door, aluminium frame 7 horizontal grooves Multi-point locking system with key operation Handle 14-2. RAL 9016</p>	 <p>Secured by Design Official Police Security Initiative</p>	Width	Height			
				920	x 2095	913	1063	1130
				932	x 2095	913	1063	1130
				1000	x 2095	913	1063	1130
Special sizes				875 to 1250	x 1875 to 2250	1204	1354	1420
 <p>Side Element Options 1. Clear laminated safety glass/Mastercarré 2. Clear laminated safety glass/ornamental glass 504 3. Clear laminated safety glass/sand-blasted (without clear stripes) 4. Clear laminated safety glass 5. Smooth Panel</p>		Special sizes		400 to 500	x 1875 to 2250	619 715 747		
		 <p>Style TPS 025 Steel entrance door, aluminium frame 7 horizontal grooves Mastercarré glazing Multi-point locking system with key operation Handle 14-2. RAL 9016</p>		Width	Height			
				920	x 2095	1221	1589	1655
				932	x 2095	1221	1589	1655
				1000	x 2095	1221	1589	1655
Special sizes				875 to 1250	x 1990 to 2250	1512	1879	1946
 <p>Side Element Options 1. Clear laminated safety glass/Mastercarré 2. Clear laminated safety glass/ornamental glass 504 3. Clear laminated safety glass/sand-blasted (without clear stripes) 4. Clear laminated safety glass 5. Smooth Panel</p>		Special sizes		400 to 500	x 1990 to 2250	619 715 747		

Steel ThermoPro Entrance Doors

Steel design doors and glazing elements

Secure By Design options



Door Description / Infill Option		Overall frame size			White	Colour	Decograin	
 <p>Style TPS 030 Steel entrance door, aluminium frame Multi-point locking system with key operation Mastercarré glazing Handle 14-2. RAL 9016 white</p>	 <p>Secured by Design Official Police Security Initiative</p>	Width	Height					
		920 x 2095	944	1313	1379			
		932 x 2095	944	1313	1379			
		1000 x 2095	944	1313	1379			
		Special sizes 875 to 1250 x 1990 to 2250	1224	1592	1658			
 <p>Side Element Options 1. Clear laminated safety glass/Mastercarré 2. Clear laminated safety glass/ornamental glass 504 3. Clear laminated safety glass/sand-blasted (without clear stripes) 4. Clear laminated safety glass 5. Smooth Panel</p>		Special sizes 400 to 500 x 1990 to 2250	619	715	747			
		 <p>Style TPS 700 Steel entrance door, aluminium frame Multi-point locking system with key operation Stainless steel glazing frame Sand-blasted with clear stripe glazing Handle 38-2. RAL 9016 white</p>	 <p>Secured by Design Official Police Security Initiative</p>	Width	Height			
				920 x 2095	1531	1680	1747	
				932 x 2095	1531	1680	1747	
				1000 x 2095	1531	1680	1747	
Special sizes 875 to 1250 x 1990 to 2250	1821			1972	2038			
 <p>Side Element Options 1. Clear laminated safety glass/Mastercarré 2. Clear laminated safety glass/ornamental glass 504 3. Clear laminated safety glass/sand-blasted (without clear stripes) 4. Clear laminated safety glass 5. Smooth Panel</p>		Special sizes 400 to 500 x 1990 to 2250	619	715	747			
		 <p>Style TPS 800 Steel entrance door, aluminium frame Multi-point locking system with key operation Stainless steel glazing frame Alternating sand-blasted and clear glazing squares Handles 38-2. RAL 9016 white</p>	 <p>Secured by Design Official Police Security Initiative</p>	Width	Height			
				920 x 2095	1798	1949	2015	
				932 x 2095	1798	1949	2015	
				1000 x 2095	1798	1949	2015	
Special sizes 875 to 1250 x 1990 to 2250	2089			2239	2306			
 <p>Side Element Options 1. Clear laminated safety glass/Mastercarré 2. Clear laminated safety glass/ornamental glass 504 3. Clear laminated safety glass/sand-blasted (without clear stripes) 4. Clear laminated safety glass 5. Smooth Panel</p>		Special sizes 400 to 500 x 1990 to 2250	619	715	747			
		 <p>Style TPS 900 Steel entrance door, aluminium frame Multi-point locking system Stainless steel glazing frame Sand-blasted with clear stripe glazing Handle 38-2. RAL 9016 white</p>	 <p>Secured by Design Official Police Security Initiative</p>	Width	Height			
				920 x 2095	1674	1824	1891	
				932 x 2095	1674	1824	1891	
				1000 x 2095	1674	1824	1891	
Special sizes 875 to 1250 x 1990 to 2250	1963			2114	2180			
 <p>Side Element Options 1. Clear laminated safety glass/Mastercarré 2. Clear laminated safety glass/ornamental glass 504 3. Clear laminated safety glass/sand-blasted (without clear stripes) 4. Clear laminated safety glass 5. Smooth Panel</p>		Special Sizes 400 to 500 x 1990 to 2250	619	715	747			





All prices are in £ and are exclusive of VAT

Steel ThermoPro Entrance Doors

Steel classic doors and glazing elements

Secure By Design options



Door Description / Infill Option		Overall frame size			White	Colour	
		Width		Height			
 <p>Style TPS 100 Steel entrance door, aluminium frame Multi-point locking system with lift lever operation RAL 9016 white Prepared for installation of a letter plate</p>	 <p>Secured by Design Official Police Security Initiative</p>	920	x	2095	786	937	
		932	x	2095	786	937	
		1000	x	2095	786	937	
		Special sizes					
		875 to 1100	x	1990 to 2100	1077	1149	
 <p>Side Element Options 1. Element with 3 panels 2. Clear laminated safety glass/sand-blasted (without clear stripes) 3. Clear laminated safety glass</p>		Special sizes					
		1.	450	x	1990 to 2100	512	608
		2 & 3.	400 to 500	x	1990 to 2100	619	715
 <p>Style TPS 200 Steel entrance door, aluminium frame Multi-point locking system with lift lever operation Composite glazing frame Cathedral glazing Composite window rails. RAL 9016 white Prepared for installation of a letter plate</p>		920	x	2095	880	1247	
		932	x	2095	880	1247	
		1000	x	2095	880	1247	
		Special sizes					
		875 to 1100	x	1990 to 2100	1170	1488	
 <p>Side Element Options 1. Element with 3 panels 2. Clear laminated safety glass/sand-blasted (without clear stripes) 3. Clear laminated safety glass</p>		Special sizes					
		1.	450	x	1990 to 2100	512	608
		2 & 3.	400 to 500	x	1990 to 2100	619	715
 <p>Style TPS 300 Steel entrance door, aluminium frame Multi-point locking system with lift lever operation Composite glazing frame Cathedral glazing Composite window rails. RAL 9016 white Prepared for installation of a letter plate</p>		920	x	2095	978	1346	
		932	x	2095	978	1346	
		1000	x	2095	978	1346	
		Special sizes					
		875 to 1100	x	1990 to 2100	1213	1567	
 <p>Side Element Options 1. Element with 1 panel and glazing cut-out with clear laminated safety glass/cathedral glass 2. Clear laminated safety glass/sand-blasted (without clear stripes) 3. Clear laminated safety glass</p>		Special sizes					
		1.	450	x	1990 to 2100	564	661
		2 & 3.	400 to 500	x	1990 to 2100	619	715
 <p>Style TPS 400 Steel entrance door, aluminium frame Multi-point locking system with lift lever operation Composite glazing frame Cathedral glazing Composite window rails. RAL 9016 white Prepared for installation of a letter plate</p>		920	x	2095	1083	1451	
		932	x	2095	1083	1451	
		1000	x	2095	1083	1451	
		Special sizes					
		875 to 1100	x	1990 to 2100	1375	1741	
 <p>Side Element Options 1. Element with 1 panel and glazing cut-out with clear laminated safety glass/cathedral glass 2. Clear laminated safety glass/sand-blasted (without clear stripes) 3. Clear laminated safety glass</p>		Special sizes					
		1.	450	x	1990 to 2100	564	661
		2 & 3.	400 to 500	x	1990 to 2100	619	715


Steel ThermoPro Entrance Doors


Accessories and optional extras

Secure By Design options and frame accessories





Secure By Design option Price




 <p>Secured by Design Official Police Security Initiative</p>	Secured by Design in conjunction with the Association of Chief Police Officers, is a security upgrade to help combat crime. The fully accredited door will come supplied with a high security cylinder complete with registration card and 3 security keys.	90
--	---	-----------

Transom lights	Infill option	Width	Height	White	Colour	Decograin
 <p>An overhead glazing section which can run the width of the door and/or a door and side element.</p>	See side element options	875 to 1250	x 400 to 500	477	573	606
		1251 to 1750	x 400 to 500	620	716	748
		1751 to 2250	x 400 to 500	758	854	886

Exterior door handles

Handle HB 14-2	Polished stainless steel Standard with styles TPS 010, TPS 015, TPS 020, TPS 025, TPS 030	Price reduction If handle HB 14-2 is omitted or a different handle is selected for the interior lever	-22
Handle HB 38-2	Brushed stainless steel Standard with styles TPS 700, TPS 800 and TPS 900 Optional for TPS 010, TPS 015, TPS 020, TPS 025, TPS 030	Price reduction If handle HB 38-2 is omitted or a different handle is selected for the interior lever Surcharge for conversion If changing from handle HB 14-2 to handle HB 38-2 (including profile cylinder with 5 keys)	-40 141
	ESO Knob/lever Exterior knob is fixed. Multi-point locking system with key operation is supplied when this is specified.	Aluminium	Each 83
		Stainless steel	Each 201
	ESO Lever/lever Multi-point locking system with key operation is supplied when this is specified.	Aluminium	Each 83
		Stainless steel	Each 201
Gold or silver aluminium sleeved letter plate only TPS 100, TPS 200, TPS 300, TPS 400			35
Gold or silver lever set tested to PAS 24 with drill resistant cylinder escutcheon only TPS 100, TPS 200, TPS 300, TPS 400			40
Gold or silver outside knob inside lever only TPS 100, TPS 200, TPS 300, TPS 400			36
Gold or silver outside knob inside lever tested to PAS 24 with drill resistant cylinder escutcheon only TPS 100, TPS 200, TPS 300, TPS 400			48
Brass or chrome spy viewer			15

Frame Accessories

	Electric strike with day catch (seperate). In conjunction with a 12v supply and switch. Alternatively, use on Design doors as a simple spring loaded keep, for keyless passage.	Each 61
	Extension profile 25/50 mm for aluminium frames. Useful to provide clearance for hinges against plaster line.	RAL 9016 Per m 49
		Colour Per m 58
		Golden Oak, Dark Oak, Night Oak, Titan Metallic Per m 61
	Bottom spacer profile, available in five heights for equalising the height between the interior and exterior floor levels. This allows the rebated door leaf, which provides superior weather sealing, to clear floor coverings.	Height 1250mm (Length) 2250mm (Length)
		30mm 18 32
		60mm 36 65
		90mm 52 97
		120mm 70 129
		150mm 87 161

Standard colours/Decograin finishes

Colours: 10 Standard colours available.

Light Ivory	RAL 1015	Pigeon Blue	RAL 5014	Anthracite Grey	RAL 7016	Window Grey	RAL 7040	Terra Brown	RAL 8028
Ruby Red	RAL 3003	Moss Green	RAL 6005	Light Grey	RAL 7035	Clay Brown	RAL 8003	White Aluminium	RAL 9006

Decograin finishes: Golden Oak, Dark Oak, Night Oak and Titan Metallic are not available in TPS 100, 200, 300 and 400.

Hörmann: Quality without Compromise




Hörmann KG Amshausen



Hörmann KG Antriebstechnik



Hörmann KG Brandis



Hörmann KG Brockhagen



Hörmann KG Dissen



Hörmann KG Eckelhausen



Hörmann KG Freisen



Hörmann KG Ichtshausen



Hörmann KG Werne



Hörmann Genk NV, Belgium



Hörmann Alkmaar B.V., Netherlands




Hörmann Legnica Sp. z o.o., Poland



Hörmann Beijing, China



Hörmann Tianjin, China



Hörmann LLC, Montgomery IL, USA



Hörmann Flexon, Leetsdale PA, USA

Hörmann is the only manufacturer worldwide that offers you a complete range of all major building products from one source. We manufacture in highly-specialised factories using the latest production technologies.

The close-meshed network of sales and service companies throughout Europe, and activities in the USA and China, make Hörmann your strong partner for first-class building products, offering “Quality without Compromise”.

GARAGE DOORS

OPERATORS

INDUSTRIAL DOORS

LOADING EQUIPMENT

HINGED DOORS

DOOR FRAMES