www.garagedoorsonline.co.uk 01926 463888

carTeck®

New Side Hinged Doors!

Sectional Garage Doors GSW 40-L

Side Hinged Doors GSW 40-L

Price List May 2011

WE OPEN THE DOORS FOR PROGRESS

Teckentrup Doors · Frames depot

carTeck®

Sectional Garage Doors GSW 40-L

Georgian

Standard Widths

Intermediate height or width or combination: **Next size + £120**

Standard Heights

Sections	Heights				Intermediate height or width or combination: Next size + £120	2084 6'10"	2134 7'0"	2235 7'4"	2286 7'6"	2388 7'10"	2438 8'0"	2591 8'6"	2743 9'0"	3048 10'0"	3353 11'0"	3658 12'0"	3962 13'0"	4216 13'10"	4267 14'0"	4420 14'6"	4572 15'0"	4877 16'0"	5182 17'0"	5500 18'0"
4 Sections	1875 6'2"	2050 6'9"	2175 7'2"		**White**	**1039**	**1039**	**1113**	**1113**	**1145**	**1145**	**1225**	**1344**	**1462**	**1581**	**1700**	**1818**	**1765**	**1659**	**1871**	**1919**	**1983**	**2101**	**2481**
	1925 6'4"	2084 6'10"	2204 7'3"		Trend	1140	1140	1223	1223	1254	1254	1345	1475	1605	1736	1866	1996	2126	1946	2094	2142	2272	2402	2631
	2000 6'6"	2125 7'0"	2250 7'4"		RAL	1418	1418	1516	1516	1554	1554	1662	1817	1973	2129	2285	2441	2597	2385	2539	2700	2856	3012	3276
					Wood Design	1288	1288	1459	1459	1479	1479	1566	1615	1742	2062	2189	2317	2295	2189	2507	2619	2772	2926	3207
5 Sections	2375 7'9"	2750 9'0"			**White**	**1389**	**1389**	**1488**	**1488**	**1530**	**1530**	**1634**	**1792**	**1950**	**2108**	**2266**	**2323**	**2380**	**2437**	**2495**	**2556**	**2640**	**2798**	**3096**
	2500 8'2"				Trend	1571	1571	1682	1682	1729	1729	1846	2023	2201	2379	2556	2621	2685	2749	2814	2882	2977	3155	3530
	2625 8'9"				RAL	1722	1722	1845	1845	1893	1893	2025	2220	2415	2609	2804	2999	3195	2930	3122	3322	3517	3712	4150
					Wood Design	1721	1721	1947	1947	1974	1974	2088	2153	2322	2584	2743	2902	2968	3054	3141	3279	3471	3663	4023
6 Sections	2875 9'5"				**White**	**1851**	**1851**	**1982**	**1982**	**2039**	**2039**	**2175**	**2385**	**2595**	**2805**	**3015**	**3091**	**3167**	**3244**	**3320**	**3399**	**3477**	**3562**	
	3000 9'9"				Trend	2089	2089	2237	2237	2300	2300	2453	2689	2925	3162	3398	3484	3569	3655	3741	3829	3897	3981	
					RAL	2333	2333	2481	2481	2538	2538	2696	2930	3164	3397	3631	3865	4100	3782	4013	4252	4357	4441	
					Wood Design	2292	2292	2594	2594	2629	2629	2779	2865	2907	3234	3433	3632	3714	3822	3930	4101	4145	4242	
					Maximum Height mm	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	2875	2875	2500
					Number of windows	3	3	3	3	3	3	3	3	4	4	4	5	5	5	5	5	6	6	7

Extra Fittings

Polyurethane Windows (including those fitted vertically down the door - round polyurethane or square type 1 & 2. Match windows to number of sections ie 4 sections = 4 windows)	**White**	**287**	**287**	**287**	**287**	**287**	**287**	**287**	**287**	**382**	**382**	**382**	**477**	**477**	**477**	**477**	**477**	**573**	**573**	**668**
	Trend	379	379	379	379	379	379	379	379	505	505	505	631	631	631	631	631	757	757	883
	RAL	379	379	379	379	379	379	379	379	505	505	505	631	631	631	631	631	757	757	883
	*Wood Design	379	379	379	379	379	379	379	379	505	505	505	631	631	631	631	631	757	757	883
Frame Head / Fascia Dressing Kit Frame legs & head are smooth & white as standard.	**White**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**
	Trend	78	80	83	85	89	91	97	102	114	125	136	147	157	159	164	170	176	181	205
	RAL	115	118	124	127	132	135	143	152	169	185	202	219	233	236	244	253	261	269	304
	Wood Design	77	78	82	83	86	88	96	101	112	121	132	143	151	153	157	166	171	176	198

* Wood Design windows are finished in a complimentary flat colour for Golden Oak (RAL8003), Rosewood (RAL8016) and Dark Oak (RAL8014).

Frame Leg Dressing Kit (Pair) 48mm Frame legs & head are smooth & white as standard.	**White**	**n/a**
	Trend	53
	RAL	96
	Wood Design	69
Frame Leg Dressing Kit (Pair) 85mm Frame legs & head are smooth & white as standard.	**White**	**75**
	Trend	85
	RAL	149
	Wood Design	91

Ordering Notes:

Door heights achieved by mixing panel heights (except ribbed) use of 0, 9, 17, or 32mm bottom profiles or top panel cut downs.

When ordering use metric sizes, imperial conversions are nominal.

Delivery:
To company premises FOC.
To site £60 nett.
To Highlands and Islands on application.

Prices £'s Sterling.

Prices exclude VAT at the prevailing rate.

E&OE.

Lead Time Guidance Georgian:

1-2 weeks
Georgian Woodgrain White
Georgian Golden Oak*
Georgian Rosewood*

*Size limitations apply, please contact the Sales Office.

4-6 weeks
Georgian Dark Oak
All Trend Colours

+1 week
For RAL Colours please add 1 week to the standard lead times above

super size your door up to 8000 x 6000mm

Trend Colours

Flame Red RAL 3000	Fir Green RAL 6009	Window Grey RAL 7040	Sepia Brown RAL 8014
Gentian Blue RAL 5011	Anthracite Grey RAL 7016	White Aluminium RAL 9006	Cream RAL 9001
Moss Green RAL 6005	Light Grey RAL 7035	Grey Aluminium RAL 9007	TT 703 A special satin metallic effect - grey with micaceous iron ore particles.

Teckentrup Doors · Frames depot

carTeck®





Standard Ribbed



Centre Ribbed



Solid

Standard Widths

Intermediate height or width or combination: **Next size + £120**

Standard Heights

							2084	2134	2235	2286	2388	2438	2591	2743	3048	3353	3658	3962	4216	4267	4420	4572	4877	5182	5500
							6'10"	7'0"	7'4"	7'6"	7'10"	8'0"	8'6"	9'0"	10'0"	11'0"	12'0"	13'0"	13'10"	14'0"	14'6"	15'0"	16'0"	17'0"	18'0"
4 Sections	1875 6'2"	2050 6'9"	2175 7'2"	**White**	**1022**	**1022**	**1024**	**1024**	**1088**	**1088**	**1175**	**1281**	**1387**	**1493**	**1599**	**1705**	**1739**	**1633**	**1739**	**1850**	**1956**	**2062**	**2274**
	1925 6'4"	2084 6'10"	2204 7'3"	Trend	1124	1124	1135	1135	1198	1198	1289	1404	1518	1633	1747	1862	1976	1983	2030	2150	2265	2379	2608
	2000 6'6"	2125 7'0"	2250 7'4"	RAL	1354	1354	1363	1363	1442	1442	1553	1692	1831	1970	2109	2248	2387	2385	2444	2588	2727	2866	3143
				Wood Design	1135	1135	1177	1177	1210	1210	1298	1430	1563	1695	1828	1960	2115	2004	2115	2216	2311	2407	2597
5 Sections	2375 7'9"	2750 9'0"		**White**	**1367**	**1367**	**1369**	**1369**	**1454**	**1454**	**1568**	**1709**	**1850**	**1991**	**2132**	**2273**	**2319**	**2366**	**2413**	**2464**	**2605**	**2746**	**3053**
	2500 8'2"			Trend	1545	1545	1549	1549	1644	1644	1771	1930	2088	2247	2406	2564	2617	2669	2722	2779	2937	3096	3435
	2625 8'9"			RAL	1695	1695	1706	1706	1805	1805	1943	2117	2290	2464	2637	2811	2984	2983	3056	3235	3408	3582	3965
				Wood Design	1516	1516	1572	1572	1616	1616	1731	1908	2084	2260	2436	2613	2696	2780	2864	2951	3077	3204	3477
6 Sections	2875 9'5"			**White**	**1821**	**1821**	**1825**	**1825**	**1937**	**1937**	**2087**	**2275**	**2462**	**2650**	**2837**	**3025**	**3087**	**3149**	**3211**	**3277**	**3355**	**3431**	
	3000 9'9"			Trend	2055	2055	2059	2059	2186	2186	2354	2565	2776	2987	3198	3408	3478	3548	3618	3692	3775	3850	
				RAL	2301	2301	2314	2314	2433	2433	2597	2806	3014	3222	3431	3639	3847	3846	3933	4147	4235	4310	
				Wood Design	2020	2020	2095	2095	2153	2153	2305	2539	2773	3008	3242	3476	3588	3699	3811	3924	4023	4111	

Extra Fittings

Maximum Height mm				3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	2875	2875	2500
Number of windows				3	3	3	3	3	3	3	3	4	4	4	5	5	5	5	6	6	7
Polyurethane Windows (including those fitted vertically down the door - round polyurethane or square type 1 & 2. Match windows to number of sections ie 4 sections = 4 windows)			**White**	**287**	**287**	**287**	**287**	**287**	**287**	**287**	**287**	**382**	**382**	**382**	**477**	**477**	**477**	**477**	**477**	**573**	**573**	**668**
			Trend	379	379	379	379	379	379	379	379	505	505	505	631	631	631	631	631	757	757	883
			RAL	379	379	379	379	379	379	379	379	505	505	505	631	631	631	631	631	757	757	883
			*Wood Design	379	379	379	379	379	379	379	379	505	505	505	631	631	631	631	631	757	757	883
Frame Head / Fascia Dressing Kit Frame legs & head are smooth & white as standard.			**White**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**	**n/a**
			Trend	78	80	83	85	89	91	97	102	114	125	136	147	157	159	164	170	176	181	205
			RAL	115	118	124	127	132	135	143	152	169	185	202	219	233	236	244	253	261	269	304
			Wood Design	77	78	82	83	86	88	96	101	112	121	132	143	151	153	157	166	171	176	198

*Wood Design windows are finished in a complimentary flat colour for Golden Oak (RAL8003), Rosewood (RAL8016) and Dark Oak (RAL8014).

Frame Leg Dressing Kit (Pair) 48mm Frame legs & head are smooth & white as standard.	**White**	**n/a**
	Trend	53
	RAL	96
	Wood Design	69
Frame Leg Dressing Kit (Pair) 85mm Frame legs & head are smooth & white as standard.	**White**	**75**
	Trend	85
	RAL	149
	Wood Design	91

Lead Time Guidance Ribbed & Solid:

1-2 weeks
Standard Ribbed Woodgrain
Standard Ribbed Golden Oak
Standard Ribbed Rosewood
Standard Ribbed Dark Oak

Centre Ribbed Woodgrain
Centre Ribbed Smooth
Centre Ribbed Golden Oak
Centre Ribbed Rosewood

Solid Smooth

4-6 weeks all ex-Germany
Standard Ribbed Smooth
Standard Ribbed Stucco
Standard Ribbed Micro Profile

Centre Ribbed Dark Oak
Centre Ribbed Stucco
Centre Ribbed Micro Profile

Solid Woodgrain
Solid Stucco
Solid Micro Profile

All Trend colours

+1 week
For RAL Colours please add 1 week to the standard lead times above

super size
your door up to 8000 x 6000mm

Other Popular Accessories

External release to suit CarTeck	53 ea
Manual locking including detent (factory prepared)	98 ea
Manual locking including detent (onsite with template)	48 ea
Stainless steel round windows	446 ea
Between the reveal fitting kit	53 ea

(When using a between the reveal fitting kit, the sideroom required is 85mm)

Electric Motors

Kevlar Belt	11	12	13
220.2	417	472	543
250.2	453	509	579
250.2 speed	565	602	713
252.0	568	624	696

	£	Max W	*Max H	Max M²
DUO 500	351	3500	3150	10
DUO 650	403	5000	3150	11
DUO 800	536	5500	3150	13

*DUO 2600mm travel Rtd. Rail extension 1600 £75

For details of additional options and further details on the above visit www.teckentrupdepot.co.uk/spares

Teckentrup Doors · Frames depot

carTeck®

Installation Data Sectional Doors: Ordering Sizes = Drive Through Sizes

Please observe the following measurement details to guarantee exact assembly, precise and reliable operation of CarTeck sectional garage doors.



Comprehensive technical information and terms and conditions are on line at www.teckentrupdepot.co.uk/tandc/

Ordering dimension =Ⓗ= clearance height
Ordering dimension =Ⓑ= clearance width
The clearance height corresponds to the distance from the upper edge of the floor to the lower edge of the header
When planning, please consider the distance will be reduced due to the application of screed or asphalt.

Tracks can be reduced in length; contact the Depot for more information.

Horizontal track lengths	
3645	3170
3520	3045
3395	2870

Overall length CarTeck motor
11 = 3310
12 = 3560
13 = 4320

Allow 115mm headroom. Use standard lifting gear

Allow 140mm headroom above trays only. Gear uses twin springing & Commercial roller spindles.

	2000	2250	2375	2500	2825	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500
3000	13	13	13	13	13	13	13	13	13	13	13	13	13				
2875	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13		
2750	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13		
2625	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13		
2500	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
2375	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
2250	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
2175	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
2125	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
2050	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
2000	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
1925	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
1875	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
	220.2											250.2		252.2			
	250.2 speed																

Width in mm

Teckentrup Doors · Frames depot

Signature Doors Limited
Unit 8-9, Gemini Trade Park, Europa Boulevard, Warrington WA5 7YF
Manufacturer & Distributor of Carteck Sectional Garage Doors & Associated Products
t: 01925 924050 f: 08701314843
e: sales@teckentrupdepot.co.uk
w:www.teckentrupdepot.co.uk
w:www.teckentrup.eu

Side Hinged Doors GSW 40-L

Lead Times:
All finishes as sectional doors - see previous pages.

*Size limitations apply, please contact the Sales Office.

Woodgrain: White Trend RAL
Woodgrain: Golden Oak, Rosewood, Dark Oak

*Georgian

Height* \ Width*	Single 1250	Double leaf 2286	2438	2500	Single 1250	Double leaf 2286	2438	2500
2050	1234	1646	1728	1814	1542	2057	2160	2268
2204	1296	1728	1814	1905	1619	2160	2268	2381
2359	1361	1814	1905	2000	1700	2268	2381	2500

1/3 - 2/3 *Maximum Brickwork Opening Size

Height* \ Width*	Single 1250	Double leaf 2286	2438	2500	Single 1250	Double leaf 2286	2438	2500
2050	1358	1810	1901	1996	1696	2263	2376	2495
2204	1426	1901	1996	2095	1781	2376	2495	2619
2359	1497	1996	2095	2200	1870	2495	2619	2750

1/2 - 1/2 *Maximum Brickwork Opening Size

Woodgrain: White Trend RAL
Smooth: White Trend RAL
Stucco: White Trend RAL
Micro Profile: White Trend RAL
Smooth: Golden Oak, Rosewood, Dark Oak

Centre Ribbed available in Golden Oak & Rosewood only. Solid not available.

Standard, Centre, Solid

Height* \ Width*	Single 1250	Double leaf 2286	2438	2500	Single 1250	Double leaf 2286	2438	2500
2050	1122	1496	1571	1649	1402	1870	1964	2062
2204	1178	1571	1649	1732	1472	1964	2062	2165
2359	1237	1649	1732	1818	1546	2062	2165	2273

1/2 - 1/2 1/2 - 1/2 1/2 - 1/2 *Maximum Brickwork Opening Size

Height* \ Width*	Single 1250	Double leaf 2286	2438	2500	Single 1250	Double leaf 2286	2438	2500
2050	1234	1646	1728	1814	1542	2057	2160	2268
2204	1296	1728	1814	1905	1619	2160	2268	2381
2359	1361	1814	1905	2000	1700	2268	2381	2500

1/2 - 1/2 1/2 - 1/2 1/2 - 1/2 *Maximum Brickwork Opening Size

Extra Fittings

Colours Extra charge for colours per m²	Trend	45
	RAL	80
Windows Extra charge for each window	White	90
	Trend	119
	RAL	119
	Wood Design	119
Stainless Steel Porthole Window		446
Surface mount shoot bolts Supplied in place of flush bolts		FOC
Raised threshold profile Supplied in place of ramped threshold retro fit or with door per metre		36

Specification

Door leaves are fabricated using 40mm thick Carteck insulated panels with an extruded aluminium perimeter frame and integral seals. An EPDM black threshold seal is provided at the base. Each leaf is fitted with two or three (dependent on size) Dorma LM surface fixed hinges.

The door frame is a three sided, 53mm deep, extruded aluminium profile with mitred corners and integral seals. An aluminium ramped low profile cill is also included.

Hardware comprises of a DIN standard CE marked European sashlock and a pair of stainless steel round bar lever handles on 50mm diameter roses. A Euro-profile cylinder and thumb turn with stainless steel escutcheons is included as standard (double cylinder, key both sides is available as an option if required). The inactive leaf is fitted with top and bottom recessed lever action flush bolts. A stay is fitted to each leaf to hold the door in the open position. For Installation dimensions please see Sectional Door GSW-40L catalogue.