



Vedar Door

*Timber Garage Doors
Natural by Design*

Price List 2011

Traditional Boarded



ASHBOURNE



ASHFORD




BAKEWELL



BARLOW



BUXTON



EDALE



HEATHERSAGE



HADDON



WESSINGTON

	ASHBOURNE	ASHFORD	BAKEWELL	BARLOW	BUXTON	EDALE	HEATHERSAGE	HADDON	WESSINGTON
7' 0" (2134)	1460	1358	1145	1145	1414	1630	1311	1311	1311
Side Hinged	1680	1586	1340	1340	1664	1868	1520	1520	1520
8' 0" (2438)	1570	1465	1288	1288	1630	1779	1414	1414	1414
Side Hinged	1796	1688	1493	1493	1868	2022	1631	1631	1631
9' 0" (2742)	1730	1604	1532	1532	1800	1980	1777	1777	1777
Side Hinged	1965	1828	1753	1753	2160	2250	2027	2027	2027
10' 0" (3048)	2024	1844	1773	1773	2212	2260	2151	2151	2151
11' 0" (3353)	2309	2160	1926	1926	2531	2487	2225	2225	2225
12' 0" (3658)	2480	2315	2109	2109	2782	2756	2432	2432	2432
13' 0" (3952)	2496	2532	2494	2494	3052	2941	2729	2729	2729
14' 0" (4276)	3175	2792	2664	2664	3278	3456	2911	2911	2911
15' 0" (4572)	3450	3099	2990	2990	3734	3758	3214	3214	3214
16' 0" (4877)	4080	3537	3165	3165	4249	4079	3719	3719	3719
17' 0" (5182)	4486	3950	3584	3584	4573	4444	4122	4122	4122
18' 0" (5487)	4822	4290	3919	3919	5431	4782	4461	4461	4461

Traditional Solid Panelled



BELPER



CROMFORD



DUFFIELD



MIDDLETON




CHESTERFIELD



MATLOCK



WIRKSWORTH



TIDESWELL

	BELPER	CROMFORD	DUFFIELD	MIDDLETON	CHESTERFIELD	MATLOCK	WIRKSWORTH	TIDESWELL
7' 0" (2134)	1785	1360	1756	1910	1919	1503	1319	1652
Side Hinged	2043	1529	1995	2176	2176	1721	1529	
8' 0" (2438)	1920	1460	1895	2062	2070	1681	1460	1800
Side Hinged	2188	1737	2124	2347	2347	1914	1737	
9' 0" (2742)	2225	1757	2110	2228	2236	1872	1756	
Side Hinged	2490	2000	2390	2526	2526	2134	2003	
10' 0" (3048)	2352	2019	2300	2406	2415	2212	2017	
11' 0" (3353)	2516	2248	2516	2623	2655	2487	2284	
12' 0" (3658)	2739	2500	2742	2858	2905	2712	2500	
13' 0" (3952)	3112	2727	3127	3410	3167	2955	2727	
14' 0" (4276)	3363	2972	3400	3716	3451	3350	2922	3574
15' 0" (4572)	3797	3238	3797	3871	3871	3651	3238	3894
16' 0" (4877)	4169	3692	4138	4347	4216	3979	3692	4020
17' 0" (5182)	4586	4025	4511	4899	4689	4339	4025	
18' 0" (5487)	5213	4386	5060	5583	5479	4782	4386	

Traditional Panelled



CASTLETON



CHATSWORTH



DERBY



GLOSSOP



HARDWICK



HOPE



WINGFIELD

7' 0" (2134)	1104	1104	1006	1244	1382	822	1104
Side Hinged	1247	1247	1203	1418	1586	962	1247
8' 0" (2438)	1267	1267	1185	1389	1544	1006	1267
Side Hinged	1448	1448	1388	1605	1793	1176	1448
9' 0" (2742)	1483	1483	1369	1661	1819	1185	1483
Side Hinged	1706	1706	1581	1875	2093	1378	1706
10' 0" (3048)	1814	1814	1645	1900	2098	1374	1814
11' 0" (3353)	1986	1986	1828	2182	2364	1539	1986
12' 0" (3658)	2144	2144	2015	2434	2647	1758	2144
13' 0" (3952)	2323	2323	2178	2660	2885	1848	2323
14' 0" (4276)	2431	2431	2336	2936	3125	1958	2431
15' 0" (4572)	2800	2800	2705	3346	3727	2257	2800
16' 0" (4877)	2899	2899	2990	3917	4155	2582	2899
17' 0" (5182)	3288	3288	3392	4244	4374	2823	3288
18' 0" (5487)	3607	3607	3741	4486	4699	3044	3607

NOTE
 All prices are for made to measure sizes, Heights between 6'0" to 7'6",
 Sikkens dip-coat treatment, Shrink-wrap protection, Retractable door gear.
 Canopy door gear is available on most doors up to 8'0" (2438) X 7'0" (2134)
 Glazing in all doors is of 4mm toughened safety glass in clear plain, obscure
 stipple or flemish pattern with either plain, diamond or square leaded design



Optional Extras

Wicket doors

Bakewell with Wicket door Extra **£557.00**
 Wicket doors are available in most doors
 please ask for availability



Handles



Standard 'T'
handle



(optional)
Cylinder Euro Locking **£38**



Timber frames

Section	70 x 70	70 x 90	70 x 70	70 x 90	For side hinged doors Section 70 x 90 with loose stops
Softwood up to 8ft (2438)	85.00	105.00	up to 16ft (4877)	145.00	180.00
Hardwood up to 8ft (2438)	205.00	260.00	up to 16ft (4877)	320.00	395.00
				Up to 8ft (2438) Softwood	115.00 Hardwood 275.00
				Up to 9ft (2742) Softwood	133.00 Hardwood 310.00

All are basecoat treated

Special Heights are available over 7'6 up to 10' 0" please add **10%** per 12" (300mm) to price lists

Hardware Packs for Side Hinged Doors



Traditional Pack

- 2 no pair of galvanised 24" heavy duty hooks and bands
- 1 no pair of garage door stays
- 1 no top bow handle bolt, 1 no foot bolt
- 1 no Yale lock with finger pull
- all complete with fixing screws and bolts



Modern Pack

- 3 no pair of stainless steel 4" butt hinges
- 1 no pair of garage door stays
- 1 no top bow handle bolt, 1 no foot bolt
- 1 no Yale lock with finger pull
- all complete with fixing screws and bolts



Antique Pack

- 2 no pair of 18" black antique tee hinges
- 1 no pair of garage door stays
- 1 no top bow handle bolt, 1 no foot bolt
- 1 no Yale lock with finger pull
- all complete with fixing screws and bolts

Sherwood



	TUXFORD	NEWARK	LOWDHAM	BINGHAM	MANSFIELD	SOUTHWELL	NOTTINGHAM	EDWINSTOWE	NEWSTEAD
7' 0" (2134)	1438	1114	1085	1085	1385	1506	1298	1298	1298
8' 0" (2438)	1554	1224	1180	1180	1587	1689	1401	1401	1401
9' 0" (2742)	1710	1466	1342	1342	1733	1785	1593	1593	1593
10' 0" (3048)	1910	1704	1623	1623	2042	2050	1836	1836	1836
11' 0" (3353)	2212	1866	1785	1785	2477	2374	2113	2113	2113
12' 0" (3658)	2391	2064	2037	2037	2648	2583	2353	2353	2353
13' 0" (3952)	2700	2426	2352	2352	2855	2768	2540	2540	2540
14' 0" (4276)	3024	2621	2522	2522	3171	3282	2802	2802	2802
15' 0" (4572)	3378	3071	2894	2894	3584	3544	3098	3098	3098
16' 0" (4877)	3815	3510	3313	3313	3880	4041	3537	3537	3537

Sherwood



	WORKSOP	RETFORD	KEYWORTH	RADCLIFFE	BEESTON	OLLERTON	CALVERTON
7' 0" (2134)	1085	1085	1085	825	960	1222	1290
8' 0" (2438)	1159	1159	1159	966	1060	1318	1358
9' 0" (2742)	1358	1358	1358	1121	1260	1518	1659
10' 0" (3048)	1566	1566	1566	1283	1437	1731	1844
11' 0" (3353)	1749	1749	1749	1494	1658	2074	2280
12' 0" (3658)	1939	1939	1939	1544	1862	2190	2411
13' 0" (3952)	2129	2129	2129	1694	2093	2320	2586
14' 0" (4276)	2384	2384	2384	1828	2250	2681	2877
15' 0" (4572)	2647	2647	2647	2129	2540	3033	3197
16' 0" (4877)	2893	2893	2893	2532	2787	3335	3507

Traditional Sectional



TRENT



WARWICK



BARLOW



DERWENT



WIRKSWORTH

7' 0" (2134)	2510	2010	2010	2450	2300
8' 0" (2438)	2760	2150	2150	2740	2550
9' 0" (2742)	2980	2450	2450	2900	2710
10' 0" (3048)	3300	2710	2710	3180	2960
11' 0" (3353)	3475	3040	3040	3400	3260
12' 0" (3658)	3830	3460	3460	3650	3550
13' 0" (3952)	4100	3740	3740	4020	3840
14' 0" (4276)	4600	3920	3920	4200	4050
15' 0" (4572)	4910	4440	4440	4730	4300
16' 0" (4877)	5250	4620	4620	5170	4500
17' 0" (5182)	5680	5050	5050	5530	4940
18' 0" (5487)	5990	5500	5500	5800	5270



YORK



BAMFORD



HASSOP



BRADWELL



EYAM

7' 0" (2134)	2600	2300	2300	1900	1840
8' 0" (2438)	2910	2530	2530	1990	1910
9' 0" (2742)	3030	2740	2740	2150	2070
10' 0" (3048)	3350	3030	3030	2370	2300
11' 0" (3353)	3530	3530	3530	2700	2610
12' 0" (3658)	4030	3740	3740	3050	2960
13' 0" (3952)	4200	3980	3980	3290	3190
14' 0" (4276)	4750	4320	4320	3550	3450
15' 0" (4572)	5010	4730	4730	3860	3780
16' 0" (4877)	5530	5060	5060	4040	3940
17' 0" (5182)	6190	5650	5650	4420	4330
18' 0" (5487)	6690	6080	6080	4740	4650

NOTE. All Sectional door prices are for made to measure sizes any height up to 7ft (2134)
Special heights are available over 7ft (2134) up to 10ft (3048) please add **10%** per 12" (300mm) to price list
Included in price 70mm low-headroom gear, fully finished,
Locking is optional **£45.00**

Colour Options

The colours below are for the Factory fully finishing option which will give the door a hard satin long lasting finish that could last up to 7-10 years before recoating (depending on position and location of door)



Light Oak Medium Oak Golden Oak Dark Oak Mahogany Rosewood Teak Ebony Walnut

Note; Due to Cedar natural shading and colouring such colours will vary. Photographic and printing processes make it impossible to guarantee colours from this brochure, and are intended as a guide only we would therefore advise you ask for actual colour samples.

Sikkens Factory Fully Finishing

Above standard Colours

White fully finished

RAL / B.S Colour Ranges

Doors up to 9ft

105.00

155.00

260.00

Doors up tp 9ft to 18ft

210.00

310.00

520.00

Frames up to 9ft

45.00

65.00

85.00

Frames from 9ft to 18ft

60.00

95.00

115.00



DOOR SPECIFICATION AND WARRANTY

TRADITIONAL

All the traditional Up and Over, Side hinged and Sectional range of doors are manufactured from the finest grade of Kiln Dried Western Red Cedar selected and crafted using traditional door construction methods and joints, i.e. mortice and tenon, glued and wedged on all structural timbers to give strength and a long lasting service, proven over many years of door manufacturing. All top, middle and bottom rails are solid Cedar, finished to a thickness with nominal width sizes to suit the size of door, on doors over 8'0 x 7'0 may have lateral and vertical timber or steel bracings (with the exception of side hinged doors) to give strength and stability to the door also to minimise bowing and deflection to the door when in an over-head position.

SHERWOOD

Sherwood range of timber doors are manufactured using selected kiln dried 16mm Cedar facings glue bonded on to 6mm exterior plywood backing sheets of nominal widths to suit door size and style. They are then mounted into a pre-finished Aluminium boundary frame with steel lateral bracings to reinforce the strength of the panel.

GLAZING

Glazing in Traditional doors is of 4mm safety glass in plain, stippled pattern with either plain, diamond or square leaded design. In Sherwood doors it is of Acrylic pvc sheet in either plain or stippled.

IMAGES

All door images in this brochure are of 7'0 x 7'0 (2134 x 2134) single size doors, on larger doors some rail sizes and panel configurations may change.

PRODUCT CARE AND FINISHING INSTRUCTIONS

Timber is an organic substrate material with natural characteristics than can acclimitise itself, no matter the "species" to different environmental conditions prevailing in its localised "fixing or place". Therefore the company "**CEDAR DOOR**" accepts no liability or responsibility for variations occurring in our "Timber" products supplied, in any of the following descriptions i.e. "colour variations, movement either lateral or longitudinal, splitting, shakes, water damage ingress or exit, resin exudations or chemical spillages.

- Conversely **Timber** substrates can naturally expand and contract according to environmental conditions.
- Moisture content and humidity may open and close joints and some minor curvature may occur.
- Any curvatures that occur however, will not affect the long term performance or life of this natural material.

Please note: **Cedar** is organically grown with natural colour and grain variations, this is a feature of **Cedar**. We make every effort to harmonise the effect by hand matching all components part used in manufacture.

Protection (Basecoat)

All timber doors and components are supplied with a dip immersion coat of Sikkens WP560 colour ref: 006 Light Oak; this operation is for temporary protection for transit and installation purposes only.

Fully finishing of garage doors is available at an extra cost. If our product becomes exposed to excessive water splashes or rain it may result in water marks or stains which could affect the final coatings of the door. We recommend that the product receives a full specification of finishing coats immediately after installation to all surfaces with a Sikkens Finishing coat system, all to the coatings manufacturer's instructions.

Full Factory Finishing Option

The full factory option is supplied in various coloured woodstains and will provide a 5 year erosion period. If the door becomes affected by rain soon after installation you may notice a light coloured staining on the finish of the door but will disappear when dry this is caused by the curing process of the Sikkens WF 955 system which will disperse and disappear once fully cured which can usually take anything up to six months depending on many parameters. Humidity and weather conditions has no adverse effect to the quality and finish of the door.

- Consideration should be taken into the selection of the final colour of the door in certain compass locations i.e. the selection of dark colours for doors (south facing or in constant direct sunlight) could result in a excessive heat uptake into the substrate causing excessive extracting of moisture content (drying and effect) resulting in abnormal distortion of the door.

Storage

- All doors are delivered with a polythene shrink-wrap protection which should be left on just prior to site coatings applications.
- Do not puncture the polythene shrink-wrap before installation.
- Prior to installation doors must not be stored in direct sunlight.
- Do not expose the doors to water contamination of any description/or staining may result.
- This does not apply to fully finished doors.
- Door must always be stored in an upright position and protected from site and weather contaminations before fixing.

Quality Check

Timber is a natural material, defects i.e. small knots, close wide or short grain, surface shakes or splits or grain lift, although we endeavour to eliminate most of these phenomena in production, some may still appear after installation. The company (**CEDAR DOOR**) cannot be held responsible for any defect (Naturally Occurring) after installation.

- A visual quality control check of every door supplied by (**CEDAR DOOR**) is carried out before supply.
- The (CUSTOMER) should carry out in natural daylight (THEIR OWN VISUAL INSPECTION) prior to installation.
- Stand at a distance of 3 metres (10 feet) to view the overall appearance. The door is acceptable if, taking into account the facts below, none of the following is readily visible on the face of the doors from this distance.
- Marks or distortion associated with the manufacturing process.
- Vertical and lateral deflection may occur up to 1" (25mm) on door up to 8ft wide/height and 21½" (60mm) on doors up to 16ft wide.
- Minor indentations, marks or scuffs on the surface.
- Minor paint or stain blemishes.
- Any defect/anomaly must be reported to (**CEDAR DOOR**) within 48 hours of goods received.



sikkens



Door Gear Specification

CEDAR CD 100 RETRACTABLE DOOR GEAR

CD100 Gear has the advantage of maximum clearance on frame opening width at average door mirror height i.e. drive through width, and the lower weather strip is of soft rubber, therefore avoiding any damage up to frame opening width. With a multi spring unit at high level with finger safe springs, with a choice of two types of locking handles, available on most doors up to 2438 (8ft) wide or 45kg (100lb).

CD 150/200/250

These gears are based on the traditional retractable gearing available on garage doors. Our latest design has a number of benefits: all parts are rust protected with either galvanised or zinc plating for lasting looks, all bearings surfaces are made of nylon for very low maintenance, long lasting reliability and smooth running, even our springs are galvanised. All doors fitted with the above operating gears come supplied with the top roller brackets and weather strips are pre-fitted to the door for ease of installation.

CEDAR CANOPY OPERATING GEAR

Doors specified with canopy operating gear come complete with the gear pre-fitted to the door for quick and easy installation.

The latest canopy gear is very robust and has a number of benefits, a well balanced overhead torsion spring with 3mm cone and cables including an anti-drop system to prevent door dropping in the event of a cable or spring break, a strong 'U' steel section joins the door arm to the roller and spindle giving the whole door a rigid feel. Our rollers are of a large diameter for smoother running and improved location. Security has been well thought out with 3 point locking and 2 roller security brackets meaning that a closed and locked door has 5 effective fixed positions.

CE and CPD Compliance

All our timber doors and hardware meet to latest CE and CPD demands.

Comparison Chart, showing clear opening widths CD100 & CD150-250

Note: The chart below is based on a 7'0 x 7'0 (2134 x 2134) door, the thickness of the door will also reduce the opening height i.e. door up to 8ft (2438) wide = 80mm, 10ft (3040) 120mm 16ft (4870) 155mm on all solid timber doors, 85mm on all Sherwood doors.

