




**// NEW: Hörmann BiSecur**  
**The modern radio system for garage door operators**



# Series 2000 Sectional Garage Doors

The finest sectional doors offering nothing but benefits





Sectional doors open vertically upwards and are suspended under the ceiling to save space. You can make full use of the space inside and in front of the garage for parking.



# Hörmann automatic sectional doors

offering greater convenience and security

You can operate a Hörmann automatic door as conveniently as your TV set. On the press of a button, you drive into your garage, protected from all weathers. When it's dark, the direct route affords you greater safety and security. It goes without saying that Hörmann doors and operators are tested by the TÜV (German Technical Inspectorate) as a single safety unit.

\* The complete warranty conditions can be found at [www.hormann.co.uk](http://www.hormann.co.uk)








### S-ribbed

### M-ribbed

### L-ribbed



**LTE 40**  
Single-skinned



**Woodgrain**



**LPU 40**  
Double-skinned  
Door leaf 42 mm thick



**Woodgrain**



**LTE 40**  
Single-skinned



**Woodgrain**



**EPU 40**  
Double-skinned  
Door leaf 42/20 mm thick



**Woodgrain**



**LPU 40**  
Double-skinned  
Door leaf 42 mm thick



**Woodgrain**



**Silkgrain**



**Micrograin**



**Decograin**



**LPU 40**  
Double-skinned  
Door leaf 42 mm thick

42 mm



**Woodgrain**



**Micrograin**



**Decograin**



**Titan Metallic**



## S-panelled



**LTE 40**  
Single-skinned



**Woodgrain**



**42 mm EPU 40**  
Double-skinned  
Door leaf 42/20 mm thick



**Woodgrain**



**42 mm LPU 40**  
Double-skinned  
Door leaf 42 mm thick



**Woodgrain**




**Decograin**



### Woodgrain surface finish

On this robust surface with an authentic sawn timber look, minor scratches can be repaired without leaving any visible sign of damage.



### Silkgrain surface finish

This silky-smooth, elegant surface particularly fits well with modern architecture.




### Micrograin surface finish


This surface features a wave profile that is embossed into smooth steel, producing attractive light and shadow effects.




Decograin Light Oak




Decograin Dark Oak




Decograin Rosewood



Decograin Golden Oak



Decograin Night Oak



Decograin Titan Metallic



### Decograin surface finish

UV-resistant synthetic foil coating on the outside with unique embossed graining conveying the authentic character of timber.

# A vast array of colours

Integrate your garage door into your home's colour concept. All steel doors are supplied as standard in Traffic White RAL 9016. Double-skinned garage doors are additionally available in 15 inexpensive factory colours. Please note all colours below are made to order only.

## Standard Colours

White aluminium * RAL 9006	Anthracite grey RAL 7016
Fir green RAL 6009	Terra brown RAL 8028
Moss green RAL 6005	Clay brown RAL 8003
Pigeon blue RAL 5014	Ochre brown RAL 8001
Steel blue RAL 5011	Window grey RAL 7040
Sapphire blue RAL 5003	Light grey RAL 7035
Stone grey RAL 7030	Ruby red RAL 3003
Light ivory RAL 1015	



Around 200 RAL colours available to special order.

\* not available as part of our UK spray programme, German factory orders only. Due to limitations in printing process, colours cannot be considered binding.




## Frame cladding

We offer a frame cladding to match the colour of the door.



## Your choice of glazings

Incorporate glazing to give your garage an individual look or to match the architectural style of your home. The DURATEC synthetic double glazing in Hörmann's sectional doors is exceptionally resistant to scratches even after repeated washing and heavy use.




## ThermoFrame // NEU

With the garage being attached to the house we recommend to fit a well insulated garage door. The new ThermoFrame frame improves the already good insulation characteristics of the double-skinned Hörmann garage doors even more and adds to energy savings.

**Only by Hörmann**


up to **15%\*** improved insulation



Side sealing

Lintel sealing

\* With an LPU sectional garage door surface of 10 sqm.



For further information ask your specialist dealer for this brochure or visit [www.hormann.co.uk](http://www.hormann.co.uk)



## Choose between two innovative Hörmann operators



## The Manually Operated Sectional Door

Where a beautiful handle places a special accent



### ProMatic

The good-value starter model as an introduction to Hörmann's premium quality, for a maximum of 12 door cycles (open/close) per day. Opening speed: 14 cm/s.


### SupraMatic

The supra-fast operator with an array of additional functions for a maximum of 50 door cycles\* (open/close) per day. Opening speed: 22 cm/s.

\* based on the SupraMatic P

### Proven Operator Technology

- Interference-resistant radio signal with ab stable range
- The SupraMatic will come with a HS 5 BS 5-button hand transmitter and a 2-button HSE 2 BS hand transmitter. The ProMatic will come with two 2-button HSE 2 BS hand transmitters
- 128-bit encryption
- Inquiry of the door position with the HS 5 BS hand transmitter (optional for ProMatic)
- Additional opening height. With the individually adjustable second opening height, you can ventilate your garage without completely opening the door
- Easy-to-use programming



Further information on Hörmann operators for garage doors and entrance gates can be found in our specialist brochures or on our website at [www.hormann.co.uk](http://www.hormann.co.uk)

With these handles, developed by designers and safety experts, you hold a quality in your hand that, in this form, no other manufacturer can match. Select the handle of your choice from seven shapely variants to match and add it to your order. Your Hörmann specialist dealer will be more than happy to fit it for you.



Black plastic



Cast aluminium, white (similar to Traffic white RAL 9016)



Silver cast aluminium



Brass cast aluminium



Polished stainless steel



Brushed stainless steel



Brown cast aluminium



Manually operated sectional doors are more burglar-proof thanks to latch locking. In this lock, a sturdy automatic latching spring disc grips round a solid steel bolt to securely retain the door. Intruders don't stand a chance!

# Overview of Series 2000 sectional garage door styles and sizes

Door Sizes		S-ribbed		M-ribbed			L-ribbed		S-panelled		
		LTE	LPU	LTE	EPU	LPU	LPU	LTE	EPU	LPU	
6'10" × 6'2"	2083 × 1875	•	•	•	•	•	•	•	•	•	
6'6"	2083 × 2000	-	•	-	•	•	•	-	•	•	
6'10"	2083 × 2080	•	•	•	•	•	•	•	•	-	
7'0" × 6'6"	2134 × 2000	•	•	•	•	•	•	•	•	•	
7'0"	2286 × 2125	•	•	•	•	•	•	•	•	•	
7'6" × 6'6"	2286 × 2000	•	•	•	•	•	•	•	•	•	
7'0"	2286 × 2125	•	•	•	•	•	•	•	•	•	
7'4"	2286 × 2250	•	•	•	•	•	•	•	•	•	
7'9"	2286 × 2375	•	•	•	•	•	•	•	•	•	
8'2"	2286 × 2500	•	•	•	•	•	•	•	•	•	
8'0" × 6'6"	2438 × 2000	•	•	•	•	•	•	•	•	•	
7'0"	2438 × 2125	•	•	•	•	•	•	•	•	•	
7'4"	2438 × 2250	•	•	•	•	•	•	•	•	•	
7'9"	2438 × 2375	•	•	•	•	•	•	•	•	•	
8'2"	2438 × 2500	•	•	•	•	•	•	•	•	•	
8'6" × 6'6"	2591 × 2000	•	•	•	•	•	•	•	•	•	
7'0"	2591 × 2125	•	•	•	•	•	•	•	•	•	
9'0" × 6'6"	2743 × 2000	•	•	•	•	•	•	•	•	•	
7'0"	2743 × 2125	•	•	•	•	•	•	•	•	•	
9'6" × 6'6"	2896 × 2000	•	•	•	•	•	•	•	•	•	
7'0"	2896 × 2125	•	•	•	•	•	•	•	•	•	
10'0" × 6'6"	3048 × 2000	•	•	•	•	•	•	•	•	•	
7'0"	3048 × 2125	•	•	•	•	•	•	•	•	•	
11'0" × 6'6"	3353 × 2000	•	•	-	•	•	•	-	•	•	
7'0"	3353 × 2125	•	•	-	•	•	•	-	•	•	
12'0" × 6'6"	3658 × 2000	•	•	-	•	•	•	-	•	•	
7'0"	3658 × 2125	•	•	-	•	•	•	-	•	•	
13'0" × 6'6"	3962 × 2000	•	•	-	•	•	•	-	•	•	
7'0"	3962 × 2125	•	•	-	•	•	•	-	•	•	
14'0" × 6'6"	4267 × 2000	•	•	-	•	•	•	-	•	•	
7'0"	4267 × 2125	•	•	-	•	•	•	-	•	•	
14'6" × 6'6"	4420 × 2000	•	•	-	•	•	•	-	•	•	
7'0"	4420 × 2125	•	•	-	•	•	•	-	•	•	
15'0" × 6'6"	4572 × 2000	•	•	-	•	•	•	-	•	•	
7'0"	4572 × 2125	•	•	-	•	•	•	-	•	•	
15'6" × 6'6"	4724 × 2000	•	•	-	•	•	•	-	•	•	
7'0"	4724 × 2125	•	•	-	•	•	•	-	•	•	
16'0" × 6'6"	4877 × 2000	•	•	-	•	•	•	-	•	•	
7'0"	4877 × 2125	•	•	-	•	•	•	-	•	•	

**Door leaf thicknesses**

- LTE single-skinned
- EPU double-skinned  
42/20 mm
- LPU double-skinned  
42 mm

**Surface finishes**

- Woodgrain
- Micrograin
- Silkgrain
- Colour options available
- Decograin Light Oak
- Decograin Dark Oak
- Decograin Rosewood
- Decograin Golden Oak
- Decograin Night Oak
- Decograin Titan Metallic

## Hörmann: Quality without Compromise



Hörmann KG Amshausen



Hörmann KG Antriebstechnik



Hörmann KG Brandis



Hörmann KG Brockhagen



Hörmann KG Dissen



Hörmann KG Eckelhausen



Hörmann KG Freisen



Hörmann KG Ichtershhausen



Hörmann KG Werne



Hörmann Genk NV, Belgium



Hörmann Alkmaar B.V., Netherlands



Hörmann Legnica Sp. z o.o., Poland



Hörmann Beijing, China



Hörmann Tianjin, China



Hörmann LLC, Montgomery IL, USA



Hörmann Flexon, Leetsdale PA, USA

Hörmann is the only manufacturer worldwide that offers you a complete range of all major building products from one source. We manufacture in highly-specialised factories using the latest production technologies. The close-meshed network of sales and service companies throughout Europe, and activities in the USA and China, make Hörmann your strong partner for first-class building products, offering "Quality without Compromise".

**GARAGE DOORS**

**OPERATORS**

**INDUSTRIAL DOORS**

**LOADING EQUIPMENT**

**HINGED DOORS**

**DOOR FRAMES**

**Hörmann (UK) Ltd**, Gee Road, Coalville, Leicestershire LE67 4JW  
Phone (01530) 513000, Fax (01530) 513001  
[www.hormann.co.uk](http://www.hormann.co.uk)

