



Sectional garage door and operator RenoMatic


New: Planar surface finish in 6 exclusive Matt deluxe colours

HÖRMANN

SECTIONAL GARAGE DOOR RENOMATIC

L-ribbed with smooth Planar surface finish


The L-ribbed garage sectional door impresses with a large section division and a modern matt door appearance in Matt deluxe colours.




The new smooth **Planar surface finish** for L-ribbed doors in the 6 exclusive Hörmann Matt deluxe colours convinces with its fine elegance. (Figure on left in CH 703, Matt deluxe, Anthracite metallic)




The painted **Decocolor * surface finish** impresses with a natural timber look in 3 campaign decors. (Figure on left in Golden Oak decor)




CH 9016, Matt deluxe,
Traffic white




CH 9006, Matt deluxe,
White aluminium




CH 9007, Matt deluxe,
Grey aluminium




CH 703, Matt deluxe,
Anthracite metallic



CH 7016, Matt deluxe,
Anthracite grey



CH 8028, Matt deluxe,
Terra brown



Decocolor*
Golden Oak decor



Decocolor*
Dark Oak decor



Decocolor*
Night Oak decor

* The Decocolor surface finish is painted on the outside in the timber look Golden Oak, Dark Oak or Night Oak. It does not match the appearance of the Decograin surface finish of Hörmann entrance doors.



SECTIONAL GARAGE DOOR RENOMATIC

M-ribbed with Woodgrain surface finish


The subtle section ribbing and structured surface characterise the M-ribbed sectional garage door.



The Woodgrain surface finish on M-ribbed doors is characterised by its authentic saw pattern and robustness. (Figure on left in RAL 9016, Traffic white)



The painted **Decocolor* surface** impresses with natural timber look in 3 campaign decors. (Figure on left in Golden Oak decor)



RAL 9016,
Traffic white




RAL 9006,
White aluminium




RAL 9007,
Grey aluminium



CH 703,
Anthracite metallic




RAL 7016,
Anthracite grey



RAL 8028,
Terra brown



Decocolor
Golden Oak decor



Decocolor
Dark Oak decor



Decocolor
Night Oak decor



SECTIONAL GARAGE DOOR RENOMATIC

Quality from Europe's no.1 makes all the difference.

**Made in Germany**

Good thermal insulation

The RenoMatic sectional garage door is double-skinned and insulated. The door travel is pleasantly quiet thanks to the 42 mm thick sections. The sections have a polyester-primer coating on the outside **1**. We supply the inside of the sections in silver-coloured galvanization with protective paint **2**. The tension spring assembly with the patented spring-in-spring system or the torsion spring with tested spring safety device protects the door leaf against falling. Thanks to the good thermal insulation, the doors are an excellent choice if your garage is directly attached to the house or if there is access from the garage to the house.



Optimum long-term protection


A non-brittle, 4 cm plastic frame shoe **3** offers long-term protection against corrosion of your door, even with waterlogging, which is unmatched by competitor solutions. The frame shoe completely covers the frame in the area susceptible to rust. Only this offers true long-term protection.



Increased burglary protection

The sectional garage door RenoMatic is equipped with automatic door locking **4**. When the garage door is closed, the anti-lift kit automatically engages in the operator boom's stop, then locks immediately and is secured against forced opening. This door locking functions purely mechanically and therefore continues to secure the door even without an operator motor or in the event of a power failure.





- Plastic frame shoe
- Mechanical anti-lift kit in the operator boom
- BiSecur radio system

Matching appearance

The harmonious overall impression of a door is created by many little details. For example, we always supply the fascia panel **1** to match the door colour. The side frames **2** are always in a Woodgrain surface finish, coated in Traffic white RAL 9016 (matching the white surface for M-ribbed doors). Optional frame coverings are available in the surface finish of the door for doors with Planar surface finish, coloured doors or Decocolor doors. This ensures that everything fits together.



Automatic comfort

The RenoMatic includes the **operator ProMatic and two 4-button hand transmitters HSE 4 BS 3** or the operator **SupraMatic and 5-button hand transmitter HS 5 BS and one HSE 4 BS 4**. The patented, rail-mounted operator technology ensures smooth and quiet door travel. On encountering an obstruction, the reliable automatic safety cut-out also stops the door.



BiSecur radio system with certified security



The bi-directional BiSecur radio system is based on future-oriented technology for the convenient and secure operation **5** of garage and entrance gate operators, door operators, lights and more. The extremely secure BiSecur encryption protocol, developed by Hörmann, with a stable, interference-free range makes sure that no-one can copy your radio signal. It was tested and certified by security experts at Bochum University.



Safe operation

Hörmann sectional doors are tested and certified in accordance with the high safety requirements of European standard 13241, not only on their own but also in combination with Hörmann operators. It would be hard to find a safer sectional door. It pays to compare!



SECTIONAL GARAGE DOOR RENOMATIC

Matching side doors



You can also select matching side doors with narrow aluminium profiles to go with the sectional garage door RenoMatic. The door infills are perfectly matched to the door style as well as the surface and colour. This results in a harmonious overall impression when the door and side door are fitted side by side.

27 door sizes for almost any opening

RenoMatic - M-ribbed Woodgrain / Decocolor

Door heights in mm	3000					2148				
	2500			1461	1661	1754	1884	2132		2531*
	2250			1394	1561	1648	1791	1961		2167
	2125	1364	1373	1373	1541	1628	1766	1902	1969	2137
	2000	1335	1373	1373		1627			1910	
		2134	2375	2500	2750	3000	3500	4000	4267	5000
Door widths in mm										

RenoMatic - L-ribbed Planar / Decocolor

Door heights in mm	3000					2298				
	2500			1643	1769	1873	2019	2298		2912*
	2250			1550	1662	1761	1921	2059		2499
	2125	1531	1531	1531	1641	1741	1896	2033	2469	2466
	2000	1529	1529	1529		1740			2435	
		2134	2375	2500	2750	3000	3500	4000	4267	5000
Door widths in mm										

Please note: Prices shown are a complete price of the door, frame pack, boom and ProMatic operator.
If a SupraMatic is preferred, please add £108 to the price shown.

* Size 5000 x 2500 mm can only be used with a SupraMatic operator, already included in the price.