PEDESTRIAN DOORS FOR YOUR GARAGE AND HOME.

Insulated and single skin steel side doors, with matching garden gates



- Insulated and uninsulated steel side doors
- Matched to CarTeck, GDO, Hörmann, Ryterna and Garador
- Fire rated doorsets for the garage to house door
- Supplied pre framed with handles and locking
- Steel pedestrian gates for garden entrances

AI generated image, for illustration

November 2026

GARAGEDOORSONLINE
THE UK'S PREMIER ONLINE GARAGE DOOR SUPPLIER

ORDER ONLINE AT **GARAGEDOORSONLINE.CO.UK**

CHOOSING A PEDESTRIAN DOOR.

A pedestrian door, also called a personnel door or garage side door, lets you get in and out of the garage on foot without opening the main garage door. It's the easiest way to reach bikes, tools, the freezer or a home gym, and on a detached garage it's often the only practical way in when the car is parked on the drive.

Every door in this brochure is supplied pre framed, so the door leaf arrives hung in its fixing frame with the hinges, handle and lock already fitted. Most are built to match a garage door from the same range, so the side door and the garage door share the same design, colour and finish.



CarTeck Switch

40MM, FASTER DELIVERY

Matches the Switch Centre Ribbed Horizontal garage door in three colours.

See page 3



CarTeck 40mm

40MM INSULATED, 39 COLOURS

Four designs to match CarTeck side hinged and sectional doors.

See page 4



GDO Pro 20

20MM INSULATED, 32 COLOURS

UK made steel doorsets, made to measure up to 1320mm wide.

See page 5



GDO Pro 51

HIGHEST INSULATED GDO DOOR

51mm thermally broken, with three point locking as standard.

See page 6



Sectional Matching

CARTECK, HÖRMANN, RYTERNA

Side doors to match insulated sectional garage doors.

See page 7



Samson Doorsets

FIRE RATED, HIGH SECURITY

Made to measure 55mm steel doorsets, including a garage to house fire door.

See page 8



GDO Icon

BRACED STEEL, UNINSULATED

A rigid, well sealed steel door without paying for insulation.

See page 9



Single Skin Steel

GDO CLASSIC AND GARADOR

Straightforward steel side doors for single skin garage doors.

See page 10

INSULATED OR SINGLE SKIN?

Insulated (double skin)

Two steel skins with insulation between them make a stiffer, quieter door that holds more warmth in. Worth choosing if the garage is attached to the house, heated, or used as a workshop, gym or utility space.

Single skin and uninsulated

A single steel sheet keeps the cost and weight down. Ideal for a detached garage, store or outbuilding where insulation isn't needed, and for matching a single skin garage door.

CARTECK SWITCH PEDESTRIAN DOOR.

The CarTeck Switch is the simpler, quicker way into an insulated side hinged garage door, and there's a matching single leaf pedestrian door to go with it. It's built from the same 40mm insulated woodgrain panels, in the same Centre Ribbed Horizontal design and the same three colours, so a side door and garage door ordered together look like a matched pair.

Switch keeps the choice of sizes, colours and options deliberately narrow, which is how it's offered at a lower price with a shorter lead time. Made in the UK by Teckentrup, it's usually ready in 2 to 3 weeks depending on your location*.

If you need a different design, a wider colour choice or a taller door, the full CarTeck 40mm range on the next page is the one to look at.



Anthracite Grey RAL 7016, shown open

WHAT'S INCLUDED

- 40mm insulated woodgrain panel, Centre Ribbed Horizontal design
- Over frame widths up to 1250mm and heights up to 2170mm
- Inside face finished in grey white RAL 9002
- Surface mounted 3D adjustable hinges
- Stainless steel handles and a security lock cylinder with adjustable latch plate, supplied with 3 keys
- Weather strip all the way round, with mitred joints
- Raised, lipped threshold to help keep rain out
- Certified to BS EN 13241-1, carrying the CE and UKCA marks

1250mm
Over frame width, up to

2170mm
Over frame height, up to

40mm
Insulated woodgrain panels

2 to 3 wks
Typical lead time*

MATCHING SWITCH GARAGE DOORS, THREE COLOURS

Order the pedestrian door with a CarTeck Switch side hinged garage door in the Centre Ribbed Horizontal design and both arrive in the same woodgrain colour.



Centre Ribbed Horizontal, Anthracite Grey



Centre Ribbed Horizontal, White

White
RAL 9016, woodgrain

Anthracite Grey
RAL 7016, woodgrain

Jet Black
RAL 9005, woodgrain

*Lead time depends on your delivery location. Please check with our sales team when ordering.

CARTECK 40MM PEDESTRIAN DOORS.

CarTeck pedestrian doors are made by Teckentrup to match CarTeck sectional and side hinged garage doors. They use the same 40mm thick insulated steel panels in an aluminium frame, so the side door carries the same design, colour and surface texture as the garage door. They're suitable for domestic or commercial use, and work well on a larger garage with a separate side entrance or a detached garage you use every day.



Standard Ribbed Vertical



Standard Ribbed Horizontal



Centre Ribbed Vertical



Centre Ribbed Horizontal



Solid Ribbed Vertical



Solid Ribbed Horizontal



Georgian Vertical



Georgian Horizontal

1250mm Width, up to	**2359mm** Height, up to	**39** Colours plus 4 wood effects	**2.60** W/m^{2}K U value, single leaf

SPECIFICATION AND OPTIONS

- Woodgrain or Smooth Silk texture on the outside face
- 39 colours, plus 4 wood effect finishes
- Frame finished to match the door, or a complementary RAL colour on wood effect doors
- Height bands up to 2050mm, 2204mm or 2359mm
- Hinges left or right, opening in or out, chosen when you order at no extra cost
- Satin nickel lever handle with 3 point locking included, or coloured handle options
- 1200mm or 1500mm stainless steel pull handles available
- 2 year mechanical and 10 year perforation guarantees

WORTH KNOWING

Printed colours are a guide only, so ask for a sample if the exact shade matters, particularly on wood effect finishes. Very dark colours on a door that gets strong direct sunlight can warp, so a lighter shade is the safer choice on a south facing wall. CarTeck personnel doors are designed as garage doors to BS EN 13241-1, not as front doors.

GDO PRO 20
INSULATED PEDESTRIAN DOORS.

The GDO Pro 20 pedestrian door is a UK made double skin steel doorset. Twin steel skins are bonded to a thermal core to form a 20mm insulated door leaf, and that leaf sits in a box section steel sub frame fitted at the factory, so the door arrives ready to offer into the opening and fix.

It's a good all round choice for an attached garage or one you use regularly, and it's made to match the GDO Pro 20 side hinged garage doors design for design. White is standard, with 32 colour options in a powder coated ripple texture.



Vertical Medium Rib



Vertical Wide Rib



Horizontal Medium Rib



Horizontal Wide Rib



Solid Panel

1320mm
Width, made to measure up to

2340mm
Height, up to

32
Colour options, white standard

20mm
Insulated steel door leaf

WHAT'S INCLUDED

- Made to measure at no extra cost, ordered as the overall frame size
- Lever handle, deadlock and adjustable keep, with an internal thumb turn
- Colour matched 3 way adjustable hinges, 2 as standard or 3 on larger sizes
- Double seals to keep out wind, rain and dust
- Threshold included as standard
- Left or right hand opening
- 3 point locking option on doors 2000mm high and over
- Handle finishes in bronze, gold or satin effect, plus stainless steel long pull handles

MEASURING THE PRO 20

Order by the overall frame size. The frame is 50mm per side, so the clear walk through width is less than the size you order, by around 136mm on the width and 82mm on the height. Please make sure you allow enough fitting tolerance.



Handle finish options



GDO PRO 51
INSULATED PEDESTRIAN DOORS.

The GDO Pro 51 is the highest insulated door in the GDO pedestrian range. Insulated panels sit inside a 51mm thick aluminium profile, and the profiles, frame and threshold are all thermally broken, so the whole doorset keeps heat loss down rather than just the panel.

It's the side door to choose when the garage is part of the living space or security matters most, with Garage Protect 3 star security and three point locking fitted as standard. It matches the GDO Pro 51 side hinged garage doors in the same five designs and 32 colours.



Vertical Medium Rib



Vertical Wide Rib



Horizontal Medium Rib



Horizontal Wide Rib



Solid Panel

51mm
Thermally broken profile

3 star
Garage Protect security

1320mm
Width, made to measure up to

32
Standard colours

WHAT'S INCLUDED

- 3 star anti snap Euro cylinder with security keys
- Three point mortice and hook locking
- Handle, latch and deadlock with adjustable keep and internal thumb turn
- Double seals, plus a gasket between the leaf frame and the panel
- Thermally broken frame and threshold
- Made to measure and factory assembled with its sub frame and all hardware

VERTICAL, HORIZONTAL OR SOLID?

Vertical ribs suit almost any age or style of property and make the door look a little taller. Horizontal ribs give a wider, more modern look and pair well with horizontal ribbed garage doors. The Solid Panel is the plainest and most contemporary choice. The same five designs are offered on the GDO Pro 20, so it's easy to compare the two on price and insulation.




MATCHING SECTIONAL PEDESTRIAN DOORS.

If you have an insulated sectional garage door, or you're ordering one, the side door can be made to match it. Sectional doors are made up of horizontal panels, so the matching pedestrian door is normally the horizontal version of the same design, in the same colour and surface finish. We supply matching doors for CarTeck, Hörmann and Ryterna sectional garage doors.

CARTECK

Every CarTeck insulated sectional design, Solid, Centre Ribbed, Standard Ribbed and Georgian, has a matching CarTeck 40mm pedestrian door made by Teckentrup from the same insulated steel panels. Choose the horizontal version of your garage door design, in the same colour and texture, and the two doors read as a set.

*** Sizes, colours, locking and options are on page 4.**



Standard Ribbed sectional and matching side door

HÖRMANN NT60


Hörmann NT60 pedestrian doors are made to go with Hörmann sectional garage doors and the NT60 side hinged doors, in the S, M and L Ribbed designs. The 42mm double skinned steel door leaf is PU foam filled and galvanised, and it's hung in a 60mm deep aluminium block frame with double buffer seals on three sides and a double lip threshold seal.



S Ribbed




M Ribbed



L Ribbed



M Ribbed, 14 colours



M Ribbed, Decograin

- White, or 14 colour options, in Woodgrain, Sandgrain or Silkgrain, plus 6 Decograin wood effects
- Standard sizes 855mm or 980mm wide, 1990mm or 2115mm high, to fit in the opening
- Purpose made sizes up to 1330mm wide and 2558mm high
- Profile cylinder lock, keys to differ or keyed to pass
- Black lever handle set as standard, stainless steel or cast aluminium options
- Three way adjustable hinges, with fit options behind, in front of or within the opening


RYTERNA

Ryterna make side doors to measure to match their sectional garage door designs. They use 40mm thick insulated panels with rubber seals all the way round, in a standard frame or a frame with mouldings, with aluminium, black or white handles. These aren't listed in our shop, so call or email us with your garage door details and opening size and we'll quote a matching door.



SAMSON SPECIALIST STEEL DOORSETS.

When a standard pedestrian door doesn't go far enough on security, fire rating or size, Samson Doors make double skinned steel doorsets to the millimetre. Both doors here are 55mm thick and arrive factory pre assembled in their steel frame, ready to fix. They're made to order and priced on application, and Samson can supply an installation team if you'd rather not fit it yourself.




GARAGEGUARD

HIGH SECURITY GARAGE AND OUTBUILDING DOOR

A 55mm double skinned steel doorset for garages, workshops and outbuildings. The frame is Magnelis steel with a 10 year anti corrosion warranty, and adjustable outer extensions give 15mm either way on each side to take up an uneven opening.

- Hooply multipoint sashlock, 1 star euro cylinder and 2 star escutcheon to TS007
- Extra Hooply deadlocks in the upper and lower panel as options
- Stainless steel lever handles, hinged left or right, opening in or out
- 15mm rebated aluminium threshold, or driveable, drainage and drop seal options
- Flat smooth finish, or a framed, ledged and braced design, in around 50 colours
- LPS 1175, PAS 24 and Secured by Design versions on request



HOMEGUARD

FIRE RATED DOOR FROM THE GARAGE INTO THE HOUSE

HomeGuard is built for the door between an integral garage and the house. It's tested to BS 476 Parts 20 and 22 and BS EN 1634, with 1 or 2 hour fire protection, and hangs on 4 dog bolt hinges in a 4 sided steel frame.

- Hooply multipoint sashlock, 1 star euro cylinder to TS007, key outside and thumbturn inside
- Second multipoint deadlock in the upper section for when you're away
- Stainless steel lever handles
- Vertical grooved design, horizontal optional, with optional double glazed windows
- Infill options from 3.1 down to 1.8 W/m^{2}K
- 50 colours plus woodgrain laminates, with a 10 year guarantee

55mm	1085mm	2195mm	Around 50
Double skinned steel door leaf	Width as listed, larger on request	Height as listed, larger on request	Powder coated colours

THE DOOR BETWEEN THE GARAGE AND THE HOUSE

In England, Approved Document B asks for the door between a house and an integral garage to be a fire door with at least 30 minutes' fire resistance and smoke control (E 30 Sa, or FD 30S), fitted with a self closing device. The garage floor should also fall away from the door to the outside, or the door opening should sit at least 100mm above the garage floor. Building control has the final say, so please check with them before you order.

GDO ICON
STEEL PEDESTRIAN DOORS.

The GDO Icon pedestrian door sits between our single skin and double skin doors. It isn't insulated, but the steel door leaf is braced at the rear in several places, which makes it far more rigid than a standard single skin door, and it comes with rubber gasket seals and a latch and deadlock.

It's designed to match the GDO Icon steel side hinged garage doors, and also makes a sound side door for a detached garage, store or outbuilding where insulation isn't needed. White RAL 9016 is standard, with 32 colours available.



Standard Vertical



Standard Horizontal



Medium Vertical



Medium Horizontal



Wide Vertical



Wide Horizontal



Millennium



Vertical Rib Millennium

1320mm
Width, up to

2340mm
Height, up to

32
Colours, White RAL 9016 standard

3D
Adjustable hinges

WHAT'S INCLUDED

- Steel bracing to the rear of the door panel for a more rigid door leaf
- Rubber gasket seals in the sub frame, so no rattling in high winds
- Latch and deadlock with adjustable keep and internal thumb turn
- Black lever handles, or a long bar handle on Millennium designs
- Black 3D hinges as standard, colour matched on request
- Aluminium sub frame finished in the door colour
- Optional 15mm aluminium threshold
- Ordered as the overall frame size, with a 50mm frame to each side and the top

WORTH KNOWING

*** Outward swinging as standard, inwards on request and extra cost.**

Millennium designs use a long bar handle on the outside, which gives a cleaner look on a modern property.



SINGLE SKIN PEDESTRIAN DOORS.

Where you need a straightforward steel side door for a detached garage, store or workshop, a single skin door keeps the cost down. Both ranges here are pre framed and finished at the factory, so there's no painting to do once they're in.

GDO CLASSIC

Our GDO Classic pedestrian doors match the GDO Classic steel side hinged garage doors. They're made to measure from 400mm to 1000mm wide and up to 2286mm high, with a smooth, wipe clean powder coated finish in White RAL 9016 as standard or 32 colour options, and a black oval handle. The frame is 50mm to each side and the top.



Standard Vertical



Standard Horizontal



Medium Vertical



Medium Horizontal


*** Outward opening as standard, inward opening is a no cost option.**

GARADOR STEEL

Garador steel pedestrian doors are made to match Garador steel up and over garage doors in the same designs. They come in standard sizes or purpose made, in white or 18 colour options, factory pre framed, right hand hinged and opening outwards as standard, with a lever handle set. Each one carries Garador's 10 year function warranty.




Carlton




Beaumont



Beaumont with Windows



Cathedral



Georgian

TIMBER TO MATCH A TIMBER GARAGE DOOR?

Garador also make timber pedestrian doors to sit alongside their timber up and over doors. Call us for sizes and finishes.



Seymour



Vertical Cedar



Horizontal Cedar



Kingsbury

PEDESTRIAN DOORS AT A GLANCE.

RANGE	CONSTRUCTION	SIZES, OVERALL FRAME	COLOURS	LOCKING
CarTeck Switch	40mm insulated woodgrain	Up to 1250mm wide, 2170mm high	3 woodgrain	Security cylinder, 3 keys
CarTeck 40mm	40mm insulated steel	Up to 1250mm wide, 2359mm high	39, plus 4 wood effects	3 point locking included
GDO Pro 20	20mm insulated steel	Made to measure, up to 1320mm wide, 2340mm high	32, white standard	Latch and deadlock, 3 point option
GDO Pro 51	51mm thermally broken aluminium	Made to measure, up to 1320mm wide, 2340mm high	32	3 point mortice and hook, 3 star cylinder
Hörmann NT60	42mm insulated steel, aluminium block frame	Standard sizes, or purpose made up to 1330mm wide, 2558mm high	White, 14 options, 6 Decograin	Profile cylinder lock
Ryterna	40mm insulated panels	Made to measure to match the garage door	To match the garage door	Quoted on enquiry
Samson GarageGuard	55mm double skinned steel	Up to 1085mm wide, 2195mm high, larger on request	Around 50	Hooply multipoint, TS007 cylinder
Samson HomeGuard	55mm steel, 1 or 2 hour fire rated	Up to 1085mm wide, 2195mm high, larger on request	50, plus woodgrain laminates	Hooply multipoint, plus upper deadlock
GDO Icon	Braced steel, uninsulated	Up to 1320mm wide, 2340mm high	32, white standard	Latch and deadlock
GDO Classic	Single skin steel	400mm to 1000mm wide, up to 2286mm high	32, white standard	Oval handle
Garador steel	Single skin steel	Standard sizes or purpose made	White or 18 options	Lever handle set

Sizes are the largest overall frame sizes listed in our shop. Ryterna doors and larger Samson doorsets are quoted on request. Check each product page for minimum sizes and height bands.

WHICH ONE SUITS YOUR GARAGE?

Attached garage, used daily

Go insulated. The GDO Pro 51 is the best insulated, with the Pro 20 a good middle ground on price.

New garage door as well

Order the side door from the same range. The CarTeck Switch pair is the quickest route.

Matching a sectional door

CarTeck, Hörmann NT60 and Ryterna side doors follow the sectional door design and colour, see page 7.

Garage to house door

This needs to be a fire door. The Samson HomeGuard is fire rated and high security, see page 8.

Detached garage or workshop

The GDO Icon gives a rigid, well sealed steel door without paying for insulation.

Store or shed on a budget

A GDO Classic or Garador single skin door does the job and matches single skin garage doors.

MEASURING AND ORDERING.

ORDER BY OVERALL FRAME SIZE

Pedestrian doors are ordered by the overall frame size, which is the outside width and height of the fixing frame, not the door leaf. Measure the opening width at the top, middle and bottom, and the height at both sides, then work from the smallest figures.

ALLOW FITTING TOLERANCE

Take a fitting tolerance off those figures so the frame can be packed and fixed square. As a guide, CarTeck recommend 20mm off the width and 10mm off the height. Please make sure you allow enough tolerance before ordering.

CHECK THE FLOOR

A level floor is essential for the best results. The threshold needs a flat, sound surface across the full width, and the ground the door swings over should be level or fall away from the opening.


OPENING IN OR OUT

Most pedestrian doors open outwards as standard, which helps keep water out and saves space inside the garage. Inward opening is available on most ranges, at no cost on some and extra on others, and a drip guard is worth fitting above an inward opening door.


CLEAR WALK THROUGH SIZE

The gap you actually walk through is smaller than the frame size. On the GDO Pro 20, for example, it's around 136mm less than the ordered width, so check that bikes, mowers or bins will fit.

OVERALL FRAME SIZE



HANDING, VIEWED FROM OUTSIDE



LEFT HAND
Hinges on the left, handle on the right

RIGHT HAND
Hinges on the right, handle on the left

GARAGE DOORS, NOT FRONT DOORS

The doors in this brochure are designed as garage pedestrian doors. CarTeck, for example, test theirs to the garage door standard BS EN 13241-1 rather than the front door standard BS EN 14351-1, so they shouldn't be used as the main entrance to the house. A door from the garage into the house also needs to be a fire door, see the Samson HomeGuard on page 8. If you're not sure which standard applies, speak to us before you order.


SEND US YOUR SIZES

If you're unsure about any of the measurements, send us your opening sizes, which way you'd like the door to open and a photo of the opening. Our sales team will check them and confirm the overall frame size to order. Call **01926 463 888** or email **enquiries@garagedoorsonline.co.uk** with your details.

PEDESTRIAN GARDEN GATES.

GDO steel pedestrian gates give a side passage or garden entrance the same solid, door like feel as a good side door. Timber gates need regular painting and can swell, shrink and sag over time, and aluminium can flex and dent. A double skinned galvanised steel gate leaf stays straight and properly aligned, with no warping in hot weather.

They're made to measure with steel posts included, in two heights and two narrow rib designs, and finished in the same 32 colours as our GDO steel garage and pedestrian doors, so the gate, side door and garage door can all match.



Narrow Rib Vertical gate, fitted



Narrow Rib Vertical



Narrow Rib Horizontal

800 to 1300mm
Overall width including posts

1200 or 1800mm
Gate heights

32
Powder coated colours

Steel
Posts included

WHAT'S INCLUDED

- Double skinned galvanised steel gate leaf with matching steel posts
- Post heights of 1265mm and 1865mm for the 1200mm and 1800mm gates
- Colour on both sides of the leaf and both posts
- Black lever handle with locking
- Left or right hand, opening inwards as standard or outwards as an option
- Must be fixed to solid structure, such as brick or blockwork, on both sides

MEASURING FOR A GATE

No tolerance is added at the factory, so the width you order is the width we make, posts included. For a 1000mm brick to brick opening with 5mm clearance each side, order a 990mm gate. Handing is viewed from outside, the side without the hinges.

ORDER DIRECT FROM GARAGEDOORSONLINE.

GarageDoorsOnline is a UK garage door specialist, supplying garage doors, pedestrian doors and gates to homeowners, builders and the trade across the UK.

Every door in this brochure can be ordered in our online shop by entering your overall frame size, or send us your sizes and our sales team will check them and quote for you.

Advice.
Delivery.
Support.

ADVICE

Help with sizes before you order

Send us your opening sizes or a photo and we'll help you choose the right door, handing and overall frame size.

DELIVERY

Delivered to your address

Lead times depend on the range and your location. Delivery is kerbside, so please have someone on hand to help the driver offload.

SUPPORT

Order tracking and warranties

Our order tracking and warranty team is on 01926 351 060 if you need help after your door arrives.

TALK TO OUR TEAM

Sales and direct orders
01926 463 888

Order tracking and warranties
01926 351 060

Email
enquiries@garagedoorsonline.co.uk

Shop online
www.garagedoorsonline.co.uk

Opening hours
Mon to Fri, 8:30am to 5:30pm

WORTH KNOWING

Match the garage door. Ordering the side door with the garage door is the easiest way to get the same design, colour and finish.

Check the swing. Make sure the door can open fully without hitting paths, steps, walls or the car.

Allow tolerance. Order the overall frame size with enough fitting tolerance taken off your smallest measurement.

GARAGEDOORSONLINE
THE UK'S PREMIER ONLINE GARAGE DOOR SUPPLIER

November 2026

Features, options and specifications may change without notice. Images and colours are a guide only, and your order confirmation takes precedence over this brochure. Phone lines are closed on UK Bank Holidays.