

# Front Doors RD65





The front door is a key element of the house façade. Every day you see, you touch, and use it. Consequently, the door must be safe, energy-saving, matching the exterior, maintenance-free, and most importantly have a good appearance. We offer a wide range of made-to-measure front doors with numerous design choices including the possibility to create your individual design. The latest technologies combined with the perfect design result in outstanding appearance and performance. In this brochure, You can review basic door models, designs, and options.

'Ryterna Entry' is a part of the 'Ryterna Group' supplying doors to the European market since 1993. Having branches all over Europe and our own transport fleet we can provide the shortest possible lead times. Trying to go green as much as possible we implement sustainability and circular economy principles so our customers could be sure they will get quality and environment-friendly products.

www.ryternaentry.com





| RD65 designs          | 4  |
|-----------------------|----|
| Features              | 22 |
| Locking systems       | 26 |
| Handles               | 28 |
| Accessories           | 29 |
| Finger scanners       | 30 |
| Colours               | 31 |
| Side and top elements | 32 |
| RD65 standard designs | 34 |



Design120Outside colourRAL9016HandleH45R-800EscutcheonESC-2GlazingTinted SGTAppliqueStainless metal

Ĉ

Designs





| Design         | 115                    |
|----------------|------------------------|
| Outside colour | RAL7016                |
| Handle         | H45R-800               |
| Escutcheon     | ESC-2                  |
| Glazing        | Tinted SGT             |
| Applique       | <b>Stainless metal</b> |

| Design         | 123             |
|----------------|-----------------|
| Outside colour | RAL7016         |
| Handle         | H45R-1200       |
| Escutcheon     | ESC-2           |
| Glazing        | Matt SGM        |
| Applique       | Stainless metal |



Design 110 Outside colour Golden Oak Handle H45R-500 Escutcheon ESC-2 Glazing Matt SGM Applique Stainless metal 01926 463888

www.garagedoorsonline.co.uk



Design110Outside colourOld OakHandleHLAGlazingMatt SGMAppliqueStainless metal





Design 117 Outside colour Golden Oak Handle H45R-500 Escutcheon ESC-1 Glazing Matt SGM Applique Stainless metal







Design110Outside colourAnthracite TG68/80043HandleH45R-500EscutcheonESC-2GlazingEtched effectAppliqueStainless metalOpen to outside

Design109Outside colourRAL7016HandleH45R-800EscutcheonESC-2GlazingEtched effectAppliqueStainless metalOpen to outside







Design110Outside colourRAL9005HandleH45R-500EscutcheonESC-2GlazingEtched effectAppliqueStainless metal





Design112Outside colourRAL7030HandleH45R-800EscutcheonESC-1GlazingEtched effectAppliqueStainless metal

RE-1


RD65 FRONT DOORS

12

樹

Design 112 Outside colour RAL9016 Handle H45R-800 Escutcheon ESC-1 Glazing Clear SGC Applique Stainless metal









01926 463888

www.garagedoorsonline.co.uk

22






www.garagedoorsonline.co.uk

www.garagedoorsonline.co.uk

Design 104 Outside colour RAL9005 Escutcheon ESC-2

Handle **H45R-500** Applique Stainless metal










Features

RD65 frame is made of composite aluminium profiles with 24 mm thick thermal break. Leaf is 65 mm thick with double steel skin filled with freon free PU foam.

All windows and sidelights are triple glazed with safety glass. You can choose clear, obscure, opaque or tinted glazing options. Custom glazing available on request.



| 2   | Nach                       |   |  |
|-----|----------------------------|---|--|
| ) ~ | P. Annali                  |   | ift  |
|     |                            | 2112-0901<br>2213-00-001  | ROSENHEIM  |
|     | -                          | Und "IntElRes"<br>Agrosphiju 47<br>Under Same   | and the second   |
|     | 1000                       | altdruchlienmende altdligelige Tix NC2  | The second second  |
|     |                            | CAUL arrivy dear  |  |
|     |                            | 1210 wit = 2200 mm  | 1000 - 10000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1 |
|     |                            | MT. Auronium, FPI, Kuratstaff, System Pyterna<br>Burskelfliche nach Elix (2019  | 1  |
|     | The second second          | er Maging   |  |
|     | 10000                      | -b<br>2 Block Vermegning AG2761 meth. Still (1925) risease 3 (1977)<br>Oppositybleder 1400 di nach Still (1926a) faithine (1) kit<br>an 2 (Delle B) (1998,654 - Langachili 2654/2000 meth Die BM<br>1900 Rosen 2 (1995) Statute Distance 1 Directeder B) 7.5 an<br>Blick Blocker Mers In (19.5 Autores) – 5 Distanced FB) 7.5 an<br>Blick Blocker Mers In (19.5 Autores) – 5 Distanced FB) 7.5 an |  |
|     | -                          |   |  |
|     |                            | *   |  |
|     |                            | RC 2  |  |
|     | IR Resortern<br>08.08.2014 |   |  |
|     | V. Gen                     | par J. U.C.   | Statement and a  |
|     | ter ber                    | an April 1971 - Appin Man Salaring PAL<br>Management<br>Management  |  |

Ryterna entrance doors are made to resist the elements and certified by IFT testing institute in Rosenheim, Germany.

Thermal transmittance U value

Safety resistance class EN 12519

Wind resistance class EN 12207:199-11

Rain resistance class EN 12208:199-11

Sound reduction EN 717-1:2013

\*for 1000x2200 mm size plane leaf doors



0.73 W/m<sup>2</sup>K\*


**RC 2** 

4

4Δ

-30 Db






#### Triple safety glazing

Triple glazing on door leaves and side elements. Safety glass P4A outside and inside.

01926 463888




Features



- 1 Polyurethane foam
- 2 Cold rolled steel
- 3 Hot dip galvanisation
- 4 Chemical treatment
- 5 Powder coated

#### 🧹 Door Seals

Three contour sealing ensures perfect insulation. Door has three seal contours: one on the frame and two on the leaf.







### 🖊 Door Hinges

Robust Schuring hinges are made to serve.

High quality alloy and powder coating, patented ball-bearing system will guarantee durability and performance.

3D adjustable feature allow to get perfect sealing after decades of service.


**Features** 



### 🖊 Threshold

Heavy duty durable aluminium and PVC composite threshold profile perfectly seals bottom of the door protecting your home from drafts, moisture, dust and insects.






#### Dimensions

Threshold height is 12 mm on the inside and 22.5 mm on the outside.

#### 🤣 Add-on profiles

Add on bottom profiles. 15 mm and 30 mm height. Can be combined in series.. 15mm+30mm+30mm.....



# Key cylinders (safety classes A,B,C)

WILKA key cylinders are famous for their security and reliability. You can chose one of three safety classes: A,B or C the highest.

WILKA cylinder comes with 5 keys.

Additional keys are available on request





CWA



**CWA+TT** 

www.garagedoorsonline.co.uk

# RYTERNA

### Locks

KFV locks are made from high-quality materials with precise workmanship.

Locking systems

Hi-tech mechanics ensure reliable, precise and easy operation. Lots of options starting from the simplest 3 point lock up to sophisticated 5 point lock.



#### 3 points multiple lock L3P

Main lock deadbolt and hook bolts operated by the key.

#### 🥜 5 points multiple lock 🛛 L5P

Two round latch bolts lock the leaf on closure automatically and opens by the key. Deadbolt and hook bolts operated by the key.

#### Day & Night L3P+D&N

3 point multi-point lock with option to temporary disable self-locking. Main deadbolt and hook bolts operated by the key.

#### Electric 1

#### L3P+D&N+EM

3 point multi-point lock with electric latch and option to temporary disable self-locking. Main lock deadbolt and hook bolts operated by the key.

#### 🥜 Electric 2 L5PMA

5 point multi-point lock.

Round latch and hook bolts lock the leaf on closure automatically. Deadbolt operated by the key only. If deadbolt is engaged automatic unlocking is disabled.

All latches open by electric drive when turning the key or pressing lever handle.

Lock can be connected to finger-scanner or keypad (optional).

Not compatible with lever handle from outside, pull handle only.

#### Electric 3 L5PM (without electric motor)

5 point multi-point lock.

Round latch and hook bolts lock the leaf on closure automatically. Deadbolt operated by the key only. All latches and deadbolt are unlocked by pressing inside handle.

Not compatible with lever handle from outside, pull handle only.


#### Electric 4 L5PA

5 point multi-point lock with all latches and deadbolt operated by electric drive. Locks automatically when closing the door. All latches and deadbolt open by electric drive when turning the key or pressing lever handle. Not compatible with lever handle from outside, pull handle only. Lock can be connected to finger-scanner and keypad (optional)

#### Electric 5 L5P + panic function


5 point multi-point lock.

Round latch bolts and hook bolts lock the leaf on closure automatically. Deadbolt is locked by the key. All latches and deadbolt are unlocked by pressing inside handle.



Locking systems





| Handles | 01926 463888  |
|---------|---|
|         | Stainles  |
|         | <b>H45R-500</b><br>Ø 30 mm<br>H 500 mm<br>45 <sup>0</sup> |
|         | <b>H45R-800</b><br>Ø 30 mm<br>H 800 mm<br>45 <sup>0</sup> |
|         | H45R-1200<br>Ø 30 mm<br>H 1200 mm<br>45 <sup>0</sup>      |
| H45R H4 | *Outside on   |

ss steel handles

H45S-500 30x20 mm H 500 mm 45<sup>0</sup>

#### H45S-800 30x20 mm H 800 mm 45<sup>0</sup>

n

nly

#### H45S-1200

30x20 mm H 1200 mm 45°



\*In pairs only the rest can be fitted inside only or in pairs

www.garagedoorsonline.ço.uk

**Accessories** 





You can choose from two stainless steel escutcheons.





ESC-2

## 🧹 Keypads


EKEY keypads are secure and easy to operate. Can contain up to 99 entries. Can be installed on door leaf or on wall.





æekev

KP3



01926 463888



#### Finger scanners

#### 🖌 Ekey Arte FSC1

Thanks to its compact design Arte finger scanner can be integrated discreetly into unusual door designs and fittings.

#### Ekey Integra FSC2

The finger scanner is mounted in the wall using stainless-steel accessories (in-wall set).

The finger scanner will only operate when connected to an ekey control panel.

Both finger-scanners can be controlled by app. So you can open the door with your smart-phone and enjoy all the benefits of operation via app.







FSC2

#### Sommer finger scanner FSC3

Secure and easy to operate Sommer fingerscanner will bring more convenience in to your everyday life.

By entering your own 3 fingerprints you can easily operate entrance, garage doors and gate. Just with three touches you can close gate, garage door and open entrance door or vice versa.

#### Sommer remote handset **RMT1**

Sommer finger-scanner and remote handset are compatible with each other. 4 channel handset can operate 4 different objects like entrance or garage door, gates or yard lights.

Secure rolling code transmitter signal can not be copied. Just one beautifully crafted ergonomic handset can replace a bunch of keys.







RMT1

Colours



#### Standard RAL colours Inside:

RAL 9016 gloss 20%

#### Outside:

RAL 9016 gloss 20% RAL 7016 gloss 20% Anthracite TG68/80043

#### **RAL 9016**







Anthracite TG68/80043

# Others RAL colours & wood images

Ryterna colour palette Golden Oak Old Oak Structure painting available upon request




#### Golden Oak



#### Old Oak




Ryterna RAL colour palette



### Side and top elements

01926 463888






**Glazing options** 



Similar to Delta Nr. 121

Chinchilla





Tinted SGT


For design possibilities and price consult manufacturer.

Design 111 Outside colour **Golden Oak** Handle **H45R-500** Escutcheon **ESC-1** Glazing **Etched effect** Applique **Stainless metal** 





## **RD65 standard designs** you can modify existing designs




111

112

**113** 

114

**110** 





RD65 FRONT DOORS | 35