

The Original, Insulated Roller Garage Door









Welcome to the **SeceuroGlide** Range of Garage Doors

of Garage Doors

Combining great design and exceptional build quality, the SeceuroGlide range of garage doors are designed and manufactured in the UK and offer attractive effortless protection for your home.

We understand that buying a new garage door is a significant investment for your home. The SeceuroGlide range of garage doors aims to ensure you make the most of your investment by offering a garage door that will fit all of your requirements without compromise.

Investing in a SeceuroGlide garage door means you are making the best possible investment in the future of your family's property, both in terms of appearance and security.

All SeceuroGlide doors are:

- ✓ Made To Measure A perfect fit means great insulation, security and better protection from the weather
- ✓ CE Marked Investing in a CE marked product means you are purchasing a product that is fully compliant with all European directives and regulations
- ✓ SeceuroGlide & SeceuroGlide Excel now have a wide choice of remote options, including SeceuroGlide Connect, our wireless system that allows you to control your garage door from a smart phone or tablet
- ✓ Finishes To Suit You and Your Home All doors in the range have a variety of finishes to ensure they become a real asset to your home
- ✓ Peace of Mind Warranties Using only the finest components to produce the SeceuroGlide means a complete peace of mind warranty

Choosing the Right Garage Door for your Home



Pages 4-19

Available in a wide range of low maintenance colours, including woodgrain finishes to exactly match the latest generation of UPVC windows and doors.

- With a design that means the curtain finishes higher than that of our competitors you have ample drive through height
- The space saving design ensures there is no intrusion into overhead storage space within the garage and without the kick-out of traditional 'up and over' doors you can park safely inches from the door
- Police and insurance approved versions available
- Manually operated version available
- Your choice from a selection of remote controls
- SeceuroGlide Connect and Connect + are exclusively available on SeceuroGlide; turning your phone into the remote control
- All products fully CE approved
- SeceuroGlide Roller Garage Doors are proud to be manufactured in the UK and installed using local approved distributors
- Transform the look of your home with the attractive roller design
- The original roller garage door, ask about the SeceuroGlide difference



Pages 20-22

- Creates a style statement with the attractive vertical pattern
- Peace of mind with emergency unlocking from the inside as standard
- Partial opening provides a convenient and energy saving solution for bicycle and pedestrian access
- Near silent operation
- Suitable for garage openings up to 10 m wide







Explore the differences

See Page 12 & 13 for more information.









SECURED NOW AS STANDARD DESIGN

The original insulated roller garage door since 1997.

Since its launch as the first insulated roller garage door, SeceuroGlide Original has maintained its position as market leader through continuous development and innovation.

Now with the added accreditation of the Police Preferred standard of Secured By Design (SBD) when internally face fitted, you can rest easy knowing that the belongings in your garage are secure. This accreditation involves replicating an opportunist break-in with a stealth attack on the door.

Manufactured from tough twin-walled aluminium slats with an insulating core, the curtain is held in place with high performance webbing which gives extremely quiet operation and is unaffected by extremes of temperature. A strong extruded top slat and our unique locking mechanism effectively resist attack by would-be intruders.

Our garage doors use NRG override motors which are typically 15 Revs per minute.

SeceuroGlide Original is available in a wide range of finishes, allowing you to match your door to existing paintwork or double-glazing for a coordinated look to your home. Looking for something different? SeceuroGlide Original is also available powder coated to any RAL or BS colour giving you unlimited possibilities.


Each door is supplied as standard with a SeceuroSense Plus receiver with built in courtesy light, your choice of two key fobs an optical safety edge and an internal manual override.

SWS UK | SeceuroGlide PG 4

















The first garage door tested and approved to police and insurance standards.

Security is a very serious consideration for all home owners. According to British Crime Survey figures released by the Home Office, there were an estimated 666,000 households affected by domestic burglaries across England and Wales in 2017/18.

Not only is your garage often one of the easiest ways to break into your home, but it usually houses high value items that are easy for an intruder to steal and sell.

For security without compromise, look no further than the SeceuroGlide Excel insulated roller garage door. In addition to the Secured By Design accreditation of the Original, the Excel also meets the higher specification set by the LPCB to create the most advanced roller door on the market.


The unique reinforced design of SeceuroGlide Excel has enabled it to become the first garage door of any kind to successfully complete independent testing recognised on a national level. A typical garage contains many high value items, including tools that can be used to gain access to the remainder of your property. If proven protection for your car and home is a priority, there is no better choice.

SeceuroGlide Excel roller doors are available in a multitude of finishes. Each door is supplied as standard with a SeceuroSense Plus receiver with built in courtesy light, your choice of two key fobs an optical safety edge and an internal manual override.





Excel Security



SeceuroGlide Excel is the first garage door to offer police and insurance approval.



Tested to Issue 7 of the rigorous LPS 1175 burglary resistance standard, the door is certified to resist timed manual attacks that mimic common burglary methods using commercially available tools such as knives, levers and screwdrivers. Operated by the Loss Prevention Certification Board (LPCB), the UK's leading independent certification body, the standard is recognised and endorsed by 16 organisations, including the Association of British Insurers and the Association of Chief Police Officers.

SWS UK is audited annually for the quality and consistency of manufacturing and factory systems.

For more information on the scheme refer to www.brecertification.co.uk



H Physical Security

Upon closing, the aluminium slats firmly interlock, resisting attempts to break through or lift the door by force. To prevent the curtain from being forced out of its guide rails, the Excel also features unique bottom slat anchors.

In addition, steel end plates and the curtain webbing assembly system also contribute to the security rating.



Secured by Design

As with the SeceuroGlide Original, the SeceuroGlide Excel has been awarded the prestigious Secured by Design Police Preferred Specification status.



This is because the Excel meets the higher security standards set by the LPCB and so is even more secure than this accreditation demonstrates. This LPCB standard involves the door withstanding a sustained, non-stealth attack.

Secured by Design is the official UK Police flagship initiative supporting the principles of 'designing out crime' by use of effective crime prevention and security standards for a wide range of products and applications. Research has indicated that Secured by Design usage can reduce burglary and car crime by up to 50% and criminal damage by 25%.

For more information on this initiative refer to www.securedbydesign.com

Notes on the SeceuroGlide Excel: All SeceuroGlide Excel doors are supplied with 90 mm guide rails as standard. The low level external override option is not available for SeceuroGlide Excel. SeceuroGlide Excel doors must always be internally fitted, and where possible with the entire coil above the opening



See for yourself!

Watch SeceuroGlide Excel being put to the test at sws.co.uk/qr/excel-videos





Space saving design

Owners of garages with limited headroom can now enjoy the luxuries of a remote controlled garage door with SeceuroGlide Compact's smaller slat profile. Just 8" (205 mm) of headroom is required.





The limited headroom roller garage door.

The SeceuroGlide Compact system has been developed especially for garages with severely limited space above the opening.

The Compact utilises an insulated aluminium slat that is significantly narrower than those featured on the SeceuroGlide. This allows a tighter, smaller coil requiring just 8" (205 mm) of headroom, giving owners of even the smallest garages the option of a high quality remote controlled door. Extremely versatile, a SeceuroGlide Compact door can be fitted in-front of or behind the garage opening, or even (height permitting) within the garage opening itself.

An extensive range of sizes also means openings of up to 2880 mm wide can be accommodated, whilst a neat 90° facia conceals the coil back. There is also a 45° canopy option to completely enclose the coil.

Compact doors are available in a whole host of different finishes. Each door is supplied as standard with a SeceuroSense Plus receiver with built in courtesy light, your choice of two key fobs an optical safety edge and an internal manual override.

Notes on the SeceuroGlide Compact: The SeceuroGlide 'vision slat' option is NOT available on SeceuroGlide Compact doors. Occasionally some marking may occur at the top of the concave (coil) side of the curtain over time. This is unavoidable and due $to\ prolong\'{e}d\ contact\ with\ the\ locking\ system.\ \r{*} Image\ shows\ externally\ fitted\ Seceuro\ Glide\ Compact\ with\ Full\ Box\ option.$





The manually operated roller garage door.

Developed to the same high standards and build quality of the entire SeceuroGlide range, SeceuroGlide Manual offers the ideal solution for applications where electricity is not required or is not available.

The SeceuroGlide Manual has been engineered with ease of use in mind to provide the smoothest operation whilst still offering the high levels of security and insulation.

The door is easily opened or closed from inside or outside the garage using handles located in the middle or bottom of the curtain.

The vertical opening means you can make maximum use of your drive and garage space – parking safely just inches form the door. A choice of low maintenance colours are available helping you to match your door to existing paintwork.

Notes on the SeceuroGlide Manual: SeceuroGlide Manual can only be internally fitted. Woodgrain and Painted Woodgrain finishes are not available on SeceuroGlide Manual. SeceuroGlide Manual is not available with vision slats. or a box.







The versatile roller garage door.

The entry level SeceuroGlide LT has been created as the perfect solution for those wanting to invest in the look and feel of the SeceuroGlide Original but without a need for all of the built-in high security benefits and noise reduction features offered by the standard SeceuroGlide product.

Combining space saving vertical operation with the benefits of an insulated profile and the convenience of electrical operation the SeceuroGlide LT provides a made to measure solution to give lasting value to your property.

Notes on the SeceuroGlide LT: SeceuroGlide LT is not available with vision slats and powder coating.





Door Options and Accessories

Vision slats – Available Inline or Brick Bond (SeceuroGlide Original only)

Vision slats allow natural light into your garage. Available with or without glazing. On woodgrain doors vision slats will be supplied in a brown finish. **Important note:** In the event of extreme weather conditions, the vision slats will be susceptible to water ingress and may cause the door to move in extreme gales.

Vented slats

(SeceuroGlide Original only)

Vented slats allow good air circulation which is especially useful if you have laundry facilities in your garage and during the summer months. Vented slats are located at the very bottom of the door, above the bottom slat.

Remote control keypad

(SeceuroGlide Original and SeceuroGlide Compact only)
The remote control key pad provides you with a secure,
alternative option for controlling your door. Suitable for external
installation, this wireless controller offers convenience without
compromising security.

Powder Coating End Plates

When you order a half or full box enjoy complimentary powder coated end plates to ensure your door is fully matched. Plus, when you choose one of our woodgrain colours this is complimentary regardless of box choice and will be done in a colour closely resembling your door.

Low level external override kit

(SeceuroGlide Original, LT and SeceuroGlide Compact only)

The low level external override kit enables the door to be opened manually in emergencies from both the inside and outside of the garage. If the garage door is the only means of entry you will require a low level external override kit.

Full box


(See Page 19 for availability)

A full box completely conceals the roll. This option allows SeceuroGlide Original, LT and SeceuroGlide Compact doors to be fitted outside the garage. Boxes are supplied in white or brown as standard. They can also be supplied in any of the plain colour finishes for an additional surcharge.

Important notes

Darker coloured double doors that are exposed to significant direct sunlight may be susceptible to expansion which may interfere with the operation of the door. Occasionally some marking may occur at the top of the concave (coil) side of the curtain over time, particularly on SeceuroGlide Compact and LT. This is unavoidable and due to prolonged contact with the locking system. On doors which are installed externally this will be visible on the outside.







Virtually maintenance free

Careful use of your door is the best way to avoid maintenance or remedial work. SeceuroGlide doors are low maintenance. The curtain needs wiping with a damp cloth and a mild detergent to remove any excessive dirt or grime to maintain its prime appearance and to reduce the risk of the surface being damaged. This must be done monthly in a salt air environment. The motor and curtain have been designed to be lubrication free so there is seldom need to oil or grease any parts. In the event of your door's curtain being scratched it is advisable to touch-up the damaged area with paint to prevent any possible corrosion. If required, 25 ml pots of touch-up paint can be obtained via your distributor.

Introduction to LT, Original & Excel

SeceuroGlide Choice

SeceuroGlide can be ordered with either a half, full or no box. A full box completely conceals the roll and allows the door to be externally fitted. A half box partially covers the roll, providing a neat finish inside your garage. SeceuroGlide Compact comes with either a half or full box.

SeceuroDrive

SeceuroDrive range of motors make a reliable choice for the SeceuroGlide roller garage doors. Complete with a staggering 7-year warranty, the SeceuroDrive motors have acquired an excellent reputation for quality and reliability.

Courtesy Light Output

Making your garage a safer place when parking at night SeceuroGlide utilises the tried and tested SeceuroSense Plus control package. This elegant unit combines a courtesy light with both remote control and push control functions. Automatically activated upon opening your door, the light can be programmed to stay on for anything between one minute and 12 hours! Allowing you to safely exit your car without turning on additional garage lighting.

Secure Locking

With SeceuroGlide you can enjoy peace of mind knowing that your garage will have been secured thanks to an innovative steel end plate system which locks the door shut every time. Providing unrivalled security, and completely unique to SeceuroGlide this system ensures that the door cannot be lifted open by would-be intruders.

Space Saving

We'd all appreciate a bit more space in our garage, and thanks to the innovative coiling process, roller garage doors are the ideal solution for maximising the usable capacity in your garage. However, Seceuro Glide boasts tighter coiling than other roller doors thanks to the use of unique helical collars. Specially flanged rollers limit any lateral movement of the curtain resulting in a tighter, neater coil which takes up less precious space. For even more space, or if your garage has limited headroom, SeceuroGlide Compact requires just 8" (205 mm).

Remote Controls

Revel in the luxury of a SeceuroGlide garage door with electric operation and a choice of nine stylish remote controls. The sleek, keyring style remotes easily attach to your keys meaning it is quickly accessible when you need it and with two supplied as standard there is no need to share. Go matching or choose two different remotes – whichever is your preference! Then, sit back and watch your door open without even leaving your car.

Weather Protection

Housing a car is the conventional use for a garage, however many homeowners have repurposed theirs to be a usable space such as a workshop, home office or gym. If this sounds like your garage then you'll want a garage door that blocks out the cold draughts. SeceuroGlide is engineered to keep your garage warm and usable with guide rails that are lined with a dense brush strip and a shaped rubber seal on the bottom slat. Insulated slats ensure minimal heat loss resulting in a much cosier garage with many homeowners even benefitting from reduced heating bills.

Never be Locked In or Out

Every SeceuroGlide comes supplied with a simple manual override crank, ensuring you will never be accidentally locked in your garage - even in a power cut! To ensure you'll never be locked out either, add a low-level override* which can be operated from both inside and outside the garage.

* additional surcharge applies. Cannot be used on SeceuroGlide Excel with Level One security rating

Added Security

Enjoy added security when you're not at home with a special vacation mode. Activated by the control panel, this setting prevents an intruder from operating the door from the inside using the receiver unit's control panel. Perfect for when you're on holiday, or even use it overnight for extra peace of mind while you sleep.



The SeceuroGlide Original is Secured by Design internally face fit, providing you with additional garage door choices.



The SeceuroGlide Excel boasts Secured By Design accreditation across all installation options. Whether the door is being fit internally or externally, face or reveal, SeceuroGlide Excel will be Secured by Design as standard.

PG 11 SWS UK | SeceuroGlide

Explore the differences

SeceuroGlide | LT Standard, Insulated Garage Door

SeceuroGlide | Original Secure, Insulated Garage Doors





VERY SECURE

SECURE SECURE



SeceuroGlide | Excel **High Security, Insulated Garage Doors**







el end plates on the euroGlide Original & Excel vide a sturdier design and increased urity when compared with aluminium d plates.



100 mm fluted axle, extruded aluminium

hinges & top rail, provide greater strength when the door is in operation and in the locked position.

System

the **Excel** come tandard for greater he door from being lifted lised locking blocks ensure door during operation.



Security & Noise Reduction

Webbing on each side of the curtain provides additional security whilst also reducing the noise made by the curtain in operation.



The SeceuroGlide Excel boasts Secured by Design and insurance approved Level One Security Rating for internal face and reveal fixtures.

Secured by Design

Upgraded 90 mm channels work alongside locking bottom slats to provide greater security, one of many features which make this door accredited by Secured by Design, even on between fit installations. Locking bottom slat on the SeceuroGlide Excel is designed to prevent the door being pushed out of the guides by an intruder.





ULTRA SECURE



A finish to suit everyone...

Traditional Burgundy Navy Blue (RAL 3004) (RAL 5011) Light Beige Brown (BS 08B17) (RAL 8014) Fir Green (RAL 6009) (RAL 9005)







Silver Metallic (RAL 9006)

Anthracite (RAL 7016)



Graphite*

Along with what you see here the SeceuroGlide range is also available in a powder coated finish to give you ultimate choice. A RAL or

BS number will be required.



With over 40 other wood effect finishes to choose from, the SeceuroGlide range of roller garage doors has a finish to match any home. Please note: powder coating is not available on LT, Compact or Manual products.

Visit sws.co.uk to see the full range of finishes available.

Important Notes on Colour

The printing process does not allow exact reproduction of the paint colours. If you are unsure of your colour choice please ask your supplier for a sample. Colour references quoted are the nearest standard RAL or BS references to the colours used. They will not be an exact match and are intended as a guide only. Guide rails are supplied as white or brown as standard. Where the curtain is powder coated a standard colour, the guide rails, bottom slats, optional fascias, vision panels and end plates will be powder coated to match FOC. Other colours can be supplied, but are subject to a surcharge. Due to the manufacturing process the guide rails may not be an exact match to the slat colour. The manufacturing process for the slat profile results in a textured finish while all other coloured items (guide rails, bottom slats, end plates, optional facias and vision panels) are supplied in a satin finish so we cannot guarantee an exact match

White (RAL 9016)

^{*}Not available on SeceuroGlide Compact. Woodgrains and Painted Woodgrains are not available on the SeceuroGlide Manual. Not all colours are available on SeceuroGlide Vertico.

Heritage





Heritage Green* (RAL 6021)



lvory (RAL 1015)



Light Grey (Agate Grey) (RAL 7038)



Duck Egg Blue*



Chartwell Green*

Woodgrains






Rosewood



Mahogany



Golden Oak



White*



Black/Brown*

The Rosewood, Mahogany, Golden Oak, White and Black/Brown woodgrain finish options are subject to a surcharge.

Painted Woodgrains



Walnut* Natural Oak*

5 YR



When you colour match your end plates with your Painted Woodgrain choice these are the RAL numbers we will use for the end plates: Walnut RAL 8014, Natural Oak RAL 1011.



The choice is yours

When purchasing an automatic SeceuroGlide Roller Garage Door you choose the two remotes you would like from our wide selection. Can't decide? Why not choose two different ones? All remotes are available now. Our Bi-Directional remotes allow you to check on the status of your garage door. At the touch of a button from the comfort of your home you will be able to determine if your door is open or closed.









Classic



Chrome



Chrome Deluxe



Chrome Ellipse



Black Smooth



White Smooth



Black Smooth Bi-Directional



White Smooth Bi-Directional

The Plus, Black Smooth, White Smooth, Chrome, Chrome Deluxe and Chrome Ellipse remotes are available on all models except SeceuroGlide LT. The Black and White Bi-Directional remotes and the Chrome Deluxe remote are subject to a surcharge. When no remote is chosen, two Black Smooth remotes will be provided with a SeceuroGlide Original, SeceuroGlide Excel and SeceuroGlide Compact. The Classic Remote is the only remote option with the SeceuroGlide LT.



Lighting and Alarm

The perfect complement to your garage door.

Lighting


Our Seceuro Glide lighting options give the opportunity to have attractive outside lighting. Discreetly fitted as a down light this enhancement to your garage can be set to turn on and off automatically in accordance with when you use your garage or can be left on to allow additional lighting to your outside area, for up to 12 hours.


Alarm

For additional security your SeceuroGlide Roller Garage Door can be fitted with an alarm, simply fitted to the garage door the alarm will sound should any force be applied to the garage door.

To learn more about the options available on each of the SeceuroGlide garage doors, see Page 19.

Internal/External Lighting






SeceuroGlide Technical



How to measure for your garage door.



Fitting Requirements

Headroom requirements

- SeceuroGlide Original and SeceuroGlide Excel require a minimum of 300 mm headroom for doors up to 2500 mm in opening height and 350 mm headroom for doors up to 3500 mm in opening height
- SeceuroGlide Manual requires a minimum headroom of 300 mm
- SeceuroGlide Compact requires just 205 mm headroom for doors with an opening height up to 2150 mm

External doors

In applications where the door is installed externally the remote control system must be installed either inside the garage or in a waterproof box (not included).

The Bottom Slat Transmitter must always be installed on the internal face of the door and is not suitable for applications where it will be exposed to weather or excessive moisture due to condensation.

An external Bottom Slat Transmitter is available at a surcharge.

SeceuroGlide Excel restrictions

SeceuroGlide Excel is not available as supply only as it must be fitted by a trained installer. SeceuroGlide Excel doors must always be internally fitted. If the coil needs to be fitted within the opening then an upgraded version of the end plate is available for a surcharge. The low level external override option is not available for SeceuroGlide Excel. All SeceuroGlide Excel doors are supplied with 90 mm guide rails.

Extreme weather conditions

High winds and high temperatures on double doors can cause increased deflection of the door. It is the installer's responsibility to ensure that the door is spaced off the wall sufficiently to allow for door movement during these extreme weather conditions.

SeceuroGlide Product Comparison and Options Standard

★ Optional

•				• Standard	★ Optional
SeceuroGlide Roller Garage Doors	SeceuroGlide Manual	SeceuroGlide LT	SeceuroGlide Compact	SeceuroGlide Original	SeceuroGlide Excel
Motor warranty	N/A	5 Year	7 Year	7 Year	7 Year
In brief	No power	On a budget	The low headroom garage door	The original roller garage door	Our highest security garage door
LPS 1175 Accreditation					•
Secured by Design Accreditation				•	•
CE marked	•	•	•	•	•
Construction Products Directive/ Machinery Directive compliant	•	•	•	•	•
Headroom required	300 mm	300 mm	205 mm	300 mm/350 mm	300 mm/350 mm
Max. over guide width	3000 mm	4800 mm	3000 mm	5400 mm	5200 mm
Max. opening height	2300 mm	2500 mm	2150 mm	3500 mm	3500 mm
Guide rails	75 mm	Up to 4600 mm = 75 mm guides Over 4600 mm = 90 mm guides	60 mm	Up to 4600 mm = 75 mm guides Over 4600 mm = 90 mm guides	90 mm
Slat height	78.5 mm	78.5 mm	55 mm	78.5 mm	78.5 mm
High security locking system	•			•	•
Standard locking system		•	•		
Internal installation	•	•	•	•	•
External installation		*	*	*	
Webbed curtain	•			•	•
Endlocked curtain		•	•		
Half box (90 facia)		*	•	*	*
Full box (45 facia)		*	*	*	*
End plates	Steel	Aluminium	Steel	Steel	Steel
SeceuroSense Plus receiver with courtesy light and safety edge		•	•	•	•
Vacation security mode		•	•	•	•
Internal manual override		•	•	•	•
External manual override		*	*	*	
Vision slats				*	
Vented slats				*	
Remote control keypad		*	*	*	
Key switch operation		*	*	*	
Safety photocell		*	*	*	*
SeceuroGlide Connect			*	*	*
Lighting			*	*	*
Remote control		•	•	•	•
Manual override		•	•	•	•
Alarm		*	*	*	*

Peace-of-Mind Warranties

www.garagedoorsonline.co.uk

SeceuroGlide Excel, SeceuroGlide Original, SeceuroGlide LT, SeceuroGlide Compact and SeceuroGlide Manual are guaranteed $against \, defect \, of \, material \, or \, work manship \, by \, SWS \, UK \, with \, a \, parts \, only \, warranty \, for \, a \, period \, of \, 5 \, years \, from \, the \, date \, of \, purchase, \, against \, defect \, of \, pur$ $subject\ to\ correct\ installation, maintenance\ and\ operation. Our\ standard\ Seceuro Drive\ motor\ carries\ a\ 7\ year\ warranty, subject$ $to\ registration\ (https://warranty.sws.co.uk)\ within\ 3\ months\ of\ installation\ (excluding\ LT).\ If\ a\ Seceuro\ Drive\ motor\ is\ paired\ with$ $a\,Seceuro Sense\,Plus\,receiver\,it\,will\,also\,be\,eligible\,for\,a\,7\,year\,warranty.\,In\,addition, Rosewood, Mahogany,\,Golden\,Oak,\,White,\,Golden\,Oak,\,Wh$ $Black/Brown \ and \ our \ full \ range \ of \ Renolit \ wood \ effect \ finishes \ carry \ a \ limited \ 10 \ year \ guarantee \ on \ the \ slat \ finish. \ Seceuro Glide$ Vertico is guaranteed for a period of 2 years from the date of purchase, subject to correct installation, maintenance and operation.Conditions apply. Please note: does not include consumables such as fuses, light bulbs or batteries.







Lateral thinking.

The Vertico lateral running door offers a unique and stylish solution for any garage design, making the most of your garage space and creating a design feature for your home.


Vertico is made from aluminium foam filled slats which link together to ensure exceptionally smooth operation and insulation. This makes the Vertico an ideal choice for heated garages and workshops. The vertical design offers partial opening ensuring minimal heat-loss and provides a convenient solution for pedestrian or bicycle access.

The neat design only requires a very small amount of headroom. Vertico is fitted with a motor, radio remote control and obstacle detection device offering the ultimate in convenience and safety.

Vertico is available in numerous stylish colours as standard (see Page 14-15), is made to measure and is installed by trained garage door specialists. Vertico offers you a stylish and bespoke solution of the highest quality, perfectly made to suit your home.











Vertico Technical and Accessories

Technical Overview

- Attractive vertical pattern
- Complete aluminium garage door with galvanised steel bottom track
- Custom-made to the millimetre
- Space requirement in the lintel area can be minimised to 50 mm
- Only 130 mm is required for the corner radius return
- A wide selection of colour finishes
- Max opening width of 5620 mm
- Max opening height 2900 mm
- Bottom track only 25 mm high
- Radio remote control and motor unit as standard with integrated obstacle detection
- Emergency unlocking from inside as standard
- Partial opening provides a convenient solution for bicycle and pedestrian access
- Near silent operation
- High strength due to vertical profiles
- Certified by TUV (Technical Inspection Authorities), produced according to DIN-EN safety standards
- Fully CE Marked

Accessories

- External emergency release access your garage even during a power cut
- Additional hand transmitters
- Surface or flush mounted key-operated switch with system plug - no wiring involved!
- Interior push-button
- Painted woodgrain finish
- Numeric security code keypad in a metal finish

Other Products You Might Like



Improving your domestic security needn't mean turning your home into a fortress. The SeceuroShield range of made-to-measure physical security has been specifically developed to provide an attractive, effective answer to the growing need for protection from vandalism and burglary.

The range (including shutters, retractable gates and removable window bars) has been engineered to allow simple integration with any building; bolstering security and deterring would-be intruders.

Our homes are not simply the place in which we live; they are our most precious assets and a haven from the world outside. Research has shown that houses without any form of security are three times as likely to be broken into than homes with security systems. Therefore, protecting our homes has never been more important.

The SeceuroShield range of products combines easy operation with high performance to offer numerous options for any home. With a choice of insulated slats, extensive colours and even products which can be removed when not in use, security which blends into your lifestyle and the look of your home is more achievable than you may think.

What I need:

- Feel secure without compromising the look or style of my property
- Have peace of mind that my property is secure
- Reduce heat loss through windows and doors
- Be cool in the summer and warm in the winter
- To darken a room at the touch of a button
- Protect fabrics and furnishings from sun damage

Choose the SeceuroShield range for total peace of mind for you and your family.







Your Garage Door Checklist

Remember, only SeceuroGlide offers all of the following:

✓ A name you can trust

When buying a SeceuroGlide door you can be reassured by the values behind the name. Every SeceuroGlide door is CE marked and SWS UK is an ISO 9001:2008 assessed company. SWS UK is a subsidiary of CRH plc, a UK FTSE100 company.

✓ A perfect fit

With every door made to measure exactly to the mm, SeceuroGlide garage doors are the truly bespoke choice for your garage.

✓ Manufactured in the UK

Using the latest machinery and equipment, all SeceuroGlide doors are proudly manufactured and assembled in the UK.

✓ A solution for everyone

With so much choice SeceuroGlide doors can accommodate almost every garage. Whether you have limited headroom, require manual operation or are looking for tried and tested security, there is a SeceuroGlide door that's right for you.

✓ Engineered to perfection

Through continuous development and specialist engineering, SeceuroGlide doors offer unrivalled quality and the most advanced garage door specifications.

The importance of conformity and CE marking

It is against the law to install a power operated garage door in the UK without complying with The Machinery Directive.

To comply with the Machinery Directive both the door and the motor and controller used in the installation must have a **Declaration of Incorporation** from the manufacturer.

On completion of the installation the installer must provide a **Declaration of Conformity** and apply a CE mark giving details of the installation to the door / motor and controller combination, which is now classed as a machine.

The installer must issue to the customer a Declaration of Conformity and Operating and Maintenance instructions on the completion of the installation.

The installer must hold copies of both the Declaration of Incorporation and the Declaration of Conformity on a technical file for inspection by the relevant authorities.

If any of the above requirements are not fulfilled the Installation is illegal.

Please ensure for your own safety and peace of mind that whoever installs your electric motor and controller is both willing and able to fulfil these requirements; if they are not – do not use them.

As a member of the DHF Garage Door Installer Group we CAN and WILL install your motor and controller safely and legally.

Peace-of-Mind Warranties



SeceuroGlide Excel, SeceuroGlide Original, SeceuroGlide LT, SeceuroGlide Compact and SeceuroGlide Manual are guaranteed against defect of material or workmanship by SWS UK with a parts only warranty for a period of 5 years from the date of purchase, subject to correct installation, maintenance and operation. Our standard SeceuroDrive motor carries a 7 year warranty, subject to registration (https://warranty.sws.co.uk) within 3 months of installation (excluding LT). If a SeceuroDrive motor is paired with a SeceuroSense Plus receiver it will also be eligible for a 7 year warranty. In addition, Rosewood, Mahogany, Golden Oak, White, Black / Brown and our full range of Renolit wood effect finishes carry a limited 10 year guarantee on the slat finish. SeceuroGlide Vertico is guaranteed for a period of 2 years from the date of purchase, subject to correct installation, maintenance and operation.

