

TECKENTRUP | HOME

CLASSIC, CONTEMPORARY

CarTeck Side Hinged Garage Doors & Side Doors

SECURE, STYLISH

Teckentrup 62 Swing Secure Garage Doors & Side Doors

Teckentrup 62 Swing Secure
is Secured by Design as standard

Secured by Design



Police Preferred Specification





CarTeck Centre Ribbed Woodgrain - Anthracite Grey
with asymmetric door design and
1500mm Stainless Steel 'D' Handles




CarTeck Side Hinged Garage Doors & Side Doors

Simple, Neat

Side hinged garage doors are made from the same superb panels as CarTeck sectional garage doors. Quite simply the very best.

**See pages
4 - 18**



Teckentrup Bling

Make your door, yours!

Personalising your door makes a design statement. Add a decorative accent with LED-lit windows and decals or increase convenience with code locking or pet flaps. It's the details that make your door extra special...

**See pages
19 - 21**



Teckentrup 62 Swing Secure Garage Doors & Side Doors

Contemporary, High Performance

A classic, contemporary alternative, updated for today's home with certified security to the Secured by Design Police Preferred Specification as standard, tested to LPS 1175 Issue 8 A1 (SR1).

**See pages
22 - 27**



Tested to LPS 1175
Issue 8 A1 (SR1)

TECKENTRUP
DOOR SOLUTIONS

CarTeck Side Hinged Garage Doors



CarTeck Centre Ribbed Smooth - Jet Black
with lipped threshold option

& Side Doors



CarTeck Solid Smooth - Anthracite Grey with Zeta Round Aluminium Window

Simply the best

Teckentrup side hinged garage doors and personnel doors are quite simply the very best. The solid panels, engineered hollow section aluminium frames and high grade fittings result in a door that closes with a reassuringly deep "clunk".

Security is excellent and the range of styles, finishes and windows allows personalisation to suit your tastes. 1/2 and 1/2 opening and asymmetric configurations further increase the doors' versatility.

Neat inside too

The inside of the door is very presentable. There are no unsightly bracings just a wipe clean surface finished in a practical grey white stucco texture (RAL 9002). Horizontal doors are as shown below, vertical doors have small jointing plates at the panel interfaces



EN 14351-1

Our doors are independently tested and certified to all current safety legislation and carry a CE mark.

TECKENTRUP
DOOR SOLUTIONS

TECKENTRUP | DESIGN

Every detail, perfect



High quality hinges

Aluminium hinges with secured hinge bolts make it extremely difficult to lever open the door and are easily adjusted. Two or three hinges are fitted to each leaf dependent on size.



Lipped threshold

For improved weather protection, a stepped aluminium threshold with a bulb weather strip is available as an optional extra. The door leaves close against the raised weather strip creating an improved barrier to dust and debris. The threshold includes a thermal break reducing heat transfer.



Double weather strips and mitred corners

In addition to the circumferential weather strip around the door leaf, the door frame has a three-sided weather strip for excellent draught reduction. Profiles are mitre jointed for a neat finish.



Aluminium strip threshold

The aluminium profile available as an option, provides a simple low profile threshold (without a weather strip).



Triple point locking option

The active leaf is available with three point locking for greatly enhanced security. The locks provide enhanced strength to combat attempts to force them apart.




BUILT TO LAST**Flush bolt security**

The inactive leaf is secured with flush bolts to the top and bottom of the leaf.

Stainless steel handles and security locking

High grade stainless steel handles and lock covers are tough and attractive, whilst the latch and dead bolt combination provides dependable security. A convenient thumb turn operates the lock from the inside.

The inactive leaf incorporates a stainless steel strike plate and steel lock keep box for added attack resistance. If you have a specific hardware requirement, talk to us as alternative designs can often be accommodated.

**Security keys**

Each door includes two security keys. Security keys add extra security by preventing unauthorised copying. They cannot be cut by anyone other than the issuer of the key - Teckentrup.

**Door stays**

These top grade, spring dampened stays hold the door securely in the open position. A simple de-latch motion releases the held door leaf. Any leaf below 780mm wide (including asymmetric side hinged doors) will not have a stay.



Note - not designed for high wind applications.

Foot Stops

Add foot activated floor stops to hold the door in the open position. Floor stops can be selected as an alternative option to door stays.

Note - not designed for high wind applications.




Superior Quality

**Solid 40mm thick panels**

Doors are built with 40mm thick interlocking panels and an aluminium hollow section frame that provides excellent strength, rigidity and resistance to corrosion.

**Mitred Frames**

The mitred door leaf frame are finished in a matching smooth finish for white, Trend (including Anthracite Textured) and RAL coloured doors and a complimentary flat colour for Ice Crystal Grey Aluminium (RAL9007) Golden Oak (RAL8003), Rosewood (RAL8016) and Night Oak (RAL8014) wood design finishes. (The door frame colour shade and surface lustre will show a variance from the panel finish as the base material and coating methods are different.)



Guarantee: All doors have a 2 year guarantee against mechanical defects and a 10 year guarantee against perforation of the door panel. Terms and conditions apply, visit www.teckentrup.co.uk for details.

2/10

2/10 Year Guarantee

TECKENTRUP
DOOR SOLUTIONS

HOME | CARTECK SIDE HINGED GEORGIAN

CarTeck Side Hinged Georgian ☐

CarTeck Georgian Horizontal -
Woodgrain Anthracite Grey with
Cross Mullion Windows

CarTeck Georgian Vertical -
Woodgrain Rosewood



CarTeck Side Hinged Georgian Horizontal

1/2 and 1/2 split ☐



1/2 and 1/2 split
width up to 2350mm

Asymmetric split ☐



Asymmetric split
width up to 2350mm



Asymmetric split
width above 2350mm

Personnel ☐



Personnel door

CarTeck Side Hinged Georgian Vertical

1/2 and 1/2 split ☐



1/2 and 1/2 split Height below 2200mm*









1/2 and 1/2 split Height above 2200mm*

*2250mm with windows



CarTeck Georgian Vertical - Custom painted
Chartwell Green with Rhombus Mullion Windows

Surface TexturesWoodgrain ☐**Colours**Flame Red
RAL 3000 ☐Fir Green
RAL 6009 ☐Moss Green
RAL 6005 ☐Sepia Brown
RAL 8014 ☐Window Grey
RAL 7040 ☐Anthracite
Grey RAL 7016 ☐White Aluminium
RAL 9006 ☐Cream
RAL 9001 ☐Quartz Grey
RAL 7039 ☐Light Grey
RAL 7035 ☐Grey Aluminium
RAL 9007 ☐Jet Black
RAL 9005 ☐White
RAL 9016 ☐Umbra Grey
RAL 7022 ☐Steel Blue
RAL 5011 ☐Slate Grey
RAL 7015 ☐Anthracite
Textured
RAL 7016 ☐Ice Crystal Grey
Aluminium ☐TT703 satin
metallic grey
with micaceous
iron ore
particles ☐

Doors can also
be coloured to
any RAL shade

Wood effectsGolden Oak ☐Rosewood ☐Night oak ☐CarTeck Georgian Horizontal
- Woodgrain Moss GreenCarTeck Georgian Vertical -
Woodgrain White with
Cross Mullion windows**Windows****Vertical**Rectangle 1 ☐Cross Mullion ☐Rhombus Mullion ☐**Horizontal**Rectangle 1 ☐Cross Mullion ☐Rhombus Mullion ☐

The images above show the most popular window combinations. If you'd like alternative window configuration, just ask! For full details on windows, see page 18.

CarTeck Georgian Horizontal - Woodgrain Golden Oak

TECKENTRUP
DOOR SOLUTIONS

HOME | CARTECK SIDE HINGED SOLID

CarTeck Side Hinged Solid ☐

CarTeck Solid Horizontal -
Smooth Anthracite Grey

CarTeck Solid Horizontal -
Wood Effect Night Oak




CarTeck Side Hinged
Solid Vertical ☐




CarTeck Side Hinged
Solid Horizontal ☐




CarTeck Side Hinged
Solid Personnel ☐




1/2 and 1/2 split ☐



Asymmetric ☐



1/2 and 1/2 split ☐



Asymmetric ☐

Surface Textures

Smooth











Woodgrain



Stucco



Micro-profiled

**Colours**Flame Red
RAL 3000Fir Green
RAL 6009Moss Green
RAL 6005Sepia Brown
RAL 8014Window Grey
RAL 7040Anthracite
Grey RAL 7016White Aluminium
RAL 9006Cream
RAL 9001Quartz Grey
RAL 7039Light Grey
RAL 7035Grey Aluminium
RAL 9007Jet Black
RAL 9005White
RAL 9016Umbra Grey
RAL 7022Steel Blue
RAL 5011Slate Grey
RAL 7015Anthracite
Textured
RAL 7016Ice Crystal Grey
AluminiumTT703 satin
metallic grey
with micaceous
iron ore
particlesDoors can also
be coloured to
any RAL shade**Wood effects**

Golden Oak



Rosewood



Night oak

Handle Options

Stainless Steel 'D' Handles



1500mm



1200mm

**Polyurethane Windows****Horizontal**

Square Type 1



Square Type 2



Rhombus Mullion



Rectangle 1



Rectangle 2



Rectangle 3



Cross Mullion



Round ø 385

**Vertical**

Rectangle 1



Cross Mullion



Rhombus Mullion



The images above show popular window combinations. If you'd like alternative window configuration, just ask! For full details on windows, see page 18.

Aluminium Windows

Zeta ø280



Alpha



The images above show popular aluminium windows from our Bling collection of extra special windows and decals. See the full Bling range on pages 19 - 21.



HOME | CARTECK SIDE HINGED CENTRE RIBBED

CarTeck Side Hinged Centre Ribbed ☐

CarTeck Centre Ribbed Vertical -
Smooth Anthracite Grey with 1200mm
Stainless Steel 'D' Handles

CarTeck Centre Ribbed Horizontal -
Woodgrain with Rectangle 2 Windows




CarTeck Side Hinged
Centre Ribbed Vertical ☐




CarTeck Side Hinged
Centre Ribbed Horizontal ☐




CarTeck Side Hinged
Centre Ribbed Personnel ☐




1/2 and 1/2 split ☐



Asymmetric ☐



1/2 and 1/2 split ☐



Asymmetric ☐

Surface Textures

Smooth







Woodgrain




Stucco



Micro-profiled

**Colours**Flame Red
RAL 3000Fir Green
RAL 6009Moss Green
RAL 6005Sepia Brown
RAL 8014Window Grey
RAL 7040Anthracite
Grey RAL 7016White Aluminium
RAL 9006Cream
RAL 9001Quartz Grey
RAL 7039Light Grey
RAL 7035Grey Aluminium
RAL 9007Jet Black
RAL 9005White
RAL 9016Umbra Grey
RAL 7022Steel Blue
RAL 5011Slate Grey
RAL 7015Anthracite
Textured
RAL 7016Ice Crystal Grey
AluminiumTT703 satin
metallic grey
with micaceous
iron ore
particlesDoors can also
be coloured to
any RAL shade**Wood effects**

Golden Oak



Rosewood



Night oak

Handle Options

Stainless Steel 'D' Handles




1500mm



1200mm

**Polyurethane Windows****Horizontal**

Square Type 1



Square Type 2



Rhombus Mullion



Rectangle 1



Rectangle 2



Rectangle 3



Cross Mullion



Round ø 385

**Vertical**

Rectangle 1



Cross Mullion



Rhombus Mullion



The images above show popular window combinations. If you'd like alternative window configuration, just ask! For full details on windows, see page 18.

Aluminium Windows


Zeta ø280



Alpha



The images above show popular aluminium windows from our Bling collection of extra special windows and decals. See the full Bling range on pages 19 - 21.













HOME | CARTECK SIDE HINGED STANDARD RIBBED

CarTeck Side Hinged Standard Ribbed ☐

CarTeck Standard Ribbed Vertical - Woodgrain Fir Green

CarTeck Standard Ribbed Vertical - Woodgrain with Rectangle 1 Windows in Anthracite Grey

CarTeck Side Hinged Standard Ribbed Vertical ☐CarTeck Side Hinged Standard Ribbed Horizontal ☐CarTeck Side Hinged Standard Ribbed Personnel ☐1/2 and 1/2 split ☐Asymmetric ☐1/2 and 1/2 split ☐Asymmetric ☐

Surface TexturesSmooth ☐Woodgrain ☐Stucco ☐Micro-profiled ☐**Colours**Flame Red
RAL 3000 ☐Fir Green
RAL 6009 ☐Moss Green
RAL 6005 ☐Sepia Brown
RAL 8014 ☐Window Grey
RAL 7040 ☐Anthracite
Grey RAL 7016 ☐White Aluminium
RAL 9006 ☐Cream
RAL 9001 ☐Quartz Grey
RAL 7039 ☐Light Grey
RAL 7035 ☐Grey Aluminium
RAL 9007 ☐Jet Black
RAL 9005 ☐White
RAL 9016 ☐Umbra Grey
RAL 7022 ☐Steel Blue
RAL 5011 ☐Slate Grey
RAL 7015 ☐Anthracite
Textured
RAL 7016 ☐Ice Crystal Grey
Aluminium ☐TT703 satin
metallic grey
with micaceous
iron ore
particles ☐Doors can also
be coloured to
any RAL shade**Wood effects**Golden Oak ☐Rosewood ☐Night oak ☐**Handle Options**


Stainless Steel 'D' Handles

1500mm ☐1200mm ☐**Polyurethane Windows****Horizontal**Square Type 1 ☐Square Type 2 ☐Rhombus Mullion ☐Rectangle 1 ☐Rectangle 2 ☐Rectangle 3 ☐Cross Mullion ☐Round ø 385 ☐**Vertical**Rectangle 1 ☐Cross Mullion ☐Rhombus Mullion ☐

The images above show popular window combinations. If you'd like alternative window configuration, just ask! For full details on windows, see page 18.

Aluminium WindowsZeta ø280 ☐Alpha ☐

The images above show popular aluminium windows from our Bling collection of extra special windows and decals. See the full Bling range on pages 19 - 21.




TECKENTRUP | CARTECK SIDE HINGED TRADITIONAL

CarTeck Side Hinged Traditional ☐


CarTeck Side Hinged Traditional
Standard Ribbed Vertical ☐



Door Split ☐



1/2 and 1/2 split ☐



Asymmetric ☐

Leading ☐

All doors have leaded-effect decoration as standard but are also available in a plain design.



CarTeck Side Hinged Traditional
Centre Ribbed Vertical ☐



CarTeck Side Hinged Traditional
Solid Ribbed Vertical ☐



**CarTeck Side Hinged Traditional
Standard Ribbed Horizontal**




**CarTeck Side Hinged Traditional
Centre Ribbed Horizontal**



**CarTeck Side Hinged Traditional
Solid Ribbed Horizontal**




Surface Textures



Smooth



Woodgrain



Stucco



Micro-profiled



Colours




Flame Red
RAL 3000



Fir Green
RAL 6009



Moss Green
RAL 6005



Sepia Brown
RAL 8014




Window Grey
RAL 7040



Anthracite
Grey RAL 7016




White Aluminium
RAL 9006



Cream
RAL 9001




Quartz Grey
RAL 7039




Light Grey
RAL 7035



Grey Aluminium
RAL 9007



Jet Black
RAL 9005



White
RAL 9016



Umbra Grey
RAL 7022




Steel Blue
RAL 5011




Slate Grey
RAL 7015



Anthracite
Textured
RAL 7016



Ice Crystal Grey
Aluminium



TT703 satin
metallic grey
with micaceous
iron ore
particles



Doors can also
be coloured to
any RAL shade

Wood effects



Golden Oak



Rosewood



Night oak



TECKENTRUP | WINDOWS

Make the most of light

Make the most of light

Scratch-resistant Styrene Acrylonitrile Polymer double glazed windows in attractive designs allow natural light into your garage.

Each style is available with clear, frosted or satin glazing. The window units are fitted with a polyurethane frame that is coloured to match or compliment the panel colour of the door. For Aluminium and LED windows, see next page.

Glazing Styles



Frosted



Clear



Satin



Solid Horizontal - Smooth White with Round White Windows



Solid Vertical - Smooth Custom Colour with Alpha Square Aluminium Windows (page 18-19) & 1500mm Stainless Steel 'D' Handles


Rectangle type 1
610mm x 270mmCross Mullion
610mm x 270mmRhombus Mullion
610mm x 270mmRectangle type 2*
680mm x 210mmRectangle type 3*
980mm x 140mmSquare Type 1*
270mm x 270mmSquare Type 2*
270mm x 270mmRound*
ø 385GSA / Traditional
Leaded-EffectGSA / Traditional
Plain

*Available on standard ribbed, Centre ribbed and solid profile doors only.

Selected Trend colours & wood design windows are finished in a complementary flat colour for Golden Oak (RAL8003), Rosewood (RAL8016), Night Oak (RAL8014), Textured Anthracite (RAL7016) and Ice Crystal Grey Aluminium (RAL9007). The surrounds on the windows of GSA / Traditional doors are finished in a matching smooth finish to the frame.

In all instances as described above, the window frame colour shade, texture and surface lustre will show a variance from the panel finish as the base material and coating methods are different.

For extra special windows and decals, see our Bling section on pages 19 - 21.



HOME | LIGHT UP

Teckentrup Bling! Light up!

Aluminium Windows

High-grade aluminium window units add natural daylight with a contemporary twist. The option of LED lights within the units create a wonderful ambience (available on frosted windows only). Windows are constructed with an aluminium casement and polymer glazing unit.

Available on:



CarTeck Side Hinged
Garage Doors



Glazing Styles



Frosted



Clear



LED Lighting



Without LED lighting



With LED lighting*




*Available with Frosted glass only.



☐ Versus
900mm x 1000mm




☐ Athena
406mm x 203mm




☐ Sigma
610mm x 200mm




☐ Gamma
534mm x 344mm



☐ Zeta
ø280mm




☐ Alpha
280mm x 280mm



☐ Kappa
*1860mm x 180mm

The images above and left show the most popular window combinations. If you'd like alternative window configuration, just ask!

*Minimum over frame height for Kappa windows used vertically on side hinged doors: 2010mm



TECKENTRUP
DOOR SOLUTIONS

Teckentrup Bling!


Design Accents

Decals


High-grade alunox decals are factory bonded to your door for added visual appeal. Each decal can be positioned to suit your sense of design, however, popular arrangements are shown here.



Available on:




CarTeck Side Hinged
Garage Doors




Teckentrup 62 Swing Secure
Garage Doors




Decorative Decal Options




☐ Writing
100mm/200mm




☐ Access 1
431mm x 40mm




☐ Access 2
430mm x 40mm



☐ Access 6
70mm x 70mm



☐ Access 7
150mm x 150mm



☐ Access 8
194 mm x 194 mm

More!

Extras

Finishing touches to make your door easier to use.
(Only available with CarTeck Side Hinged Garage Doors)



LETTER BOXES



CODE LOCKS

Code locks provide secure access without the need to carry a key.



PET FLAPS

Pet Flaps, usually fitted to the bottom panel of a door!



SPY HOLES




CUSTOM HARDWARE

Want to use your own hardware, perhaps to match a front door? Talk to us and we'll make it happen!




ANYTHING ELSE?


If you can think of anything else you would like to incorporate onto your door, just ask and we'll see if we can make it happen!




☐ Access 3
215mm x 40mm




☐ Access 4
400mm x 86mm



☐ Access 5
180mm x 180mm



☐ Access 9
436mm x 40mm



☐ Access 10
431mm x 13mm

The images here show the most popular combinations. If you'd like alternative configuration, just ask!

Teckentrup 62 Swing Secure Garage



Teckentrup 62-1 Swing Secure

Single leaf versions for side access to your garage.


Teckentrup 62-2 Swing Secure Garage Door

Double leaf versions provide easy access and performance comparable to your front door.

Doors & Side Doors



Our doors are independently tested and certified to EN14351-1 and all current safety legislation and carry a CE mark.



Tested to LPS 1175
Issue 8 A1 (SR1)



A new and secure look for garages

The main entrance doors to homes are becoming more attractive and high performance. Hinged swing garage doors, whilst still popular, are limited in choice and performance.

The Teckentrup 62 Swing Secure brings crisp aesthetics and comparable performance to the main entrance door; Thermal Transmittance, Resistance to Windload, Watertightness, Air Permeability and Operating Forces are all certified in these high performance doors.

Add to this, certified security to the Secured by Design Police Preferred Specification as standard, tested to LPS 1175 Issue 8 A1 (SR1) and Teckentrup 62 Swing Secure garage doors are a classic, updated for today's homes. The superb build quality of the double leaf doors is complemented by matching single leaf doors for side or rear access to your garage space.

TECKENTRUP
DOOR SOLUTIONS

HOME | OPTIONS

Style Your Door



For extra special design accents, see our Bling section on pages 20 - 21.



Stainless Steel Lever Handle



HANDLES

A stainless steel lever handle and security keyed cylinder is the standard configuration for all doors.

Stainless steel pull handles in two lengths can also be added in singles or pairs to add a striking contemporary look to your door.



1200mm 'D' Handle



1200mm 'D' Handle Pair




1500mm 'D' Handle



1500mm 'D' Handle Pair



ColoursWhite
RAL 9016Anthracite Grey
RAL 7016Jet Black
RAL 9005

Doors can also
be coloured to
any RAL shade.

Hinge Options

KO hinges are supplied as
standard and are matched to
the door colour.

Stainless steel hinges are
available as an option.



KO Hinge

Stainless
Steel Hinge**Security**

Certified security to The Secured
by Design Police Preferred
Specification as standard.




Tested to LPS 1175 Issue 8 A1 (SR1)

High Grade Window Options

All window units are laminated glass and available with
clear glazing for vision or satin glazing to allow light in
with privacy.

Doors with windows are supplied with a lock cylinder that
can only be operated by key from outside and inside to
maintain security. Should a glazing element be breached in
an attempt to enter, the door cannot be opened (an internal
thumb turn is not available).




Glazing sizes:
230mm x 1360mm
300mm x 300mm
300mm diameter

Windows are supplied
with Anodised Aluminium
surrounds with concealed
fixings.

Glazing Styles

Clear


Satin




TALL 1360 V1




TALL 1360 V2




Square 300 S



Square 300 SP




Square 300 S2




Square 300 S2P




Square 300 S3




Square 300 S3P




Round 300 R




Round 300 RP




Round 300 R2



Round 300 R2P



Round 300 R3



Round 300 R3P

Guarantee: All doors
have a 2 year guarantee
against mechanical
defects and a 10 year
guarantee against
perforation of the door
panel. Terms and
conditions apply, visit
www.teckentrup.co.uk
for details.

2/10

2/10 Year Guarantee

HOME | BUILD QUALITY

High Quality Built to Last



U VALUE 1.4 Wm²K*

The U value of the door confirms its insulation capability. The value is for a complete door with frame and is exceptionally low (which is good!).

***U value includes a 3mm clearance gap under the door and does not apply to doors with windows.**



Automatic Quality

Every Teckentrup 62 Swing Secure is made to order in our automated production facility that operates to quality procedures audited to BS EN ISO 9001: 2008. We care about the environment too - this is why all of our products are certified in accordance with the Environmental Product Declaration (EPD).



Certified Performance

The door and frame are CE marked and have been independently tested to have the following impressive characteristics:

Insulation (Thermal Transmittance)

EN 13241-1 B: 1.4 Wm²K (door without windows)

Resistance to Windload

EN 12424:Class 2

Watertightness

EN 12425:Class 2

Air Permeability

EN 12426:Class 2

Operating Forces

EN 12604: 150N

Operating Cycles

EN1191 C5 (200,000)

Security

Secured by Design Police Preferred Specification

Secured by Design



Police Preferred Specification



Tested to
LPS 1175 Issue 8
A1 (SR1)

Security



Each door is supplied with a pair of Security keys. Security keys add extra security by preventing unauthorised copying. They cannot be cut by anyone other than the issuer of the key - Teckentrup.



The inactive leaf is secured with flush bolts to the top and bottom of the leaf.



Doors are independently certified for security to the Secured by Design Police Preferred Standard, tested to LPS 1175 Issue 8 A1 (SR1).

Threshold

For improved weather protection, a stepped aluminium threshold with a bulb weather strip is provided. The door leaves close against the raised weather strip creating an improved barrier to dust and debris. The threshold is DDA compliant for wheelchair access.



Hold Open Stays


Double doors have foot activated stays to hold the door in the open position.



Please note - stays are not designed for high wind applications.

Rain-guard

An anodised aluminium rain-guard is supplied with all doors to help limit water ingress at the top of the door.



Frames

Every door is supplied with a frame. A 'block frame' is the standard option with two variants, the 'Corner Frame' and the 'Corner Counter Frame'. Each frame is made from heavy gauge corrosion protected steel and provides a stable platform for the door to operate.



Outside view

Block Frame

The block frame is the standard frame design. Provided with Rockwool filling.




Inside view

Corner Frame

The innovative corner frame wraps around the front corner of the garage opening providing a neat edge. Its slim profile also gives an additional 56 mm drive through width compared to a block frame.

Requires back-filling with a foam sealant.



Inside view

Corner Counter Frame

The counter frame wraps around the front and back corner of the garage opening providing a neat edge. Its slim profile also gives an additional 56mm drive through width compared to a block frame.

Requires back-filling with a foam sealant.

FB Profile Option



Outside view

The FB Frame option allows for a flush finish between door lip, frame and wall finish on Corner and Corner Counter frames in new openings that are rendered after the door is installed. The FB option also provides a flush finish on block frames that are fixed at the front edge of the garage opening reveal.

TECKENTRUP | HOME

The Complete Solution

Alternative or complimentary Side Hinged and Sectional Garage Doors

Side hinged doors are an alternative to sectional doors but can also compliment them with matching side access. Getting your lawn mower out of the garage? A side hinged door is perfect and, for ride on mowers, a pair of doors allows drive in access.


For full details of the Teckentrup sectional garage door range, call 01925 924050 for a copy of our brochure or visit www.teckentrup.co.uk.



Design. Security. Service.

Teckentrup is a family business with operations throughout the world. In the UK we make our garage doors in Warrington, Cheshire. CarTeck Automatic is available through a national network of independent Garage Door Specialist installers.

Teckentrup offers more than garage doors: We provide solutions and have set three quality standards for our garage doors:



Design

We combine ease of use with aesthetics.

Good design uses innovative technology to make using a product intuitive and effortless. CarTeck Side Hinged garage doors offer a wide range of design options that will transform the look of your home and the way you use your garage space.



Safety & Security

We combine security with safety.

Our products are designed to provide peace of mind with both physical security and the knowledge that durability and safe operation are inherent.



Service

We combine speed with reliability.

The Teckentrup team and our network of Garage Door Specialists installers love to make your new door a pleasure to own. From planning to installation. You'll always receive expert advice and the best service for installation, maintenance and aftercare.



Quality & Environment

Teckentrup operates to quality procedures audited to ISO 9001. We care about the environment too - this is why our products are certified in accordance with the Environmental Product Declaration (EPD).

ISO 14001 Environmental Management
ISO 50001 Energy Management



December 2020

Teckentrup UK Limited, Units 2-4 Opus 9 Industrial Estate,
Woburn Road, Winwick Quay, Warrington WA2 8UE

t: 01925 924 050

f: 08701 314 843

e: sales@teckentrup.co.uk

TECKENTRUP
DOOR SOLUTIONS



Member



WWW.TECKENTRUP.CO.UK